

(May 1963)

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

(Other instruct
verse side)

OR re-

copy to SF

5. LEASE DESIGNATION AND SERIAL NO.

LC 031844

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Fren Oil Company

9. WELL NO.

6

10. FIELD AND POOL, OR WILDCAT

Grayburg Jackson

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

19-17S-31E

12. COUNTY OR PARISH

Eddy

13. STATE

N.M.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1.

OIL WELL ☒ GAS WELL ☐ OTHER

2. NAME OF OPERATOR

Atlantic Richfield Company

3. ADDRESS OF OPERATOR

P. O. Box 1710, Hobbs, New Mexico 88240

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

990' FSL & 1650' FEL (Unit letter O)

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3591' DF

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other) Plug & Abandon

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

On 10/8/75 rigged up, pulled rods, pump & tubing. Ran bit & scraper to 2900'. Ran 4 1/2" cmt retr, set @ 2800'. Squeezed perfs 2911-3546' w/75 sx Cl C cmt cont'g 4% gel & 8# salt/sk. MP 1100#. Pulled up & spotted 2 sx on top of retr. POH w/tbg. Perf'd 4 - .48" holes in 4 1/2" csg @ 1900'. WIH w/7" cmt retr on 2-3/8" tbg, set retr @ 1693'. Unable to pump into perfs @ 1900'. Pulled out of cmt retr w/tbg & spotted 300' Cl C cmt on top of cmt retr. POH w/tbg. Spotted heavy gelled mud between all plugs. Ran free point, indicated free @ 585'. Cut 7" @ 585' & pulled. WIH w/2-3/8" tbg & spotted 50 sx Cl C cmt w/4% gel & 8# salt/sk added @ 7" csg stub half in & half out. Spotted 20 sx Cl C cmt w/4% gel & 8# salt/sk added, installed regulation dry hole marker. Well plugged & abandoned 10/13/75. Cleaned & levelled location. Final Report.

RECEIVED

OCT 17 1975

U.S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE Dist. Drlg. Supv.

DATE 10/16/75

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side