

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

copy 3.
2 SUBMIT IN THE
(Other instruction
verse side)

CATE*
on re-

Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

5. LEASE DESIGNATION AND SERIAL NO.

Las Cruces 031844

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

30-015-05258

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Max Friess-Federal

9. WELL NO.

10

10. FIELD AND POOL, OR WILDCAT

Fran

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

SE

Sec. 19-17S.-31E.

12. COUNTY OR PARISH 13. STATE

Eddy County New Mexico

1.

OIL WELL ☒ GAS WELL ☐ OTHER

2. NAME OF OPERATOR

FREN OIL COMPANY

3. ADDRESS OF OPERATOR

P. O. Box 756
Monahans, Texas

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)

At surface 990' from South Line and 330' from East Line
Sec. 19-17S.-31E., Eddy County, New Mexico

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3601' DF

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

Drill

x

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Intend to drill with Fort Worth Jumbo J Spudder (cable tools) to and thru 1920'-1980' oil and gas horizons and/or as they may correspond and correlate with wells #4 and #5, drilled in this well # 10 and 8-5/8" OD (9-1/4" ID) casing - 24 lbs. to top of salt around 500', and cement same with 75 sacks of cement. The cement will be allowed 72 hours to set before drilling is resumed. After the pay has been found, will submit notice or obtain verbal approval for 7" OD (6-5/8" ID) casing - 20 lbs.- casing point, after which said 7" casing will be set and cemented with at least 100 sacks of cement with heavy mud pumped ahead.

RECEIVED

JUN 15 1964

O. C. C.
ARTESIA, OFFICE

18. I hereby certify that the foregoing is true and correct

SIGNED

Max Enginger

TITLE

Partner

DATE December 20, 1946

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:


Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

County _____ State _____



Scale 4" = 1 mile.


This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Seal:
Artesia, New Mexico

Surveyed August 2, 1944

14286-14287 Advocate Print

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION
500 FIFTH AVENUE, NEW YORK 10017



I certify this to be a true and exact
photostat copy of the original made
made by me.

JUN 9 1964

R. M. METCALFE CO.

F. Harris

Photostat Operator