

N. M. O. C. C. COPY
UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
SUBMIT IN TR (Other instructi
verse side) CATE* on reForm approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO. LC 029395 (b)	
2. NAME OF OPERATOR Atlantic Richfield Company		6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
3. ADDRESS OF OPERATOR P. O. Box 1710, Hobbs, New Mexico 88240		7. UNIT AGREEMENT NAME	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 1650' FSL & 330' FWL (Unit letter L)		8. FARM OR LEASE NAME Turner "B"	
14. PERMIT NO.		9. WELL NO. 26	
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 3615' GR		10. FIELD AND POOL, OR WILDCAT Fren Seven Rivers	
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA 20-17S-31E	
		12. COUNTY OR PARISH Eddy	
		13. STATE N.M.	

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	<input type="checkbox"/>	WATER SHUT-OFF	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	FRACTURE TREATMENT	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	SHOOTING OR ACIDIZING	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	(Other)	<input type="checkbox"/>
(Other) Plug & abandon	<input checked="" type="checkbox"/>	(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) *

TD 2010'. Completed OH interval 1932-2010'.
7" OD 20# csg set @ 636' & cmtd w/50 sx.
5½" OD 14# csg set @ 1932' & cmtd w/100 sx.
This well is depleted in the Fren Seven Rivers zone and is not needed in the future Fren sand waterflood. Propose to plug & abandon in the following manner:

1. Rig up, install BOP.
2. Run 2-3/8" EUE tbg OE to 1832' & spot 30 sx C1 C cmt to cover bottom 100' of 5½" csg.
3. Spot heavy gelled mud between all cmt plugs.
4. Run free point on 5½" csg. Cut from free point @ approx 1400' & pull.
5. RIH w/2-3/8" EUE tbg OE & spot 35 sx C1 C cmt (100' plug) across 5½" csg stub.
6. Spot 35 sx C1 C cmt (100' plug) across 7" csg shoe & top of salt @ 636'.
7. Spot 10 sx C1 C cmt @ surface, install regulation dry hole marker, clean & level location

RECEIVED

NOV 25 1975

U. S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED John Ray Smith TITLE Dist. Drlg. Supv. DATE 11/24/75


(This space for Federal or State office use)

APPROVED BY
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____ DATE _____

APPROVED
MAR - 2 1976
N. L. BEEKHMAN
ACTING DISTRICT ENGINEER

*See Instructions on Reverse Side



ATLANTIC RICHFIELD COMPANY
Blow Out Preventer Program

Lease Name Turner "B"

Well No. 26

Location 1650' FSL & 330' FWL
Sec 20-17S-31E, Eddy Co.

BOP to be tested before installed on well and will be maintained in good working condition during workover. All wellhead fittings to be of sufficient pressure to operate in a safe manner.