N. M. O. C. C. COPY SUBMIT IN TR. CA (Other instructions on verse side) Form approved. Form 9-331 (May 1963) ITED STATES CATE. Budget Bureau No. 42-R1424. DEPARTMENT OF THE INTERIOR 5. LEASE DESIGNATION AND SERIAL NO. LC 029395 (b) GEOLOGICAL SURVEY 6. IF INDIAN, ALLOTTER OR TRIBE NAME SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir Use "APPLICATION FOR PERMIT—" for such proposals.) 7. UNIT AGREEMENT NAME WELL X GAS 8. FARM OR LEASE NAME NAME OF OPERATOR Turner "B" SINCLAIR OIL & GAS COMPANY 3. ADDRESS OF OPERATOR 9. WELL NO. 41 P. O. Box 1920, Hobbs, New Mexico 88240 LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\* See also space 17 below.) At surface 10. FIELD AND POOL, OR WILDCAT Grayburg Jackson 1650' from the North line and 1650' from the West line 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA 20-T17S-R31E 12. COUNTY OR PARISH 18. STATE 14. PERMIT NO. 15. BLEVATIONS (Show whether DF, RT, GR, etc.) Eddy New Mexico 3639' DF 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: TEST WATER SHUT-OFF PULL OR ALTER CASING REPAIRING WELL WATER SHUT-OFF ALTERING CASING FRACTURE TREAT MULTIPLE COMPLETE FRACTURE TREATMENT ABANDON MENT® ABANDON\* SHOOTING OR ACIDIZING SHOOT OR ACIDIZE REPAIR WELL CHANGE PLANS (Other) (Norm: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) Convert oilwell to WIW (Other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and sones pertinent to this work.) \* TD Drilled 3455'. PBTD 3411'. Presently producing from Grayburg Jackson perfs. 3400<sup>--</sup>34081, 3343-33481, 3366-33771, 3290-33061, 3353-33581, 2955-29661*; 2*972-29801. Presently producing 12 BOPD and 12 BWPD. PROPOSE TO: Check T.D. If necessary clean out. Run 2-3/8"OD tubing and packer set @ approx. 2780'. Convert from oilwell to water injection well in Grayburg Jackson from perfs. 2955-3408' in Russell-Turner Waterflood Area. RECEIVED
NOV2 1967 SURVEY
NOVE TO THE SURVEY
NOVE T RECEIVED

\*See Instructions on Reverse Side Orig&4cc: USGS, Artesia, N.M.

cc: Regional Office

cc: file