


N.

V

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

AREA 640 ACRES
LOCATE WELL CORRECTLY

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

Well No. 15 in SE/4 NE/4 of Sec. 21, T. 17S
R. 31E, N. M. P. M., Fren Field, Eddy County.
Well is 1980 feet south of the North line and 660 feet west of the East line of Sec. 21.
If State land the oil and gas lease is No. _____ Assignment No. _____
If patented land the owner is _____, Address _____
If Government land the permittee is H. M. Dow, Address —
The Lessee is Skelly Oil Company, Address Tulsa, Oklahoma
Drilling commenced August 14, 19 47. Drilling was completed September 4, 19 47
Name of drilling contractor J. C. Clower, Address Enice, N.M.
Elevation above sea level at top of ~~rock~~ D.F. 3826 feet.
The information given is to be kept confidential until Not Confidential 19 _____

OIL SANDS OR ZONES

No. 1, from 2190 to 2204 No. 4, from _____ to _____
No. 2, from 2228 to 2237 No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet. _____
No. 2, from _____ to _____ feet. _____
No. 3, from _____ to _____ feet. _____
No. 4, from _____ to _____ feet. _____

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED FROM TO	PURPOSE
<u>8-5/8"</u>	<u>28</u>	<u>8R</u>	<u>SS</u>	<u>604'</u>	<u>Tex. Pat.</u>			
<u>7"</u>	<u>20</u>	<u>8R</u>	<u>SS</u>	<u>2153'</u>	<u>Tex. Pat.</u>			

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
<u>10-1/4"</u>	<u>8-5/8"</u>	<u>610'</u>	<u>75</u>	<u>Halliburton -</u>	<u>Preceded by mud</u>	<u>circulated to surface.</u>
<u>8"</u>	<u>7"</u>	<u>2156'</u>	<u>135</u>	<u>Halliburton -</u>	<u>Preceded by mud</u>	<u>circulated to surface.</u>

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____
Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
<u>116 qts.</u>	<u>Nitro-Glycerin</u>		<u>116 qts.</u>	<u>9-10-47</u>	<u>2238-2190'</u>	<u>2247'-TD</u>

Results of shooting or chemical treatment _____

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet.
Cable tools were used from 0 feet to 2247 feet, and from _____ feet to _____ feet.

PRODUCTION

Put to producing _____ 19 _____
The production of the first 24 hours was 35 barrels of fluid of which 100 % was oil; _____ %
emulsion; _____ % water; and _____ % sediment. Gravity, Be 38
If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
Rock pressure, lbs. per sq. in. _____

EMPLOYEES

W. C. Karr, Driller _____, Driller
Fred R. Whitaker, Driller _____, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 21thday of October, 19 51

Notary Public

My Commission expires May 1, 1952

Hobbs, New Mexico - October 29, 1951

Place _____ Date _____
Name W. C. Karr
Position Dist. Supt.
Representing Skelly Oil Company
Company or Operator.
Address Box 38 - Hobbs, New Mexico