(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

S . Bu	dget Bureau No. proval expires 12-	42-R358.4 31- 6 0.
	Las Crm	
Lease No.	029420 1	3
Unit	Dow "3"	
1	F. E.	

SUNDRY NOTICES AND REPORTS ON WELLS

			1	43. I
	ENTION TO DRILL		SUBSEQUENT REPORT OF WATER SH	UT-OFF
	ENTION TO CHANGE PLAN			į.
	ENTION TO TEST WATER		SUBSEQUENT REPORT OF ALTERING	
	ENTION TO RE-DRILL OR		·	
-	ENTION TO SHOOT OR AC			
	ENTION TO PULL OR ALTI		SUPPLEMENTARY WELL HISTORY	
	ention to abandon wer Run Liner, er		X	
Protes	(INDICATE	BOVE BY CHECK MAR	RK NATURE OF REPORT, NOTICE, OR OTHER DA	TA)
			Hobbs, New Marries	December 20, 19.62
'ell No	is located	660 ft. from	m S line and 1650 ft. from	W line of sec. 21
<i>5</i>	4 See, 21	17-8	SleE N.W.F.H. (Range) (Mer(dian)	
	and Sec. No.)	(Twp.)	(· · · · · · · · · · · · · · · · · · ·	
	Jackson Pield)	County		tate or Territory)
ie elevation	n of the derrick flo	oor above sea le	evel is 3805 ft.	The state of the s
			AILS OF WORK	~6Q.
ate names of a	nd expected depths to ob,	DETA		s; indicate mudding jobs, cemen
L. Move i	nd expected depths to ob. n and rig up woods and tubing.	DETA jective sands; show a ing points, and all orkover rig.	ILS OF WORK izes, weights, and lengths of proposed casing other important proposed work)	rs; indicate mudding jobs, comen
. Hove in Pull res. Clean v. Set 4-1. Select: Fracture. Return	n and rig up woods and tubing well out to to 1/2" OD casing ive perforate to perforate well to produce	DETA jective sands; show at ing points, and all orkover rig. tal depth an liner from the San Andr e with appro-	AILS OF WORK izes, weights, and lengths of proposed casing other important proposed work) id drill well decourt to a approximately 3360° to 3	oproximatelt 3750'. 750'.
. Hove in Pull ro . Clean o . Set 4-i . Select: . Practus . Return	n and rig up woods and tubing well out to to 1/2" OD casing ive perforate to perforation well to produce the second control of the perforation well to produce the perforation of the pe	DETA jective sands; show a ing points, and all orkover rig. tal depth an liner from the San Andre with appro-	AILS OF WORK izes, weights, and lengths of proposed casing other important proposed work) id drill well deeper to a approximately 3360° to 3°	oproximatelt 3750'. 750'. mnd-oil.
. Hove in Pull ro Clean of Set And Select: . Fracture Return	n and rig up woods and tubing well out to to 1/2" OD casing ive perforate to perforation well to produce the second control of the perforation well to produce the perforation of the pe	DETA jective sands; show a ing points, and all orkover rig. tal depth an liner from the San Andre with appro-	AILS OF WORK izes, weights, and lengths of proposed casing other important proposed work) ad drill well deepwr to a approximately 3360° to 3° we Zone. Eximately 20,000 gallons	oproximatelt 3750'. 750'. mnd-oil.
. Nove in Pull religion Clean in Selection Fracture Return	n and rig up woods and tubing well out to to to 1/2" OD casing ive perforate tre perforations well to product that this plan of work me	DETA jective sands; show a ing points, and all orkover rig. tal depth an liner from the San Andre with appro-	izes, weights, and lengths of proposed casing other important proposed work) id drill well deepwr to a approximately 3360° to 3° we Zone. iximately 20,000 gallons on writing by the Geological Survey before on	oproximatelt 3750'. 750'. mad-oil.
Pull reclars to Set 4-1 Select: Practus Return Lunderstand to ompany	n and rig up woods and tubing well out to to 1/2" OD casing ive perforate re perforations well to product that this plan of work much at the plan	DETA jective sands; show all ing points, and all orkover rig. tal depth an liner from the San Andre with appro- stion.	AILS OF WORK izes, weights, and lengths of proposed casing other important proposed work) ad drill well deepwr to a approximately 3360° to 3° we Zone. Eximately 20,000 gallons	oproximatelt 3750'. 750'. sand-oil.

NEW MEXICO OIL CONSERVATION COMMISSIGN Form C-110 SANTA FE, NEW MEXICO

1File the original and 4 copies with the appropriate district office 20 1960

CERTIFICATE OF COMPLIANCE AND AUTHORIZATION C. C. TO TRANSPORT OIL AND NATURAL GAS ARTESIA, OFFICE

Company or Operator Skelly Oil Company	Lease Dev HPB
Well No. 23 Unit Letter N 5 21 T	175 R 31E Pool Grayburg Jackson
County Eddy Kind of Lease If well produces oil or condensate, give locat Authorized Transporter of Cil or Condensate	ion of tanks: Unit D 521 1 175 R 318
Address (Give address to which approved Authorized Transporter of Gas Address (Give address to which approved (Give address to which approved If Gas is not being sold, give reasons and also	Box 1510 = Midland, Texas copy of this form is to be sent) Company = Maljamar Gasoline Plant Date Connected copy of this form is to be sent)
Reasons for Filing: (Please check proper box Change in Transporter of (Check One): Oil (Change in Ownership()) Remarks:) Dry Gas () C'head () Condensate ()
The undersigned certifies that the Rules and mission have been complied with. Executed this the 17th day of June	Regulations of the Oil Conservation Com-
Approved 1960 19 OIL CONSERVATION COMMISSION	Company Skelly Oil Company Address Sox 38 - Hobbs, New Mexico
Title OH HAD GAS INSPECTED	Address same and a second a second and a second a second and a second

	OT OFFICE	
No. Caple Bas load		1.
19.37RIBUT	10:14	T712
	40 Fun 5 10	
1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
All Kirk	· · · · · · · · · · · · · · · · · · ·	
NOTATION OF THE		
TATE LANGE OF MAL		
. 5 9. 5.		
DANCHER "	·····	
H P		
TETT OF STREET		
- 10 m → 10 m → 4 表演 - 10 m → 10 m		