

UNITED STATES GEOLOGICAL SURVEY
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ gas ☐ other ☐

2. NAME OF OPERATOR
Getty Oil Company ✓

3. ADDRESS OF OPERATOR
P. O. Box 730, Hobbs, New Mexico 88240

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: Unit 1tr. ^C 330' FNL & 1650' FWL
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐
(other) ☐

☐
☐
☐
☒
☐
☐
☐
☐

(NOTE: Report results of multiple completion or zone change on Form 9-330)

FEB 13 1979

U.S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1. Rigged up E&H Well Service. Attempted to pull the stuck 2 3/8" tbg., could not get free.
2. McCullough ran free point. Set down solid at 2089'. Could not get deeper.
3. Chemically cut tubing at 1990'.
4. Ran 5 7/8" shoe, 7 jts. 5 1/2" wash pipe, 208', 2 - 4 1/8" drill collars, 4 1/4" Johnson Jars with a T-Dog overshot 7 jts. above shoe.
5. Went over fish at 1990'. Washed to 2165'.

(CONTINUED)

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Dale P. Crockett TITLE Area Supt. DATE 2-9-79

APPROVED BY [Signature] TITLE ACTING DISTRICT ENGINEER DATE FEB 14 1979
CONDITIONS OF APPROVAL, IF ANY:

PJB/de

*See Instructions on Reverse Side

is when completed, as indicated, on Federal and
uch State, pursuant to applicable State law and
rticularly with regard to local, area, or regional
office.

dance with Federal requirements. Consult local

is required by local Federal and/or State offices,
ve zones, or other zones with present significant
ad or other material placed below, between and
; method of closing top of well; and date well site

" , 1 jt. 2 7/8" tbg.

ars and jet washed hole

2065'-2165'. Acidized
7 BPM. No breakdown.

erf. nipple at 2074'.
x 11' Polish rod, 10 SPM

1-R.O. STARRAK-TULSA
1-A.B. CARY-MIDLAND
1-PJB, ENGR1-FILE
1-BH, FIELD CLERK NMOCCCopy to SF
Form Approved
Budget Bureau No. 42-R1424UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☒ gas well ☐ other ☐
2. NAME OF OPERATOR
Getty Oil Company ✓
3. ADDRESS OF OPERATOR
P. O. Box 730, Hobbs, New Mexico 88240
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: Unit letter C, 330' FNL & 1650' FWL
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

- TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☒
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐
(other) ☐

SUBSEQUENT REPORT OF:

- ☐
☐
☐
☐
☐
☐
☐
☐
☐
☐

RECEIVED

JAN 5 - 1979
U.S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

5. LEASE
LC-029420-(b)
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME
Skelly Unit
8. FARM OR LEASE NAME
9. WELL NO.
#5
10. FIELD OR WILDCAT NAME
Seven Rivers
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 21, T-17S, R-31E
12. COUNTY OR PARISH
Eddy
13. STATE
New Mexico
14. API NO.
15. ELEVATIONS (SHOW DF, KDB, AND WD)
3760' DF

NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1. Rig up pulling unit.
2. Attempt to pull the stuck 2 3/8" tbq. (Will probably require a free point.)
3. Run free point indicator and cut 2 3/8" tbq.
4. Wash over fish and attempt to fish the remaining 2 3/8" tbq. from the well.
5. Clean out and jet wash the well to T.D., 2165', using a jet sub and bit.
6. Place well back on pump and observe.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Dale R. Crockett TITLE Area Supt. DATE 1-3-79

(This space for Federal or State office use)

APPROVED BY Lee I. Lara ACTING DISTRICT ENGINEER DATE JAN 5 1979

CONDITIONS OF APPROVAL, IF ANY: