

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPlicate*
(Other instructions on reverse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

LC-029419 (A)

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Skelly Unit

8. FARM OR LEASE NAME

Skelly Unit

9. WELL NO.

3

10. FIELD AND POOL, OR WILDCAT

Fren (Seven Rivers) & Grayburg-Jackson

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 22-17S-31E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3852' DF

12. COUNTY OR PARISH

Eddy

13. STATE

New Mexico

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) Convert to water injection ☒PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON* ☐CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT* ☐(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

This is a dual Fren (Seven Rivers) and Grayburg-San Andres oil well. We propose converting the Grayburg-San Andres Zone to water injection and continuing to produce the Fren (Seven Rivers) Zone. Administrative Order No. WFX-382 has been issued by the New Mexico Oil Conservation Commission authorizing this conversion. The proposed work is as follows:

- 1) Pull both strings of tubing, rods and pumps.
- 2) Have long string of tubing internally coated for water injection service.
- 3) Run long string of 2-3/8" OD internally-coated tubing and sting into Model "D" packer at 3017'. (Run anchor seal assembly that will latch into packer.)
- 4) Run short string of tubing, rods and pump.
- 5) Load casing-tubing annulus from 2300' to 3017' with brine water treated with inhibitors.
- 6) Hook up injection well head for injection into Grayburg-San Andres and commence injecting water.

RECEIVED

JAN-8 1973

U. S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED (Signature of Lead Clerk)

TITLE Lead Clerk

DATE January 4, 1973

(This space for Federal or State office use)

APPROVED BY
CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

JAN-8 1973
R. L. BECKMAN
ACTING DISTRICT ENGINEER

*See Instructions on Reverse Side