

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TR. CATE*
(Other instruction on re-
verse side)

Form approved.
Budget Bureau No. 42-R1424.
5. LEASE DESIGNATION AND SERIAL NO.
LC 033569

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. ☒ OIL WELL ☐ GAS WELL ☐ OTHER

2. NAME OF OPERATOR
SHERMAN OIL CORPORATION

3. ADDRESS OF OPERATOR
1500 Commerce Building; Fort Worth, Texas 76102

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface
Unit D - 330 FNL & 330 FWL Sec. 31, T-17S, R-29E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)
3,673' GR

6. IF INDIAN, ELLOTTER OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
Green Federal

9. WELL NAME
Artesia

10. FIELD AND POOL, OR WILDCAT
Artesia

11. SEC., T., R., M., OR BEK. AND SURVEY OR AREA
Sec. 31, T-17S, R-29E

12. COUNTY OR PARISH
Eddy

13. STATE
New Mexico

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
(Other) ☐

PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
ABANDON* ☐
CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐
FRACTURE TREATMENT ☐
SHOOTING OR ACIDIZING ☐
(Other) ☒ **Convert to water injection**

REPAIRING WELL ☐
ALTERING CASING ☐
ABANDONMENT* ☐

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

T.D. - 2,592'.

1. Pulled rods and tubing and cleaned out to total depth 2,592'.
2. Ran correlation log and perforated 5 1/2" casing w/2 SPF as follows: 2,432'-2,438'.
3. Ran new 2 3/8" EUE plastic lined tubing with packers and flow regulator assemblies. (See attached diagram).
4. Filled annulus with inert fluid and installed valve at surface for pressure reading.
5. Placed well on injection August 12, 1971.

18. I hereby certify that the foregoing is true and correct

SIGNED

T. P. Bates


TITLE

Vice President

DATE

September 10, 1971

(This space for Federal or State office use)



TITLE

DATE

*See Instructions on Reverse Side

APPROVED
M. L. BECKMAN
252 16 1971

(This space for Federal or State office use)

SIGNED

TITLE

Vice President

18. I hereby certify that the foregoing is true and correct

2. Placed well on injection August 15, 1971.

Testing.

4. Filled annulus with inert fluid and installed valve at surface.

Assemblies. (See attached diagram).

3. Ran new 2 1/2" ID. (Standard line) casing from surface and

2. Ran correlation log and performed 2 1/2" casing log and

1. Pailed rods and tubing and cleaned out to total depth 2,000'

2.0 - 2,000'

17. The well is abandoned and the well is to be plugged.

16. The well is abandoned and the well is to be plugged.

15. The well is abandoned and the well is to be plugged.

14. The well is abandoned and the well is to be plugged.

13. The well is abandoned and the well is to be plugged.

12. The well is abandoned and the well is to be plugged.

11. The well is abandoned and the well is to be plugged.

10. The well is abandoned and the well is to be plugged.

9. The well is abandoned and the well is to be plugged.

8. The well is abandoned and the well is to be plugged.

7. The well is abandoned and the well is to be plugged.

6. The well is abandoned and the well is to be plugged.

5. The well is abandoned and the well is to be plugged.

4. The well is abandoned and the well is to be plugged.

3. The well is abandoned and the well is to be plugged.

2. The well is abandoned and the well is to be plugged.

1. The well is abandoned and the well is to be plugged.

NOTICE OF INTENTION TO

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by or may be obtained from the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian lands should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement or cement plugs; and on other material placed below, between, and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth or top of any left in the well; and date well site conditioned for final inspection looking to approval of the abandonment.

U.S. GOVERNMENT PRINTING OFFICE: 1965-229

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

PLUG OR ABANDON WELL

UNIT 2 - 230 FWT 3 340 FWT Sec. 31, T-12, R-23N

1500 Commerce Building, Fort Worth, Texas 76102

SCHLUMBERGER OIL CORPORATION

SUNDRY NOTICES AND REPORTS ON WELLS

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
UNITED STATES

Form 9-77
(May 1967)

WELL PROFILE

OPERATOR Shawindale Oil Corp.

CASING

LINER

TUBING

1

2

3

WELL # Green Federal #1FIELD Artesian O, GR, SACOUNTY EdlySTATE New MexicoDATE August 10, 1971☐ NEW COMPLETION☒ WORKOVER

SIZE

WEIGHT

GRADE

THREAD

DEPTH

Consent To Water InjectionITEM
NO.

EQUIPMENT AND SERVICES

ESTIMATE

2382

2417

2453

2490

2560

2 3/8" EUE PIP 7799'
Plastic lined

R.

METEX
2432'
TO
2438'

R.

PREMIER
2533'
TO
2540'

T.D.

8 3/8" 24" Cag. Set @ 484

5 1/2" 14" Cag. Set @ 2592'

Size 45" B Baker Model "B" Tandem Tension
Packer w/ Hold DownSize 2 3/8" Baker Model BF Full Opening
Down Hole Regulator - 140 BBLs/Day

Size 45" B Baker Model A-1 LOK Set Packer

Size 2 3/8" Baker Model BF Full Opening
Down Hole Regulator - 250 BBLs/Day


COMMENTS:

TOTAL ESTIMATE

PREPARED BY

OFFICE

PHONE

Worksheet
No. 523SAVE TIME AND MONEY WITH
COMPLETIONS BY BAKER

BAKER OIL TOOLS, INC.

HOUSTON LOS ANGELES NEW YORK

WELL INITIAL
FLUIDS INITIAL

PRINTED IN USA