

UNITED STATES DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY  
NM OIL CONS. COMMISSION  
Prior to (Get instruction on reverse side)  
Artesia, NM 88210Form approved.  
Budget Bureau No. 42-R1424.

C/SF

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		RECEIVED	
2. NAME OF OPERATOR <i>Sun Exploration Prod Co.</i>		MAR - 9 1982	
3. ADDRESS OF OPERATOR P.O. Box 1861, Midland, Texas 79702		O. C. D.	
4. LOCATION OF WELL (Report location clearly and in accordance with any State regulations. See also space 17 below.) At surface  Unit Letter K 1980' FWL & 1980' FSL		ARTESIA, OFFICE	
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, GR, etc.) 3611 DF	12. COUNTY OR PARISH Eddy	13. STATE NM

## 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

## NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF	<input type="checkbox"/>	PULL OR ALTER CASING	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	MULTIPLE COMPLETE	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	ABANDON*	<input checked="" type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	CHANGE PLANS	<input type="checkbox"/>
(Other)	<input type="checkbox"/>		

## SUBSEQUENT REPORT OF:

WATER SHUT-OFF	<input type="checkbox"/>	REPAIRING WELL	<input type="checkbox"/>
FRACTURE TREATMENT	<input type="checkbox"/>	ALTERING CASING	<input type="checkbox"/>
SHOOTING OR ACIDIZING	<input type="checkbox"/>	ABANDONMENT*	<input type="checkbox"/>
(Other)	<input type="checkbox"/>		

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

1. MIRU. Install BOP. POH w/ 2-3/8" tbg and pkr. (Pkr set @ 2410, type unknown).
2. Load hole w/ mud laden fluid.
3. RIH w/ CIBP on W.L. Set CIBP @ 2420+. Dump 4 sx cmt on top of CIBP.
4. RIH w/ 4 way sqz gun and perf 4 1/2" csg @ 1000'. RIH w/ 2-3/8" W.S. and 4 1/2" Baker Ad tension pkr. Set pkr @ 600'.
5. EIR into perfs w/ form. wtr. Sqz perfs w/ 100 sx cmt. Displace cmt to 885'. SI 4 hrs.
6. Test tbg to 800#, If holds, POH w/ tbg and pkr. Check top of cmt plug w/ W.L.
7. Perf csg @ 570' w/ 4 way sqz. gun. RIH w/ 2-3/8" WS and Baker AD pkr. Set pkr @ 500'.
8. EIR into perfs w/ form, wtr. POH w/ tbg and pkr. Sqz down csg w/ 50 sx cmt and displace to 470'. SI 4 hours. Test csg to 400#.
9. Check top of cmt plug w/ W.L. Spot 10 sc cmt at the surface.
10. Cut csg off at surface and weld on steel plate. Set dry hole marker.  
Clean up location.

RECEIVED  
MAR 5 1982

18. I hereby certify that the foregoing is true and correct

SIGNED *DeAnn Kemp*

TITLE Accounting Assistant II

DATE March 3, 1982

(This space for Federal or State Office use)

APPROVED BY (Orig. Sgd.) PETER W. CHESTER  
CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

MAR 5 1982

FOR  
JAMES A. GILLHAM  
DISTRICT SUPERVISOR

\*See Instructions on Reverse Side