## NSTRUCTIONS

or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments

should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in attainments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in Item 23 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in Item 33. Submit a separate report (page) on this form, bequively identified, for each additional interval.

Item 29: "Sack's Coment": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool. Them 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF P DEFTH INTERVAL TESTED, CUSHIO:	OROSITY AND CONTENT	SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEFTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES	38. GEOLO	GEOLOGIC MARKERS	
FORMATION TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	A A A A	TOP	79
0	250	Surface sands, caliche, redbeds	ИАМЕ	MEAS. DEFTH	TRUE VERT. DEPTH
250	2	ite, shale	Yates	4	
2520	4020		San Andres	2520	
4020	6070	hydrite, shale	Glorietta	02	
6070	25	, dolomite	Tubb	47	•
7250	8850	Lime, dolomite	Abo	07	
8850	10,880	and shale	Wolfcamp	ഗ	
:			Cisco	84	
DST #1 9025-9090 Too	l open l	. wateı	\$trawn	72	
1 1	1	0, IF - 761, FF - 880, FSIP - 3	Atoka	10,240	
DST #2 10,660-10,795		l hr, Rec 320 DM,		,	
	- T - T 3 3	- 233, t iii f Sif - 320			
DST #3 10,668-10,880	Tool open	l hr, rec 360' DM, 1 hr ISIP - 466,		ő <b>É</b>	
			V F	C.	
				. C	
			E C	ARTE	
		II S COVERNMENT PRINTING OFFICE: 1983-10-583-535	R		