

C/SF

*** (See Instructions and Spaces for Additional Data on Reverse Side)**

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 38, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.


Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval some (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORE INTERVALS; AND ALL WELL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND DISCOVERIES			38. GEOLOGIC MARKERS			
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	MEAS. DEPTH	TRUE VERT. DEPTH
	0	300	Sand, caliche, shale	San Andres	2470'	
	300	335	Red bed			
	335	385	Red bed, salt			
	385	745	Salt			
	745	950	Anhy, salt			
	950	1125	Anhy, shale, sand			
	1125	1750	Anhy			
	1750	1800	Sand			
	1800	2360	Anhy, dolo, sand			
	2360	2375	Sand			
	2375	2460	Dolo, shale			
	2460	2475	Sand			
	2475	4675	Dolo.			
	4675		TD			




Telephone (505) 748-2205

L & M DRILLING, INC. — Oil Well Drilling Contractors

P. O. BOX ~~672~~ / ARTESIA, NEW MEXICO 88210
470

January 12, 1987

Marbob Energy Corporation
PO Drawer 217
Artesia, NM 88211



Re: M. Dodd B #60
330' FNL & 1650' FWL
Sec. 10, T17S, R29E
Eddy County, New Mexico

Gentlemen:

The following is a Deviation Survey for the above captioned well.

DEPTH	DEVIATION
310'	1 1/2°
785'	1/4°
1222'	1 1/4°
1724'	1 1/4°
2224'	1 1/2°
2723'	1 1/2°
3220'	1 1/2°
3717'	1 1/2°
4245'	1 1/2°
4675'	1 1/2°

Very truly yours,

B. N. Muncy Jr.
President

STATE OF NEW MEXICO \$
COUNTY OF EDDY \$

The foregoing was acknowledged before me this 12th day of January, 1987.

NOTARY PUBLIC

