

Submit 3 Copies
to Appropriate
District Office

State of New Mexico

Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I

P.O. Box 1980, Hobbs NM 88240

DISTRICT II

811 South First, Artesia, NM 88210

DISTRICT III

1000 Rio Brazos Rd, Aztec, NM 87410

OIL CONSERVATION DIVISION

2040 South Pacheco

Santa Fe, New Mexico 87505

WELL API NO.

30-015-26624

5. Indicate Type of Lease

STATE ☒

FEE ☐

6. State Oil & Gas Lease No.

B-255

7. Lease Name or Unit Agreement Name

GJ West Coop Unit

8. Well No.

92

9. Pool name or Wildcat

Grbg Jackson SR Q Grbg SA

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS).

1. Type Of Well:

OIL
WELL ☒

GAS
WELL ☐

OTHER

2. Name of Operator

Mack Energy Corporation

3. Address of Operator

P.O. Box 960, Artesia, NM 88211-0960

4. Well Location

Unit Letter J : 1650 Feet From The South Line and 2110 Feet From The East Line

Section 28 Township 17S Range 29E NMPM Eddy, NM County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

3560.5' GR

11.

Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐

ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐

PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Mack Energy Corporation proposes to plug and abandon as follows:

1. Notify OCD 24 hours before starting. *✓ 25 sx plug @ 4055*
2. Set CIBP @ 2641' w/35' cement cap 100' above top perforation.
3. Circulate hole w/mud.
4. Spot 35 sx cement from 850'-750' bottom of salt. *-TAS*
5. Spot 35 sx cement from 428'-328' 50' above and below 8 5/8 casing. *-TAS*
6. Spot 10 sx cement from 60' to surface.
7. Cut off well head and install dry hole marker.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Crissa D. Carter

TITLE

Production Analyst

DATE

4/10/02

TYPE OR PRINT NAME

Crissa D. Carter

TELEPHONE NO. 748-1288

(This space for State Use)

APPROVED BY

[Signature]

TITLE

Wild Sep ID

DATE

APR 19 2002

CONDITIONS OF APPROVAL, IF ANY: