

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	<input checked="" type="checkbox"/>
FILE	<input checked="" type="checkbox"/>
U.S.G.S.	<input type="checkbox"/>
LAND OFFICE	<input type="checkbox"/>
OPERATOR	<input checked="" type="checkbox"/>

P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

DEC 02 '88

API #30-015-25896

5a. Indicate Type of Lease
State For
5. State Oil & Gas Lease No.
LG 7123

O. C. D.
ARTESIA OFFICE

SUNDRY NOTICES AND REPORTS ON WELLS

DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT - " (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL GAS WELL OTHER- Well status change to oil well.

2. Name of Operator
Yates Petroleum Corporation ✓

3. Address of Operator
105 South 4th St., Artesia, NM 88210

4. Location of Well
UNIT LETTER J 1980 FEET FROM THE South LINE AND 1980 FEET FROM
THE East LINE, SECTION 10 TOWNSHIP 19S RANGE 24E NMPM.

7. Unit Agreement Name
8. Farm or Lease Name
Kudu AFM State Com
9. Well No.
1
10. Field and Pool, or Wildcat
Undes. San Andres

15. Elevation (Show whether DF, RT, GR, etc.)
3673.5' GR

12. County
Eddy

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <u>Plugback and test San Andres</u> <input checked="" type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Verbal permission obtained from Mike Williams, NMOCD, Artesia, NM, by Eddie Mahfood, Yates Petroleum Corporation to plug back well as follows:

Set CIBP at 4900' w/35' cement on top.
Cut casing at 4350' and cement w/35 sx cement.
Set 35 sx cement at 3900-3800'.
Set 35 sx cement at 1900-1800'.

Perforate 1051-1186' and test San Andres.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Eddie Mahfood TITLE Production Supervisor DATE 12-1-88

APPROVED BY Mike Williams TITLE _____ DATE DEC 7 1988

CONDITIONS OF APPROVAL, IF ANY: