

## NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

OIL CONSERVATION COMMISSION,  
Santa Fe, New Mexico,

Hobbs, New Mexico  
PLACE


June 16, 1944  
DATE

Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as Stanolind Oil and Gas Company State "N" Well No. 1 in C SE/4 of NW/4 of Sec. 2, T. 20-S, R. 21-E, N. M. P. M., Wildcat Field, Eddy County.

COMPANY OR OPERATOR

LEASE



AREA 640 ACRES  
LOCATE WELL CORRECTLY

The well is 1980' feet (N) (S.) of the North line and 1980' feet (E.) (W) of the West line of the NW/4 of Sec 2, T-20S, R-31E. (Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. (wildcat) Assignment No. \_\_\_\_\_

If patented land the owner is \_\_\_\_\_

Address \_\_\_\_\_

If government land the permittee is \_\_\_\_\_

Address \_\_\_\_\_

The lessee is \_\_\_\_\_

Address \_\_\_\_\_

We propose to drill well with drilling equipment as follows: Cable tools to

total depth of 2900'

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: On file with Commission.

We propose to use the following strings of casing and to land or cement them as indicated:

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	NEW OR SECOND HAND	DEPTH	LANDED OR CEMENTED	SACKS CEMENT
13-3/4"	10-3/4 O.C.	J-55 45#	Second Hand	250'		
11"	8 5/8"	LW (SH) 28#	New	1000'	Cemented	450
7 7/8"	5 1/2 O.C.	H-40 14#	New	2900'	Cemented	250

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about \_\_\_\_\_ feet.

Additional information: Well to be drilled with cable tools to an approximate depth of 2900' with the casing program as outlined above. The 250' of 10-3/4" O.C. casing will be pulled upon setting of 8-5/8" string. All work in connection with drilling and completion, to conform to the rules and regulations of the New Mexico Oil Conservation Commission.

Approved \_\_\_\_\_, 19\_\_\_\_  
Except as follows:

Sincerely yours,

Stanolind Oil and Gas Company  
COMPANY OR OPERATOR

By Ralph L. Hendrickson

Position Field Superintendent

Send communications regarding well to

Name Ralph L. Hendrickson

Address Box "F", Hobbs, N.M.

OIL CONSERVATION COMMISSION,

By \_\_\_\_\_

Title \_\_\_\_\_