

NEW MEXICO OIL CONSERVATION COMMISSION
DRAWER DD
ARTESIA, NEW MEXICO

FIELD REPORT FOR CEMENTING OF WELLS

Operator <u>Curtis R. Inman</u>		Lease <u>Humble State</u>		Well # <u>1</u>	
Location of Well	Unit <u>23105+W</u>	Section <u>25</u>	Township <u>20</u>	Range <u>27</u>	County <u>Eddy</u>
Drilling Contractor <u>Apache Drilling Co.</u>		Type of Equipment <u>Cable Tools</u>			
APPROVED CASING PROGRAM					
<i>850 SR approved 8-14-64</i>					
Size of Hole	Size of Casing	Weight Per Foot	New or Used	Depth	Sacks Cement
<u>10 1/2</u>	<u>8 7/8</u>	<u>24 #</u>	<u>used</u>	<u>350-450</u>	<u>150-200</u>
<u>8</u>	<u>4 1/2</u>	<u>9.5</u>	<u>used</u>	<u>TD</u>	<u>50-75</u>
Casing Data:					
Surface <u>12</u> joints of <u>8 7/8</u> inch <u>24</u> # Grade <u>API J-E Lone Star</u>					
<u>used</u> (Approved) (Rejected)					
Inspected by <u>Gressett</u> date <u>8-21-64</u>					
Cementing Program					
Size of hole <u>11</u> Size of Casing <u>8 7/8</u> Sacks cement required					
Type of Shoe used <u>guide</u> Float collar used <u>no</u> Btm 3 jts welded <u>yes</u>					
TD of hole <u>381</u> Set <u>380</u> Feet of <u>8 7/8</u> Inch <u>24</u> # Grade <u>above</u>					
New-used csg. @ <u>380</u> with <u>130</u> sacks neat cement around shoe					
+ <u>sax</u> additives <u>270 Calcium Chloride</u>					
Plug down @ <u>11:45</u> (AM) (PM) Date <u>8-21-64</u>					
Cement circulated <u>yes</u> No. of Sacks <u>approximately 30</u>					
Cemented by <u>Halliburton (Hartley)</u> Witnessed by <u>Gressett</u>					
Temp. Survey ran @ (AM) (PM) Date top cement @					
Casing test @ <u>4:00</u> (AM) (PM) Date <u>8-22-64</u>					
Method Used <u>hail test</u> Witnessed by <u>Mr. Lund Contr. He forgot</u>					
Checked for shut off @ <u>4:00</u> (AM) (PM) Date <u>8-22-64</u> To call us.					
Method used <u>hail test</u> Witnessed by <u>Mr. Lund</u>					
Remarks: <u>water 294-315 10 bbls P.H. drs said water was real good to drink</u>					
<u>used 1 bucket @ 290</u>					

Plugging 9-1-64 Filled from TD to surface with ready-mix 8 1/2-9 1/2 yds
completed at 2:20 PM R. L. Stamm