

UNITED STATES **Artesia, NM 88210**  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

5. LEASE  
USA NM-0374057

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

RECEIVED

7. UNIT AGREEMENT NAME  
Cat Claw Draw Unit

FEB 24 1982

8. FARM OR LEASE NAME  
Cat Claw Draw Unit

O. C. O.

9. WELL NO.  
12

ARTESIA, OFFICE

10. FIELD OR WILDCAT NAME  
Cat Claw Draw Morrow

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec. 24, T21S, R25E

12. COUNTY OR PARISH 13. STATE  
Eddy New Mexico

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)  
3437' GR.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well  gas well  other

2. NAME OF OPERATOR  
Tenneco Oil Company

3. ADDRESS OF OPERATOR  
6800 Park Ten Blvd., Suite 200 N, S.A. TX 78213

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
AT SURFACE: 990' FSL and 1980' FWL  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

|                                  |                          |                       |                          |
|----------------------------------|--------------------------|-----------------------|--------------------------|
| REQUEST FOR APPROVAL TO:         |                          | SUBSEQUENT REPORT OF: |                          |
| TEST WATER SHUT-OFF              | <input type="checkbox"/> |                       | <input type="checkbox"/> |
| FRACTURE TREAT                   | <input type="checkbox"/> |                       | <input type="checkbox"/> |
| SHOOT OR ACIDIZE                 | <input type="checkbox"/> |                       | <input type="checkbox"/> |
| REPAIR WELL                      | <input type="checkbox"/> |                       | <input type="checkbox"/> |
| PULL OR ALTER CASING             | <input type="checkbox"/> |                       | <input type="checkbox"/> |
| MULTIPLE COMPLETE                | <input type="checkbox"/> |                       | <input type="checkbox"/> |
| CHANGE ZONES                     | <input type="checkbox"/> |                       | <input type="checkbox"/> |
| ABANDON*                         | <input type="checkbox"/> |                       | <input type="checkbox"/> |
| (other) <u>Install 1" tubing</u> |                          |                       |                          |

RECEIVED  
FEB 22 1982

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

OIL & GAS  
U.S. GEOLOGICAL SURVEY  
ROSWELL, NEW MEXICO

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

CATCLAW DRAW UNIT NO. 12  
WORKOVER PROCEDURE

- RU PU.
- Kill well with 2% KCL water.
- PU X-mas tree, hang off tubing, and remove X-mas tree. RU BOP's.
- Release Guiberson Uni-6 packer set at 10,652' and TIH to PBD at 10,807' to make sure casing is free of any fill. Tally 2-3/8" N-80 8rd ABC Mod. tubing out of hole. (Note: Have packer redressed to rerun).
- RIH with Peabody Vann's tubing conveyed perforator to perforate from 10,452' to 10,479', 10,520' to 10,527', and 10,533' to 10,538' with 2 JSPF. Run 5 1/2" Guiberson Uni-6 packer with on-off tool with XL recepticle cut to 1.875 profile on 2-3/8" N-80 8rd ABC Mod. tubing. Tally tubing in hole and

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Robert C. Mattar TITLE Production Engineering Supervisor DATE 2/19/82

APPROVED

(This space for Federal or State office use)

APPROVED BY (Orig. Sgd.) PETER W. CHESTER TITLE \_\_\_\_\_ DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:

FEB 22 1982

FOR  
JAMES A. GILLHAM  
DISTRICT SUPERVISOR

See Instructions on Reverse Side

## Instructions

**General:** This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

**Item 4:** If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

**Item 17:** Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment

GW001026-00-011-149

hydrotest to 7000 psi. Hang off tubing and run GR to check depths. Set packer at 10,375.

6. ND BOP. Made up tree on top joint. Note: Have 2', 4', 6' and 8' pup joints on location to space out and land tree.
7. Install 5000 psi pressure gauge in tree.
8. When wellhead is flanged up, drop the bar to set off perforating gun and begin flowing well.
9. Test and evaluate as required.