Office Office	State of New Mexico			\sim	Form C-	
District I	Energy, Minerals	and Natu	ral Resources	WEST ABILIO	Revised March 25,	1999
1625 N. French Dr., Hobbs, NM 87240 District II				WELL API NO. 30-015-24822		
811 South First, Artesia, NM 87210						
District III 2040 South Pacheco			5. Indicate Type of Lease			
1000 Rio Brazos Rd., Aztec, NM 87410 District IV Santa Fe, NM 87505			STATE XX FEE			
2040 South Pacheco, Santa Fe, NM 87505				6. State Oil & Gas Lease No. 020-377		
SUNDRY NOTIC	ES AND REPORTS O	N WELLS			Unit Agreement Na	me [.]
(DO NOT USE THIS FORM FOR PROPOSA	LS TO DRILL OR TO DEE	PEN OR PL	UG BACK TO A			
DIFFERENT RESERVOIR. USE "APPLICA PROPOSALS.)	TION FOR PERMIT" (FOR	M C-101) FO	OR SUCH	Roy Renfro Unit		
1. Type of Well:			\c.			
]xx Other		A			
2. Name of Operator	.			8. Well No. 1		
Tom Brown, Inc.	f		ا (دسم			
3. Address of Operator		R'	ECEIVED 3	9. Pool name or \	Wildcat Burton Flat	
P. O. Box 10829, Midland, TX 79702	2	000	- ARTESIA			
4. Well Location			/S/			Ì
Unit Letter 🗲 : 33	200 foot from the 2 4	الدائمة أدينا	000 6-42	ماند السام		
Unit Letter: 3.	300_feet from the south	me and i	ash freet from the M	est line		
Section NENW 1 Tow	nship T21S Ra	nge R27I	E NMPI	A Count	y EDDY	
	10. Elevation (Show v				y EDD1	
			, , , , , , , , , , , , , , , , , , , ,			
11. Check Ap	propriate Box to In	dicate N	ature of Notice, I	Report or Other	Data	
NOTICE OF INT				SÉQUENT REI		
PERFORM REMEDIAL WORK		ı 🗆	REMEDIAL WORK	•	ALTERING CASIN	G 🗆
TEMPORARILY ABANDON [7]	CHANGE PLANS		COMMENCE DRII	LING OPNS. 🔲	PLUG AND	П
PULL OR ALTER CASING	MULTIPLE		CASING TEST AN	ın 🗀	ABANDONMENT	
	COMPLETION		CEMENT JOB			
0.71.150						15.301
OTHER:			OTHER: Tempora	•	XXX	X
12. Describe proposed or completed						
of starting any proposed work).	SEE RULE 1103. For	Multiple (Completions: Attach	wellbore diagram	of proposed completi	ion
or recompilation.						
Feb. 1 & 2, 2002						
1. MIRU Pulling unit						
2. Unflange well head inst	all BOP kill well w/50	hhls 2% K	CL.			
3. TOH laying down 168 j			KCL			
4. TIH w/5-1/2" 14# gauge						
5. TIH w/CIBP set at 5450		8				
6. TIH w/wire bailer dump	35' Class C cement or	n CIBP – S	SWIN			
7. Fill hole w/2 % KCL pr	ess up on csg. For 30 n	nins. See a	ttached chart			
8. Well is now T & A'd	Temporary Abandoned Sta	atus approved				
*. •	until 2-2-	2004				
- ",		<u> </u>				
	<u></u>					
I haraby cartify that the information of	hove is true and compl	ata ta tha 1	hest of my knowledg	ge and belief.		
I hereby certify that the information a	ibove is true and compr	ele lo me	best of my miowica	•		
0 0	loove is true and compr					
SIGNATURE Sol Lyn	and compi		Materials Supervisor			
SIGNATURE Bot light	noove is true and compi		Materials Supervisor	_DATE_ 2-05-02 _		
SIGNATURE Soc Con Type or print name Bob Rymal			Materials Supervisor			
SIGNATURE Bot light			Materials Supervisor	_DATE_ 2-05-02 _	9944	
Type or print name Bob Rymal (This space for State use)		_TITLE_I	Materials Supervisor	_DATE_ 2-05-02 _	9944	 7 20(
SIGNATURE Soc Con Type or print name Bob Rymal			Materials Supervisor	_DATE_ 2-05-02 _		7 20(



