

COMPANY : COLLINS & WARE INC LEASE RAM EWE RED COM WELL NO. : 1
 UNIT : J SECTION 28 TOWNSHIP : 22
 L : 9337 H : 9337 L/H : 1 G/GMIX : 0.594
 %CO2 : 1.01 %N2 : 0.9 H2S : DATE : 9 12 94
 d : 1.995 Fr : 0.018231 GH : 5546.2 RANGE :

Pc = 788.1 Pw2 = 637.1
 Pt2 = 6.9
 0.0 ERR
 0.0 ERR
 0.0 ERR

VOL 1 : 87 PSIA 1 : 83.2 RESV.TEMP 167.4
 VOL 2 : PSIA 2 :
 VOL 3 : PSIA 3 : SHUT-IN PR= 798.2
 VOL 4 : PSIA 4 :

Pc2-Pw2 = 636.8 Pw2 = 7.2
 ERR ERR
 ERR ERR
 ERR ERR

PCR : 676
 TCR : 353

B = 1.000

Pc2/(Pc2-Pw2) = 1.011

LINE	RATE 1	RATE 2	RATE 3	RATE 4
	'1ST	'2ND	'1ST	'2ND
1 QM	0.087	0.087	0.000	0.000
2 TW	534	534	534	534
3 Ts	627.4	627.4	627.4	627.4
4 T	580.7	580.7	580.7	580.7
PR (est)	0.12	0.00	0.00	0.00
5 Z(est)	0.967	0.966	ERR	ERR
6 TZ	561.3	560.7	ERR	ERR
7 GH/TZ	9.881	9.891	ERR	ERR
8 eS	1.448	1.449	ERR	ERR
9 l-e-S	0.310	0.310	ERR	ERR
10 Pt	83.2	83.2	0.0	0.0
11 Pt2 /1000	6.9	6.9	0.0	0.0
12 Fr	0.018231	0.018231	0.018231	0.018231
13 Fc=FrTZ	10.234	10.223	ERR	ERR
14 FcQm	0.89	0.89	ERR	ERR
15 L/H(FcQm)	0.8	0.8	ERR	ERR
16 Fw	0.245430	0.245136	ERR	ERR
17 Pw2	7.2	7.2	ERR	ERR
18 Ps2	10.4	10.4	ERR	ERR
19 Ps	101.9	101.9	ERR	ERR
20 P	92.5	92.6	ERR	ERR
21 Pr	0.14	0.14	ERR	ERR
22 Tr	1.65	1.65	1.65	1.65
23 Z	0.966	0.966	ERR	ERR

ERR
 ERR
 ERR

[Pc2/Pc2-Pw2] = 1.011

ERR
 ERR
 ERR

B = 1.000

ERR
 ERR
 ERR

FORM C122-D

RECEIVED

OCT 14 '94

C. C. D.
 ARTESIA, OFFICE