CONDITIONS OF APPROVAL, IF ANY:

APPROVED BY

(ORIG, SGD.) ARMANDO A. LOPEZ

FORM APPROVED

	DEPARTMEN'	T OF THE		reverse s	ilde)	Expires: February 28, 1	6 .995		
	5. LEASE DESIGNATION AND SERIAL NO.								
	NM-92742								
	ICATION FOR P	ERMIT TO	DRIL	L OR DEEPEN		6. IF INDIAN, ALLOTTEE OR TRI	BE NAME		
Ia. TYPE OF WORK	ILL 🖾	DEEDE				7			
b. TYPE OF WELL	ILL EA	DEEPEN	ш			7. UNIT AGREEMENT NAME			
	VELL OTHER			INGLE MULTI	LE [19840			
2. NAME OF OPERATOR	OTHER			ONE ZONE	<u> </u>	8. FARM OR LEASE NAME, WELL NO.	1 // 0		
YATES PETROLE	UM CORPORATION	250	「フ	5	A	Zingaro ANG Fede:			
3. ADDRESS AND TELEPHONE NO.				JUN TUED	-++		0		
105 South Fou	ırth Street, Art	esia, New 1	Mexic	o 872100 KS 95 78	8-1471	10. TIELD AND POOL, OR WILD	CAT.		
At surface	deport location clearly and	in accordance w	th any	State requirements.		Mildoat Canvon	er henu		
		Jnit J)		Ų.		11. SEC., T., R., M., OR BLK	79040		
At proposed prod. zor						AND SURVEY OR AREA			
Same				1. Sept. 1.		Section 1, T22S-1	R23E		
	AND DIRECTION FROM NEA					12. COUNTY OR PARISH 13. 81	FATE		
	37 miles south	west of Ar				Eddy County New	Mexico		
5. DISTANCE FROM PROP LOCATION TO NEARES PROPERTY OR LEASE I	T	6501	16. NO	O. OF ACRES IN LEASE	17. NO. 0	OF ACRES ASSIGNED			
(Also to nearest dri	g. unit line, if any)	.650 '	1318.25			270	40		
S. DISTANCE FROM PROF TO NEAREST WELL, D	RILLING, COMPLETED.		19. PI	ROPOSED DEPTH	20. ROTARY OR CABLE TOOLS				
OR APPLIED FOR, ON TH	•			8200 '	Rotary				
3891' GR	ether DF, RT, GR, etc.)					22. APPROX. DATE WORK WILI	START*		
3. GR	···					ASAP			
_		PROPOSED CAS	ING ANI	CEMENTING PERCEN	WELL C	ONTROLLED WATE			
SIZE OF HOLE	GRADE, SIZE OF CASING	WEIGHT PER P	POOT	SETTING DEPTH		QUANTITY OF CEMENT	COASH		
17 1/2"	13 3/8"	48# H-4	40	350 '	30 sx Circulate				
12 3/4"	9 5/8"	36# J-5	·55 2200'		SO sx Circulate				
8 3/4"	7" 23# & :		26# TD		As Warranted				
	1	J-55 & 1	08-1/		ا م				
Approximately and cavings.	350' of surface Intermediate ca sing will be run	casing wil sing will h	ll be be set	set and cement t to 2200' and	caryon circul cement	and intermediate for ated to shut off grant circulated. If concerning the stimulated and stimula	cavel mmercia		
	0-350' FW Spud Starch.	Mud; 350'-6	5700 '	FW; 6700'-7400	' Cut B	Brine; 7400'-TD SW 0	el/		
BOPE PROGRAM:	BOPE will be n	ippled up o	on the	e 9 5/8" casing	and te	ested daily for oper	ationa		
				GENE SPEC	RAL RE	EQUIREMENTS AND APPRICATIONS APPRICATIONS	7-3-9 [+ 20		
ABOVE SPACE DESCRIBE epen directionally, give perti-	E PROPOSED PROGRAM: If nent data on subsurface location	proposal is to deepen, as and measured and t	give data	on present productive zone	ad proposed	new productive zone. If proposal is if any.	to drill or		
SIGNED TON	Soudud			andman	· · · · · · · · · · · · · · · · · · ·	May 19, 199			
(This space for Feder	ral or State office use)			· · · · · · · · · · · · · · · · · · ·					
PERMIT NO.				APPROVAL DATE					
Application approval does n	ot warrant or certify that the app	olicant holds legal or ea	quitable tit	le to those rights in the subject le	ease which we	ould entitle the applicant to conduct open	ations there-		
	-	_				· TE on on one of other	nicicon		

for wedge Revends DATE JUN 22 1998 *See Instructions On Reverse Side

D. CT I P. Box 1980, Hobbs, NM 88240

State of New Mexico

Energy, Minerals and Natural Resources Department

Form C-102
Revised February 10, 1994
Instruction on back
Submit to Appropriate District Office
State Lease - 4 Conjes

State Lease - 4 Copies Fee Lease - 3 Copies

DISTRICT II P.O. Drawer DD, Artesia, NM 88210

1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT III

OIL CONSERVATION DIVISION

P.O. Box 2088 Santa Fe, New Mexico 87504-2088

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number	Pool Code	Pool Name		
		Wildcat Canyon		
Property Code	Property Name ZINGARO "ANG" FEDERAL	Well Number		
OGRID No.	Operator Name	Elevation		
025575	YATES PETROLEUM CORPORATION	3891		


Surface Location

UL	or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County]
	J	1	225	23E		1650	SOUTH	1770	EAST	EDDY	

Bottom Hole Location If Different From Surface


UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Dedicated Acres	Joint o	r Infill Co	nsolidation	Code Or	der No.				
320									

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



YATES PETROLEUM CORPORATION

TYPICAL 3,000 p.s.i.
BLOWOUT PREVENTER SCHEMATIC



Zingaro ANG Federal #2 1650' FSL and 1770' FEL Section 1, 22S-R23E Eddy County, New Mexico NM-92742

TYPICAL 3,000 p.s.i. CHOKE MANIFOLD SCHEMATIC

