

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE:
Use other instructions
on reverse side

FORM APPROVED
OMB NO. 1004-0137
Expires February 28, 1995

CISF

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

LEASE DESIGNATION AND SERIAL NO
LC-064200

1a TYPE OF WELL C/L WELL GAS WELL DRY OTHER SWD		6 IF INDIAN ALLOTTEE OR TRIBE NAME N/A	
b TYPE OF COMPLETION NEW WORK DEEP PLUG DIFF WELL OVER EN BACK RESVR X OTHER Re-entry		7 UNIT AGREEMENT NAME N/A	
c NAME OF OPERATOR Mallon Oil Company		8 FARM OR LEASE NAME WELL NO Pennzoil 10 Fed. No. 2 SWD	
3 ADDRESS AND TELEPHONE NO P.O. Box 3256, Carlsbad, NM 88220 (505) 885-4596		9 API WELL NO 30-015-22326	
4 LOCATION OF WELL (Report location clearly and in accordance with any State requirements) At surface 1980' FSL and 660' FWL (NW SW) Unit L At top prod. interval reported below 1980' FSL and 660' FWL (NW SW) Unit L At total depth 1980' FSL and 660' FWL (NW SW) Unit L		10 FIELD AND POOL OR WILDCAT Black River SW D Bone 11 SEC T R M OR BLOCK AND SURVEY OR AREA Sec. 10, T24S-R26E	
14 PERMIT NO N/A		DATE ISSUED N/A	
12 COUNTY OR PARISH 13 STATE Eddy County, New Mexico			
15 DATE SPUDDED 8-25-97		16 DATE TD REACHED 9-23-97	
17 DATE COMP (Ready to Prod.) 10-25-97		18 ELEVATION (DF RKB, RT, GR, ETC*) 3354' GR	
19 ELEV CASINGHEAD 3355'			
20 TOTAL DEPTH, MD & TVD 8802'		21 PLUGBACK TD, MD & TVD 8757'	
22 IF MULTIPLE COMP HOW MANY* N/A		23 INTERVALS DRILLED BY Rotary Tools Yes Cable Tools N/A	
24 PRODUCING INTERVAL (S), OF THIS COMPLETION - TOP, BOTTOM, NAME (MD AND TVD*) Injection intervals 7636'-7670' 7762'-7804' Bone Springs		25 WAS DIRECTIONAL SURVEY MADE N/A	
26 TYPE ELECTRIC AND OTHER LOGS RUN GR/CCL		27 WAS WELL CORED N/A	
28 CASING RECORD (Report all strings set in well)			
CASING SIZE/GRADE		WEIGHT LB/FT	
13-3/8"		48#	
8-5/8"		24#	
5-1/2"		17#	
DEPTH SET (MD)		HOLE SIZE	
500'			
5450'		7-7/8"	
8802'		1340 sks cmt	
29 LINER RECORD			
SIZE		TOP (MD)	
N/A		N/A	
BOTTOM (MD)		SACKS CEMENT *	
N/A		N/A	
SCREEN (MD)		SIZE	
N/A		2-7/8"	
DEPTH SET (MD)		PACKER SET (M)	
7553.67'		7554'	
31 PERFORATION RECORD (Interval, size, and number)		32 ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.	
7636'-7670' 4 JSPF 7762'-7804' 4 JSPF (ORIG. SGD.) GARY GOURLEY		DEPTH INTERVAL (MD) 7636'-7670' 7762'-7804'	
		AMOUNT AND KIND OF MATERIAL USED 3500 gls 7-1/2% HCL acid 7000 gls 15% HCL acid	
33 PRODUCTION			
DATE FIRST PRODUCTION N/A		PRODUCTION METHOD (Flowing, gas lift, pumping - size and type of pump) N/A	
WELL STATUS (Producing or Shut In) Injection			
DATE OF TEST		HOURS TESTED	
N/A		N/A	
CHKCKE SIZE		PROD'N FOR TEST PERIOD	
N/A		N/A	
OIL - BBL		GAS - MCF	
N/A		N/A	
WATER - BBL		GAS-OIL RATIO	
N/A		N/A	
FLOW TBG PRESS		CASING PRESSURE	
N/A		N/A	
CALCULATED 24-HOUR RATE		OIL - BBL	
N/A		N/A	
GAS - MCF		WATER - BBL	
N/A		N/A	
OIL GRAVITY - API (CORR.)			
N/A			
34 DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) N/A		TEST WITNESSED BY N/A	
35 LIST OF ATTACHMENTS N/A			
36 I hereby certify that the foregoing and attached information is complete and correct as determined from all available records			
SIGNED [Signature]		TITLE Operations Manager	
DATE		12-1-97	

*(See Instructions and Spaces for Additional Data on Reverse Side)