

OIL CONSERVATION DIVISION

Form C-103
Revised 12-1-72

DATE OF NOTICE	
DISTRIBUTION	
DATE OF	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

RECEIVED BY
SANTA FE, NEW MEXICO 87501

APR 17 1986

O. C. D.

ARTESIA OFFICE

1. Indicate Type of Lease

State ☐Fed ☒

2. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

DO NOT USE THIS FORM FOR PROPOSALS TO PERFORM OR TO OBTAIN OF PERMITS TO A DIFFERENT PURPOSE.
USE APPLICATION FOR PERMIT TO OBTAIN EXPLORATION OR PRODUCTION.

1. ON WELL ☐ OFF WELL ☐ OTHER ☐	7. Unit Agreement Name
2. Name of Operator Mesa Operating Limited Partnership ✓	8. Name of Lease Owner MOORE
3. Address of Operator P.O. Box 2009, Amarillo, Texas 79189	9. Well No. 2
4. Location of Well WEST 1650 FEET FROM THE north LINE AND 660 FEET FROM west LINE, SECTION 35 TOWNSHIP 24S RANGE 26E	10. Field and Pool, or WMA PJ Delaware
11. Elevation (Show whether DF, RT, CR, etc.) 3252.3' GR	12. County Eddy

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPER. ☐	PLUG AND ABANDONMENT ☒
PULL OR ALTER CASING ☐	OTHER ☐	CASING TEST AND CEMENT JOB ☐	OTHER ☐

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed op.) SEE RULE 1503.

MI & RU pulling unit at 0900 hrs 5-3-85. Pulled 2 3/8" tbg, set cement retainer @ 3341' - loaded hole with 9.6 ppg brine. Spotted 75 sx cement in Delaware perms 4823-4827'; displace with 68 bbls - TOC @ 4500'. Spotted 5 sx cement on top of cement retainer. Circulated hole with 9.7 ppg mud laden brine; spotted 25 sx cement plug @ 2713-2813'; 1827-1929' and 200-300'. ND BOP cut off well head; spotted 10 sx cement to surface. Welded on dry hole marker, RD & MO pulling unit at 1600 hrs 5-5-85. Witnessed by Weaver of NMOCD.


XC: WF, CR, Reg., Expl., Acctg, Partners, NMOCD (0+4)

14. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Carey Cummings TITLE Regulatory Clerk DATE 4/16/86

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:



NO. OF COPIES DESIRED	
DISTRIBUTION	
DATE OF	
FILE	
U.S.G.S.	
LOCAL OFFICE	
OPERATION	

OIL CONSERVATION DIVISION

RECEIVED BY P.O. BOX 2009
SANTA FE, NEW MEXICO 87501

APR 17 1986

O. C. D.
ARTESIA, OFFICE

Form O-103
Revised 10-1-7

SUNDRY NOTICES AND REPORTS ON WELLS

DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO REWORK OR PLUG A WELL OR TO A DIFFERENT OCCASION.
USE APPLICATION FOR PERMIT TO DRILL OR REWORK OR PLUG A WELL.

1. ☐ ON WELL ☐ OFF WELL ☐ OTHER	2. Lease Type of Lease State ☐ Fee ☒
3. Name of Operator Mesa Operating Limited Partnership	4. State (N. & Co. Lease No.)
5. Address of Operator P.O. Box 2009, Amarillo, Texas 79189	6. Name of Lease Owner MOORE
7. Location of Well SOUTH 1650 FEET FROM THE north LINE AND 660 FEET FROM west TWP. SECTION 35 TOWNSHIP 24S RANGE 26E	8. Well No. 2
9. Elevation (Show whether DF, RT, CR, etc.) 3252.3' GR	10. Field and Pool, or WMSR PJ Delaware
11. County Eddy	

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLUG ☐	COMMENCE DRILLING OPER. ☐	PLUG AND ABANDONMENT ☐
PULL OR ALTER CASING ☐	OTHER ☐	CASING TEST AND CEMENT JOBS ☐	

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed ops) SEE RULE 1603.

MI & RU pulling unit at 0900 hrs 5-3-85. Pulled 2 3/8" tbg, set cement retainer @ 3341' - loaded hole with 9.6 ppg brine. Spotted 75 sx cement in Delaware perms 4823-4827'; displace with 68 hbbs - TOC @ 4500'. Spotted 5 sx cement on top of cement retainer. Circulated hole with 9.7 ppg mud laden brine; spotted 25 sx cement plug @ 2713-2813'; 1827-1929' and 200-300'. ND BOP cut off well head; spotted 10 sx cement to surface. Welded on dry hole marker, RD & MO pulling unit at 1600 hrs 5-5-85. Witnessed by Weaver of NMOCD.


XC: WF, CR, Reg., Expl., Acctg, Partners, NMOCD (0+4)

13. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Carey Cummings TITLE Regulatory Clerk DATE 4/16/86

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:



OIL CONSERVATION DIVISION

P.O. BOX 2009

Form C-103
Revised 10-1-7

CO. OF FORMS REQUIRED	
DISTRIBUTION	
DATE	
FILE	
U.S.O.C.	
LAND OFFICE	
OPERATOR	

RECEIVED BY SANTA FE, NEW MEXICO 87501

APR 17 1986

O. C. D.

SUNDRY NOTICES AND REPORTS ON WELLS

DO NOT USE THIS FORM FOR NOTICES AND REPORTS ON WELLS TO A DIFFERENT OCCASION.
USE "APPLICATION FOR PERMIT TO DRILL" - FORM C-101 FOR SUCH PURPOSES.

1. ON WELL ☐ OFF WELL ☐ OTHER ☐	2. Name of Operator Mesa Operating Limited Partnership	3. Address of Operator P.O. Box 2009, Amarillo, Texas 79189	4. Location of Well DEPT. LOT <u>E</u> <u>1650</u> FEET FROM THE <u>north</u> LINE AND <u>660</u> FEET FROM <u>west</u> LINE, SECTION <u>35</u> TOWNSHIP <u>24S</u> RANGE <u>26E</u> T14PM.	5. Lease Type of Lease State ☐ Fee ☒	6. State (N. & Co. Lease No.)	7. Unit Agreement Name	8. Name of Lease Owner MOORE	9. Well No. 2	10. Field and Pool, or Wildcat PJ Delaware	11. Elevation (Show whether DF, RT, CR, etc.) 3252.3' GR	12. County Eddy
--	---	--	---	--	-------------------------------	------------------------	---------------------------------	------------------	---	---	--------------------

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERMANENT ABANDON ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPER. ☐	PLUG AND ABANDONMENT ☒
PULL OR ALTER CASING ☐	OTHER ☐	CASING TEST AND CEMENT JOBS ☐	OTHER ☐

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed) SEE RULE 1003.

MI & RU pulling unit at 0900 hrs 5-3-85. Pulled 2 3/8" tbg, set cement retainer @ 3341' - loaded hole with 9.6 ppg brine. Spotted 75 sx cement in Delaware perms 4823-4827'; displace with 68 hbbs - TOC @ 4500'. Spotted 5 sx cement on top of cement retainer. Circulated hole with 9.7 ppg mud laden brine; spotted 25 sx cement plug @ 2713-2813'; 1827-1929' and 200-300'. ND BOP cut off well head; spotted 10 sx cement to surface. Welded on dry hole marker, RD & MO pulling unit at 1600 hrs 5-5-85. Witnessed by Weaver of NMOC D.


XC: WF, CR, Reg., Expl., Acctg, Partners, NMOC D (0+4)

14. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Carey Cummings TITLE Regulatory Clerk DATE 4/16/86

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:



NO. OF COPIES DESIGNED	
DISTRIBUTION	
DATE OF	
FILE	
U.S.G.A.	
LAND OFFICE	
OPERATION	

OIL CONSERVATION DIVISION

 RECEIVED BY O & A 2009
 SANTA FE, NEW MEXICO 87501

APR 17 1986

 O. C. D.
 ARTESIA OFFICE

 Form E-103
 Revised 10-1-7

SUNDRY NOTICES AND REPORTS ON WELLS

 DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO REWORK OR FOR DATA TO A DIFFERENT DEPARTMENT.
 USE APPLICATION FOR PERMIT - FORM E-101 FOR SUCH PROPOSALS.

1. ON WELL ☐ OFF WELL ☐ OTHER ☐	2. Name of Operator Mesa Operating Limited Partnership	3. Address of Operator P.O. Box 2009, Amarillo, Texas 79189	4. Location of Well 1650 FEET FROM THE north LINE AND 660 FEET FROM west 35 24S 26E TWP.	5. Lease Type of Lease State ☐ Fee ☒	6. State (N. & Co. Lease No.)	7. Unit Agreement Name	8. Name of Lease Owner MOORE	9. Well No. 2	10. Field and Pool, or Under PJ Delaware	11. Elevation (Show whether DF, RT, CR, etc.) 3252.3' GR	12. County Eddy
--	---	--	---	--	-------------------------------	------------------------	---------------------------------	------------------	---	---	--------------------

13. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data			
NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPER. ☐	PLUG AND ABANDONMENT ☒
CALL ON ALTER CASING ☐	OTHER ☐	CASING TEST AND CEMENT JOB ☐	OTHER ☐

14. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1003.

MI & RU pulling unit at 0900 hrs 5-3-85. Pulled 2 3/8" tbg, set cement retainer @ 3341' - loaded hole with 9.6 ppg brine. Spotted 75 sx cement in Delaware perms 4823-4827'; displace with 68 hbbs - TOC @ 4500'. Spotted 5 sx cement on top of cement retainer. Circulated hole with 9.7 ppg mud laden brine; spotted 25 sx cement plug @ 2713-2813'; 1827-1929' and 200-300'. ND BOP cut off well head; spotted 10 sx cement to surface. Welded on dry hole marker, RD & MO pulling unit at 1600 hrs 5-5-85. Witnessed by Weaver of NMOCD.

XC: WF, CR, Reg., Expl., Acctg, Partners, NMOCD (0+4)

15. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

 SIGNED Carey Cummings TITLE Regulatory Clerk DATE 4/16/86

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

OIL CONSERVATION DIVISION

P O BOX 2009

SANTA FE NEW MEXICO 87501

Form C-103
Revised 10-1-79

NO. OF COPIES DESIRED	
DISTRIBUTION	
DATE OF	
FILE	
U.S.O.S.	
LOAD OFFICE	
OPERATION	

RECEIVED BY

APR 17 1986

SUNDRY NOTICES AND REPORTS ON WELLS

DO NOT USE THIS FORM FOR PROPOSALS, REPAIRS, OR OTHER WORK OF A DIFFERENT NATURE.
USE APPROPRIATE FORM FOR EACH TYPE OF NOTICE OR REPORT.

1. ON WELL ☐ OFF WELL ☐ OTHER ☐	2. Name of Operator Mesa Operating Limited Partnership	3. Address of Operator P.O. Box 2009, Amarillo, Texas 79189	4. Location of Well DEPT SURVEY E 1650 FEET FROM THE north LINE AND 660 FEET FROM west 35 TOWNSHIP 24S RANGE 26E	5. Elevation (Show whether DF, RT, CR, etc.) 3252.3' GR	6. Name of Lease Lessor MOORE	7. Well No. 2	8. Field and Pool, or Widener PJ Delaware	9. County Eddy
--	---	--	---	--	----------------------------------	------------------	--	-------------------

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPER. ☐	PLUG AND ABANDONMENT ☐
PULL OR ALTER CASING ☐	OTHER ☐	CASING TEST AND CEMENT JOB ☐	

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

MI & RU pulling unit at 0900 hrs 5-3-85. Pulled 2 3/8" tbg, set cement retainer @ 3341' - loaded hole with 9.6 ppg brine. Spotted 75 sx cement in Delaware perms 4823-4827'; displace with 68 hbbs - TOC @ 4500'. Spotted 5 sx cement on top of cement retainer. Circulated hole with 9.7 ppg mud laden brine; spotted 25 sx cement plug @ 2713-2813'; 1827-1929' and 200-300'. ND BOP cut off well head; spotted 10 sx cement to surface. Welded on dry hole marker, RD & MO pulling unit at 1600 hrs 5-5-85. Witnessed by Weaver of NMOCD.

XC: WF, CR, Reg., Expl., Acctg, Partners, NMOCD (0+4)

14. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Carey Cummings TITLE Regulatory Clerk DATE 4/16/86

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY: