

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

T. Anhy _____
 T. Salt _____ 936'
 B. Salt _____ 4025'
 T. Yates _____
 T. 7 Rivers _____
 T. Queen _____
 T. Grayburg _____
 T. San Andres _____
 T. Glorieta _____
 T. Paddock _____
 T. Blinebry _____
 T. Tubb _____
 T. Drinkard _____
 T. Abo _____
 T. Wolfcamp _____
 T. Penn _____
 T. Cisco (Bough C) _____

T. Canyon _____
 T. Strawn _____
 T. Atoka _____
 T. Miss _____
 T. Devonian _____
 T. Silurian _____
 T. Montoya _____
 T. Simpson _____
 T. McKee _____
 T. Ellenburg _____
 T. Gr. Wash _____
 T. Delaware and _____
 T. Bone Springs _____ 8234'
 T. Rustler _____ 624'
 T. Bell Canyon _____ 4318'
 T. Cherry Canyon _____ 5334'
 T. Brushy Canyon _____ 6899'

Northwestern New Mexico

T. Ojo Alamo _____
 T. Kirtland-Fruitland _____
 T. Pictured Cliffs _____
 T. Cliff House _____
 T. Menefee _____
 T. Point Lookout _____
 T. Mancos _____
 T. Gallup _____
 Base Greenhorn _____
 T. Dakota _____
 T. Morrison _____
 T. Todilto _____
 T. Entrada _____
 T. Wingate _____
 T. Chinle _____
 T. Permian _____
 T. Penn "A" _____

T. Penn. "B" _____
 T. Penn. "C" _____
 T. Penn. "D" _____
 T. Leadville _____
 T. Madison _____
 T. Elbert _____
 T. McCracken _____
 T. Ignacio Otzte _____
 T. Granite _____
 T. _____
 T. _____
 T. _____
 T. _____
 T. _____
 T. _____
 T. _____

No. 1, from.....to.....
 No. 2, from.....to.....
 No. 3, from.....to.....
 No. 4, from.....to.....

OIL OR GAS SANDS OR ZONES

Include data on rate of water inflow and elevation
 No. 1, from.....to.....
 No. 2, from.....to.....
 No. 3, from.....to.....


IMPORTANT WATER SANDS

which water rose in hole.
feet.....
feet.....
feet.....

LITHOLOG

RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology
0	358	358	Surface & bed
358	661	303	Redbed
661	845	184	Redbed & anhydrite
845	1125	280	Anhydrite
1125	3706	2581	Anhydrite salt
3706	4080	374	Salt
4080	4120	40	Salt & anhydrite
4120	4455	335	Anhydrite lime
4455	4995	540	Anhydrite sand
4995	6200	1205	Sand, lime shale
6200	8322	2122	Sand & shale



WELL NAME AND NUMBER: Flora State #2
LOCATION: Sec.2 T22S R31E Eddy Co.
OPERATOR: YATES PETROLEUM
DRILLING CONTRACTOR: ZIADRIL, Inc.

The undersigned hereby certifies that he is an authorized representative of the drilling contractor who drilled the above described well, and that he has conducted deviation tests and obtained the following results:

<u>DEGREES AND DEPTH</u>	<u>DEGREES AND DEPTH</u>	<u>DEGREES AND DEPTH</u>
.75 318'	3.00 3632'	1.00 8155'
1.25 614	3.00 3724'	1.00 8322'
2.25 845'	3.25 3817'	
2.00 1141'	3.25 3911'	
1.50 1423'	3.75 4003'	
1.25 1701'	2.00 4120'	
2.25 2009'	2.00 4254'	
2.00 2165'	.75 4409'	
1.75 2382'	.75 4684'	
3.00 2601'	.25 5184'	
1.50 2694'	.25 5657'	
1.25 2914'	.25 6157'	
1.25 3227'	.75 6655'	
3.50 3538'	.50 7155'	
3.00 3632'	.50 7655'	

Drilling Contractor: ZIADRIL, Inc.

By Billy Jensen
Billy Jensen

Subscribed and sworn to before me this 6th day of April, 1995.

My commission Expires:

December 6, 1996

Nancy A. Mulley
Notary Public
Lea County, New Mexico