

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SI
09/01/97

21 2834

SI

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

c15f

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT-" for such proposals

SUBMIT IN TRIPLICATE

1. Type of well

☐ Oil ☐ Gas ☐ Other

2. Name of Operator

CHEVRON U.S.A. INC.

3. Address and Telephone No.

P. O. Box 1150, Midland, TX 79702 (915)687-7148

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

2575' FNL & 435' FWL UNIT E
SEC. 1, T23S, R28E

5. Lease Designation and Serial No.

NM-91078

6. If Indian, Allottee or Tribe Name

N/A

7. If Unit or CA, Agreement Designation

N/A

8. Well Name and No.

LENTINI "1" FEDERAL #16

9. API Well No.

30-015-29614

10. Field and Pool, or Exploratory Area

HERRADURA BEND; DELAWARE, EAST

11. County or Parish, State

EDDY, NM


CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

12	TYPE OF SUBMISSION	TYPE OF ACTION
	<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
	<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
	<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
		<input type="checkbox"/> Casing Repair
		<input type="checkbox"/> Altering Casing
		<input checked="" type="checkbox"/> Other COMMENCE DRLG
		<input type="checkbox"/> Change of Plans
		<input type="checkbox"/> New Construction
		<input type="checkbox"/> Non-Routine Fracturing
		<input type="checkbox"/> Water Shut-Off
		<input type="checkbox"/> Conversion to Injection
		<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimate date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

SPUDDED 12-1/4" HOLE 7/23/97. DRILLED TO 300', SET 8-5/8" CSG, CMTD W/225 SX CL "C" (CIRC TO SURF). WOC 4 HRS; TSTD 1000#. DRILLED TO 5984'; SET 5-1/2" CSG @ 5972', CMTD W/817 SX CL "C". WOC 18 HRS, TOC @ 800'. PPD 500 SX CL "C" THROUGH BRADENHEAD @ 300 PSI; FLOWED BACK 35 BBL CMT. CUT OFF 5-1/2" CSG; TST 3000 PSI.



RECEIVED
1997 SEP -5 A 10:18
BUREAU OF LAND MGMT.
ROSSELL OFFICE

14. I hereby certify that the foregoing is true and correct

Signed

J. K. Ripley

Title

T. A.

Date

9/3/97

(This space for Federal or State office use)

Approved by

Title

Date

Conditions of approval, if any: