

PO Box 1980, Hobbs, NM 88241-1980
District II
PO Drawer DD, Artesia, NM 88211-0719
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
PO Box 2088, Santa Fe, NM 87504-2088

Energy, Minerals & Natural Resources Department

Revised February 10, 1994

OIL CONSERVATION DIVISION
PO Box 2088
Santa Fe, NM 87504-2088

Instructions on back
Submit to Appropriate District Office
State Lease - 6 Copies
Fee Lease - 5 Copies

☐ AMENDED REPORT

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUG BACK, OR ADD A ZONE

Operator Name and Address. CONCHO RESOURCES, INC. 110 WEST LOUISIANA SUITE 410 MIDLAND, TEXAS 79701		OGRID Number 166111
Property Code		API Number 30-015-30814
Property Name BERETTA "9" STATE		Well No. 1

7 Surface Location

UL or lot no.	Section	Township	Range	Lot Ida	Feet from the	North/South line	Feet from the	East/West line	County
K	9	23S	26E		1980'	SOUTH	2080'	WEST	EDDY

8 Proposed Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Ida	Feet from the	North/South line	Feet from the	East/West line	County
Proposed Pool 1 CARLSBAD MORROW-SOUTH (73960)					Proposed Pool 2				

Work Type Code N	Well Type Code G	Cable/Rotary R	Lease Type Code S	Ground Level Elevation 3348'
Multiple NO	Proposed Depth 12,000'	Formation MORROW	Contractor UNKNOWN	Spud Date WHEN APPROVED

Minimum WOC time 8 hrs. 21 Proposed Casing and Cement Program

Hole Size	Casing Size	Casing weight/foot	Setting Depth	Sacks of Cement	Estimated TOC
17 1/2"	13 3/8"	48	650'	650 Sx.	Circulate Surface
12 1/4"	9 5/8"	36	1950'	750 Sx.	450' Estimate
8 3/4"	5 1/2"	17	12000'	750 Sx.	6000' Estimate

Describe the proposed program. If this application is to DEEPEN or PLUG BACK give the data on the present productive zone and proposed new productive zone. Describe the blowout prevention program, if any. Use additional sheets if necessary.

1. Drill 17 1/2" hole to 650'. Run and set 650' of 13 3/8" 48# H-40 ST&C casing. Cement with 650 Sx. of Class "C" + 2% CaCl, circulate cement to surface.
2. Drill 12 1/4" hole to 1950'. Run and set 1950' of 9 5/8" 36# J-55 ST&C casing. Cement with 550 Sx of Class "C" Halco Light + additives, tail in with 250 Sx. of Class "C" Neat cement, estimated top of cement 450'.
3. Drill 8 3/4" hole to 12,000'. Run and set 5 1/2" casing as follows: 9900' of 5 1/2" 17# N-80 LT&C, 2100' of 5 1/2" s-95 LT&C casing. Cement with 750 Sx. of Super Premium Class "H" + additives, estimate top of cement 6000'.

Best ID-1
11-5-99
API & Loc

I hereby certify that the information given above is true and complete to the best of my knowledge and belief.

Signature:

Printed name: Joe T. Janica

Title: Agent

Date: 10/20/99

Phone: 505-201-8503

OIL CONSERVATION DIVISION

Approved by:

ORIGINAL SIGNED BY TIM W. GUM

Title:

DISTRICT II SUPERVISOR

Approval Date: 11-2-99

Expiration Date: 11-2-00

Conditions of Approval:

Attached ☐

DISTRICT I

P.O. Box 1980, Hobbs, NM 88241-1980

State of New Mexico

Energy, Minerals and Natural Resources Department

Form C-102

Revised February 10, 1994

Submit to Appropriate District Office

State Lease - 4 Copies

Fee Lease - 3 Copies

DISTRICT II

P.O. Drawer DD, Artesia, NM 88211-0719

DISTRICT III

1000 Rio Brazos Rd., Artec, NM 87410

OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

DISTRICT IV

P.O. Box 2088, Santa Fe, NM 87504-2088

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number	Pool Code 73960	Pool Name CARLSBAD MORROW-SOUTH
Property Code	Property Name BERETTA "9" STATE	Well Number 1
OGRID No. 166111	Operator Name CONCHO RESOURCES, INC.	Elevation 3348

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
K	9	23 S	26 E		1980	SOUTH	2080	WEST	EDDY

Bottom Hole Location If Different From Surface


UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County

Dedicated Acres 320	Joint or Infill	Consolidation Code	Order No.
------------------------	-----------------	--------------------	-----------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

	OPERATOR CERTIFICATION I hereby certify the the information contained herein is true and complete to the best of my knowledge and belief. Signature Joe T. Janica Printed Name Agent Title 10/28/99 Date
	SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my belief. OCTOBER 25, 1999 Date Surveyed JLP Signature Professional Surveyor W.O. Num. 99-120879 Certificate No. RONALD G. EIDSON, 3239 GARY G. EIDSON, 12841 MASON McDONALD, 12185

LOCATION VERIFICATION MAP



SCALE: 1" = 2000'

CONTOUR INTERVAL - 10'

SEC. 9 TWP. 23-S RGE. 26-E

SURVEY N.M.P.M.

COUNTY EDDY

DESCRIPTION 1980' FSL & 2080' FWL

ELEVATION 3348

OPERATOR CONCHO RESOURCES, INC.

LEASE BERETTA "9" STATE


U.S.G.S. TOPOGRAPHIC MAP

KITCHEN COVE, N.M.

**JOHN WEST SURVEYING
HOBBS, NEW MEXICO**

(505) 393-3117

VICINITY MAP



SCALE: 1" = 2 MILES

SEC. 9 TWP. 23-S RGE. 26-E

SURVEY N.M.P.M.

COUNTY EDDY

DESCRIPTION 1980' FSL & 2080' FWL


ELEVATION 3348

OPERATOR CONCHO RESOURCES, INC.

LEASE BERETTA "9" STATE

JOHN WEST SURVEYING
HOBBS, NEW MEXICO

(505) 393-3117



ARRANGEMENT SRRA

1500 Series
5000# Working Pressure