

CISF

SUBMIT ORIGINAL WITH 5 COPIES

5. Lease Designation and Serial No.
NM-25876

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and Number
GETTY "24" FEDERAL

9. API Well No.
30-015-31801

10. Field and Pool, Exploratory Area
LIVINGSTON RIDGE - DELAWARE

11. SEC., T., R., M., or BLK. and Survey or Area
Sec. 24, Township 22-S, Range 31-E

12. County or Parish
EDDY

13. State
NM

1a. Type of Well: OIL ☒ WELL GAS ☐ WELL DRY ☐ OTHER ☐
1b. Type of Completion: NEW WELL WORK OVER DEEPEN PLUG BACK DIFF. RESVR. OTHER

2. Name of Operator
CHEVRON USA INC

3. Address and Telephone No.
15 SMITH ROAD, MIDLAND, TX 79705 915-687-737

4. Location of Well (Report location clearly and in accordance with any State requirements. *)

At Surface

Unit Letter O : 990 Feet From The SOUTH Line and 2310 Feet From The EAST Line

At proposed prod. zone

At Total Depth

14. Permit No. Date Issued

15. Date Spudded 8/2/2002 16. Date T.D. Reached 8/17/2002 17. Date Compl. (Ready to Prod.) 8/29/2002 18. Elevations (Show whether DF, RT, GR, etc.) 3581 KB 19. Elev. Casinhead

20. Total Depth, MD & TVD 8600' 21. Plug Back T.D., MD & TVD 8553' 22. If Multiple Compl., How Many* 23. Intervals Drilled By --> Rotary Tools Cable Tools

24. Producing Interval(s). Of This Completion -- Top, Bottom, Name (MD and TVD)*

6582-8336' CHERRY & BRUSHY CANYON

25. Was Directional Survey Made
YES

26. Type Electric and Other Logs Run
PLATFORM EXPRESS, CBL, GR, CCL

27. Was Well Cored
NO

28. CASING RECORD (Report all Strings set in well)

CASING SIZE & GRADE	WEIGHT	DEPTH SET	HOLE SIZE	CEMENT RECORD	AMOUNT PULLED
13 3/8"		79C'	17 1/2"	950 SX	
8 5/8"		4397'	11"	1300 SX	
5 1/2"		8583'	7 7/8"	1400 SX	

29. LINER RECORD				30. TUBING RECORD			
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2 7/8"	8436'	

31. Perforation record (interval, size, and number)

8238-8252, 8252-8299, 8300-8336,
8132-8191, 8197-8201
6582-88, 6835-55, 7061-64

32. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
8238-8336	ACIDIZE W/3500 GALS 7.5% NEFE HCL FRAC W/17,733 GALS YF130 GEL
8132-8201	ACIDIZE W/2250 GALS 7.5% NEFE HCL FRAC W/12,003 GALS YF130 GEL

33. PRODUCTION

Date First Production 9/17/2002 Production Method (Flowing, gas lift, pumping - size and type pump) PUMPING 2 1/2"X1 3/4"X24' Well Status (Prod. or Shut-in) PROD

Date of Test 11-18-02 Hours tested 24 HRS Choke Size: Prod'n For Test Period Oil - Bbl. 40 Gas - MCF 65 Water - Bbl. 130 Gas - Oil Ratio

Flow Tubing Press. Casing Pressure Calculated 24-Hour Rate Oil - Bbl. Gas - MCF Water - Bbl. Oil Gravity - API -(Corr.)

34. Disposition of Gas (Sold, used for fuel, vented, etc.)
SOLD

Test Witnessed By

35. List of Attachments
NOTARIZED DEVIATIONS

36. I hereby certify that the foregoing is true and correct

SIGNATURE TITLE Regulatory Specialist DATE 12/9/2002
TYPE OR PRINT NAME Denise Leake

RECEIVED
2012 FEB 12 AM 8:44
U.S. DEPARTMENT OF JUSTICE

37. SUMMARY OF POROUS ZONES. (Show all important zones of porosity and contents thereof, cored intervals, and all drill-stem, tests including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.
BELL CANYON	4566	5412	SAND
CHERRY CANYON	5412	7212	SAND, SILT, SALTWATER, OIL & GAS
BRUSHY CANYON	7212	8378	SAND, SILT, SALTWATER, OIL & GAS

38.

GEOLOGIC MARKERS

NAME	MEAS. DEPTH	TOP TRUE VERT. DEPTH
RUSTLER	735	
SALT	883	
LAMAR	4514	
CHERRY CANYON	5412	
BRUSHY CANYON	7212	
BONE SPRING	8378	

LOCATION SEC 24 TOWN P 22 SOUTH RANGE 31 EAST


LEASE & WELL GETTY 24 FEDERAL #13 EDDY COUNTY, NEW MEXICO
(Give Unit, Section, Township and Range)

OPERATOR CHEVRON/TEXACO EXPLORATION & PRODUCTION

DRILLING CONTRACTOR NABORS DRILLING USA, LP

The Undersigned hereby certifies that he is an authorized representative of the drilling contractor who drilled the above-described well and that he has conducted deviation tests and obtained the following results:


DEGREES @ DEPTH	DEGREES @ DEPTH	DEGREES @ DEPTH	DEGREES @ DEPTH
1/4 259	1 1/4 6118		
1 506	3/4 6626		
3/4 1120	1/2 7141		
3/4 1470	1 7682		
1 1820	3/4 8166		
1 2170			
1/2 2519			
3/4 2866			
1 3215			
1 1/4 3565			
2 3914			
3 1/2 4263			
3 4577			
2 1/4 4873			
2 5217			



Drilling Contractor Nabors Drilling USA, LP.

By Don Nelson
Don Nelson - District Drilling Superintendent

Subscribed and sworn to before me this 26th day of September, 2002



Donna Westbrook
Notary Public

My Commission Expires 09/01/2004 MIDLAND County TEXAS