



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYBudget Bureau No. 42-R358.4.  
Form Approved.

Land Office \_\_\_\_\_

Lease No. 070869-A

Unit \_\_\_\_\_

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	X	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

White Federal NCT-1  
No. 163736

October 1, 1963

Well No. 2 is located 1830 ft. from {NK  
S} line and 330 ft. from {E  
W} line of sec. 26NE/4, SE/4 Sec. 26  
(1/4 Sec. and Sec. No.)26S  
(Twp.)31E  
(Range)NMPM  
(Meridian)Mason, North Delaware  
(Field)Eddy  
(County or Subdivision)New Mexico  
(State or Territory)

The elevation of the derrick floor above sea level is 3120 ft. (GR)

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

To increase production we propose to do the following work.

1. Pull rods & pump.
2. Fracture down 2" tubing with 3000 gallons of lease crude, and 3000 pounds of sand. Do not exceed 5 BPM injection rate.
3. Swab, test and return to production.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company TEXACO Inc.

Address P.O. Drawer 728

Hobbs, New Mexico

By J.G. Blevins, Jr.

Title Assistant District Superintendent