

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE* (Other instructions on reverse side)

Form approved. Budget Bureau No. 42-R1424

5. LEASE DESIGNATION AND SERIAL NO.

NY-0426938-A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Inexco "10" Federal

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Undesignated

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 10, T-25-S, R-25-E

12. COUNTY OR PARISH

Eddy

13. STATE

New Mexico

1. OIL WELL [] GAS WELL [X] OTHER [] Dry Hole RECEIVED

2. NAME OF OPERATOR David Fasken / NOV 2 1973

3. ADDRESS OF OPERATOR 608 First National Bank Bldg., Midland, Texas 79701

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 1980' FNL & 660' FTL. ARTESIAN OFFICE

14. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.) 3512' G.L. - 3528' K.B.

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF [] PULL OR ALTER CASING [] FRACTURE TREAT [] MULTIPLE COMPLETE [] SHOOT OR ACIDIZE [] ABANDON* [] REPAIR WELL [] CHANGE PLANS [] (Other) []


WATER SHUT-OFF [] REPAIRING WELL [] FRACTURE TREATMENT [] ALTERING CASING [] SHOOTING OR ACIDIZING [] ABANDONMENT* [X] (Other) []

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

- T.D. 11,850', 8-5/8" casing set @ 5380', Top cement 2610', 13-3/8" casing at 340'. (1) Set 30 sx. cement plug 10,940' - 11,040'. (2) Set 30 sx. cement plug 10,092' - 10,192'. (3) Set 60 sx. cement plug 9,205' - 9,405'. (4) Set 60 sx. cement plug 7,407' - 7,607'. (5) Set 60 sx. cement plug 5,218 - 5,418'. (6) Set C.I. bridge plug at 2825'. (7) Fired jet casing cutter at 2370', did not come free. (8) Fired jet casing cutter at 2,220' - moved pipe 14', could not work free. (9) Backed casing off at 1,424' K.B. measurement. (10) Set 90 sx. cement plug 1,312' - 1,512'. (11) Set 70 sx. cement plug 290' - 390'. (12) Set 15 sx. cement plug bottom of cellar to 20' inside 13-3/8" casing. Will set dry hole marker and level location when rig moves.

18. I hereby certify that the foregoing is true and correct. SIGNED James B. Henry TITLE Agent DATE 3-22-73

APPROVED BY [] TITLE [] DATE [] CONDITIONS OF APPROVAL, IF ANY:



*See Instructions on Reverse Side

Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations and if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.