


UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



COMMISSION

83210

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☒ gas well ☐ other ☐

2. NAME OF OPERATOR

Perry R. Bass

3. ADDRESS OF OPERATOR

P.O. Box 2760, Midland, TX 79702

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE: 1980' FNL 1980' FWL Unit Letter F

AT TOP PROD. INTERVAL:

AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐

FRACTURE TREAT ☐

SHOOT OR ACIDIZE ☐

REPAIR WELL ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETE ☐

CHANGE ZONES ☐

ABANDON* ☐

(other) 4 1/2 csg. ☒

SUBSEQUENT REPORT OF:

☐

☐

☐

☐

☐

☐

☐

☐

☒

LEASE
LC 0672-B

15. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME
Poker Lake Unit

8. FARM OR LEASE NAME
Poker Lake Unit

9. WELL NO.
60

10. FIELD OR WILDCAT NAME
Delaware

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 33, T25S, R31E

12. COUNTY OR PARISH

Eddy

13. STATE

New Mexico

14. API NO.
- - - - -

15. ELEVATIONS (SHOW DF, KDB, AND WD)
3297.1' GL

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*
Drld. 6 1/2" hole to 6180' T.D. & log.

Ran 67 jts. 4 1/2" 11.60# K-55 LT&C Csg. & 88 jts. 4 1/2" 10.50# K-55 ST&C Csg. & 15 jts. 4 1/2" 9.50# K-55 ST&C Csg. Set @ 6,180'.

Western cemented w/200 sx pacesetter lite w/additives, tailed in w/100 sx class "H" w/additives, lost returns w/55 Bbls. of displacement pumped. Bumped plug @ 1000 psi (500 psi over displacement pressure.) Plug down @ 11:00 AM CDT 7-27-83. Float held ok. Released rig @ 1:00 PM CDT 7-27-83. Wait on cement 10 hrs. Ran temperature survey. TOC @ 4710' top of class "H" @ 5200'. Wait on Completion.

Subsurface Safety Valve: Manu. and Type - - - - - Set @ - - - - - Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED R.C. Hutchens TITLE Sr. Prod. Clerk DATE 8-5-83

(This space for Federal or State office use)

APPROVED BY
CONDITIONS OF APPROVAL, IF ANY:

TITLE DATE

ACCEPTED FOR RECORD

AUG 23 1983

*See Instructions on Reverse Side

ROSWELL, NEW MEXICO

Instructions

General: This form is designed for submitting proposals to perform certain well operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.