

(October 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE

(See instructions on reverse side)

NM OIL CON. DIVISION FOR APPLICATION B No. 1001-0137 Expires: December 31, 1991 DESIGNATION AND SERIAL NO. 88210

15F

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL [X] GAS WELL [] DRY [] Other []

b. TYPE OF COMPLETION: NEW WELL [X] WORK OVER [] DEEP EN [] PLUG BACK [] DIFF. RESVR. []

2. NAME OF OPERATOR Pogo Producing Company

3. ADDRESS AND TELEPHONE NO. P. O. Box 10340, Midland, TX 79702-7340

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface 330' FNL & 330' FWL, Section 10, T24S, R31E At top prod. interval reported below same At total depth same

CONFIDENTIAL

RECEIVED

AUG 08 1996

OIL CON. DIV DIST. 2

6. IF INDIAN, ALIOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME, WELL NO. Sundance 10 Federal No. 1

9. API WELL NO. 30-015-28122

10. FIELD AND FOOT OR WILDCAT Wildcat Delaware

11. SEC. T., R., M., OR BLOCK AND SURVEY OR AREA Section 10, T24S, R31E

12. COUNTY OR PARISH Eddy 13. STATE NM

15. DATE SPUDDED 6/5/95 16. DATE T.D. REACHED 6/19/95 17. DATE COMPL. (Ready to prod.) 7/5/95 18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* 3448' GR 19. ELEV. CASINGHEAD 3447'

20. TOTAL DEPTH, MD & TVD 8345' 21. PLUG. BACK T.D., MD & TVD 8297' 22. IF MULTIPLE COMPL., HOW MANY* --- 23. INTERVALS DRILLED BY ROTARY TOOLS 10'-8345' CABLE TOOLS ---

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* 8090'-8149' Brushy Canyon (MD & TVD) 25. WAS DIRECTIONAL SURVEY MADE No

26. TYPE ELECTRIC AND OTHER LOGS RUN DIL-CNL-CBL 27. WAS WELL CORED No

28. CASING RECORD (Report all strings set in well)

Table with 6 columns: CASING SIZE/GRADE, WEIGHT, LB./FT., DEPTH SET (MD), HOLE SIZE, TOP OF CEMENT, CEMENTING RECORD, AMOUNT PULLED. Rows include 13-3/8, 8-5/8, and 5-1/2.

29. LINER RECORD 30. TUBING RECORD

Tables for LINER RECORD and TUBING RECORD. LINER RECORD has columns: SIZE, TOP (MD), BOTTOM (MD), SACKS CEMENT*, SCREEN (MD). TUBING RECORD has columns: SIZE, DEPTH SET (MD), PACKER SET (MD).

31. PERFORATION RECORD (Interval, size and number) 32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

Tables for PERFORATION RECORD and ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC. PERFORATION RECORD has columns: INTERVAL, SIZE, NUMBER. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC. has columns: DEPTH INTERVAL (MD), AMOUNT AND KIND OF MATERIAL USED.

33.* PRODUCTION

Table for PRODUCTION with columns: DATE FIRST PRODUCTION, PRODUCTION METHOD, WELL STATUS, DATE OF TEST, HOURS TESTED, CHOKER SIZE, PROD'N. FOR TEST PERIOD, OIL-BBL., GAS-MCF., WATER-BBL., GAS-OIL RATIO, FLOW. TUBING PRESS., CASING PRESSURE, CALCULATED 24-HOUR RATE, OIL-BBL., GAS-MCF., WATER-BBL., OIL GRAVITY-API (CORR.).

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Vented TEST WITNESSED BY Carter Hughes

35. LIST OF ATTACHMENTS C-104, Logs, Sundries, Deviation Survey

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED [Signature] TITLE Division Operations Manager DATE July 11, 1995

*(See Instructions and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

LEASE & WELL

Sundance 10 #1

LOCATION

Sec. 10, T24S, R31E
(Give Unit, Section, Township and Range)

OPERATOR

Pogo Producing

DRILLING CONTRACTOR

NABORS DRILLING USA, INC.

The Undersigned hereby certifies that he is an authorized representative of the drilling contractor who drilled the above-described well and that he has conducted deviation tests and obtained the following results:

<u>DEGREES @ DEPTH</u>	<u>DEGREES @ DEPTH</u>	<u>DEGREES @ DEPTH</u>	<u>DEGREES @ DEPTH</u>
<u>3/4 @ 346</u>	<u>1 @ 5841</u>		
<u>3/4 @ 585</u>	<u>1 1/4 @ 6358</u>		
<u>1 @ 1088</u>	<u>1 @ 6880</u>		
<u>1/4 @ 1618</u>	<u>3/4 @ 7400</u>		
<u>1 @ 2174</u>	<u>1 3/4 @ 7896</u>		
<u>1 1/4 @ 2688</u>	<u>1 1/2 @ 8345</u>		
<u>3/4 @ 2971</u>			
<u>1 3/4 @ 3228</u>			
<u>1 @ 3476</u>			
<u>3/4 @ 3634</u>			
<u>1 1/4 @ 3795</u>			
<u>1 1/2 @ 3949</u>			
<u>1 @ 4380</u>			
<u>3/4 @ 4877</u>			
<u>1 @ 5341</u>			

CONFIDENTIAL

Drilling Contractor

Nabors Drilling USA, Inc.

By

L.V. Bohannon
L.V. Bohannon

Subscribed and sworn to before me this 10th day of July, 1995

Bernice K. Holder
Notary Public

My Commision Expires

MIDLAND

County

TEXAS

