

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	NCS1926052330
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party Mustang Resources, LLC	OGRID 373495
Contact Name Deb Lemon	Contact Telephone 720-550-7507 ext 105
Contact email dlemon@mustangresourcesllc.com	Incident # (assigned by OCD)
Contact mailing address	NCS1926052330

Location of Release Source

Latitude 36.35871 Longitude 108.193165
(NAD 83 in decimal degrees to 5 decimal places)

Site Name Serendipity #3R	Site Type Gas Well
Date Release Discovered September 3, 2019	API# (if applicable) 30-045-30811

Unit Letter	Section	Township	Range	County
M	26	26N	13W	San Juan

Site Characterization Accepted
Please submit Remediation Plan
No Later than 3/16/2020

Surface Owner: State Federal Tribal Private (Name: _____)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input type="checkbox"/> Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
<input checked="" type="checkbox"/> Produced Water	Volume Released (bbls) 160	Volume Recovered (bbls) 0
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
<input type="checkbox"/> Condensate	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release

Mustang was informed on September 3rd at 10:35am that the produced water tank at this location overflowed. This was the result of an oversight with a water hauling contractor and not the result of a mechanical failure. Mustang estimates that approximately 160 BBLS of produced water was released.

Form C-141

State of New Mexico
Oil Conservation Division

Page 2

Incident ID	
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	If YES, for what reason(s) does the responsible party consider this a major release? An unauthorized release of a volume greater than 25 barrels of produced water
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)? Initial Response was given via email to: Mr. Cory Smith, OCD district office; Mr. Jim Griswold, OCD environmental bureau; Mr. Virgil Lucero, BLM district field office engineer.	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

<input checked="" type="checkbox"/> The source of the release has been stopped. <input checked="" type="checkbox"/> The impacted area has been secured to protect human health and the environment. <input checked="" type="checkbox"/> Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices. <input checked="" type="checkbox"/> All free liquids and recoverable materials have been removed and managed appropriately.
If all the actions described above have <u>not</u> been undertaken, explain why:
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.
Printed Name: <u>Deborah Lemon</u> Title: <u>Regulatory Manager</u> Signature: <u><i>Deborah Lemon</i></u> Date: <u>9/5/2019</u> email: <u>dlemon@mustangresourcesllc.com</u> Telephone: <u>720-550-7507 Ext 105</u>
<u>OCD Only</u> Received by: <u><i>Cory Smith</i></u> Date: <u>9/17/19</u>

Incident ID	#NCD1926052330
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	_____ (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Did the release impact areas not on an exploration, development, production, or storage site?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

<p>Characterization Report Checklist: <i>Each of the following items must be included in the report.</i></p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells. <input checked="" type="checkbox"/> Field data <input checked="" type="checkbox"/> Data table of soil contaminant concentration data <input checked="" type="checkbox"/> Depth to water determination <input checked="" type="checkbox"/> Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release <input checked="" type="checkbox"/> Boring or excavation logs <input checked="" type="checkbox"/> Photographs including date and GIS information <input checked="" type="checkbox"/> Topographic/Aerial maps <input checked="" type="checkbox"/> Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Form C-141

State of New Mexico
Oil Conservation Division

Page 4

Incident ID	#NCD1926052330
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Deb Lemon Title: Regulatory Manager

Signature: *Deborah Lemon* Date: 11/1/2019

email: dlemon@mustangresourcesllc.com Telephone: 720-550-7507 ext 105

OCD Only

Received by: OCD *[Signature]* Date: 2/14/2020

Site Characterization Accepted
Please submit Remediation Plan
No Later than 3/16/2020



Souder, Miller & Associates ♦ 401 W. Broadway ♦ Farmington, NM 87401
 (505) 325-7535 ♦ (800) 519-0098 ♦ fax (505) 326-0045

October 25, 2019

#5127515-BG2

Mustang Resources, LLC
 Mr. Don Johnson
 1660 Lincoln St #1450
 Denver, Colorado 80264

SUBJECT: Deferral Request for the Serendipity 3R Release (NCS1926052330), Farmington, New Mexico

Dear Mr. Johnson:

Souder, Miller & Associates (SMA) has prepared this Deferral Request that describes the delineation and proposed remediation for a release of liquids related to oil and gas production activities at the Serendipity 3R site. The site is in Unit M, Section 26, Township 26N, Range 13W, San Juan County, New Mexico, on Federal land. Figure 1 illustrates the vicinity and site location on an USGS 7.5 minute quadrangle map.

Table 1, summarizes information regarding the release.

Table 1: Release Information and Closure Criteria			
Name	Serendipity 3R	Company	Mustang Resources LLC
API Number	30-045-30811	Location	36.453873 -108.193527
Incident Number	NCS1926052330		
Estimated Date of Release	September 3, 2019	Date Reported to NMOCD	September 3, 2019
Land Owner	Federal	Reported To	NMOCD, BLM
Source of Release	Produced water Tank		
Released Volume	160 bbls	Released Material	Produced Water
Recovered Volume	0 bbls	Net Release	160 bbls
NMOCD Closure Criteria	51-100 feet to groundwater		
SMA Response Dates	September 24, 2019 & October 2, 2019		

Serendipity 3R Remediation Plan (NCS1926052330)
October 25, 2019

Page 2 of 4

1.0 Background

On September 3, 2019, a release was discovered at the Serendipity 3R site due to the produced water tank overflowing. Initial response activities were conducted by Mustang, and included source elimination and site security activities. Figure 1 illustrates the vicinity and site location, Figures 2 and 3 illustrate the release location. The C-141 form is included in Appendix A.

2.0 Site Information and Closure Criteria

The Serendipity 3R is located approximately nineteen (19) miles south of Farmington, New Mexico on Federal (BLM) land at an elevation of approximately 6,234 feet above mean sea level (amsl).

There are no known water sources within ½-mile of the location, according to the New Mexico Office of the State Engineer (NMOSE) online water well database (https://gis.ose.state.nm.us/gisapps/ose_pod_locations/; accessed 10/23/2019). The nearest significant watercourse is an unnamed tributary, located approximately 730 feet to the southeast. Per Cory Smith, NMOCD Environmental Specialist, depth to groundwater for the Serendipity 3R was designated to be between 51-100 feet below grade surface (bgs) during an onsite visit conducted on September 24, 2019. Figure 2 illustrates the site with 200 and 300-foot radii to indicate that it does not lie within a sensitive area as described in 19.15.29.12.C(4) NMAC.

Based on the information presented herein and the onsite determination by NMOCD, the applicable NMOCD Closure Criteria for this site is for groundwater depth of between 51-100 feet bgs. Unless a deferral is approved by NMOCD per 19.15.29.12.B.(2), the site will be restored to meet the standards of Table 1 of 19.15.29.12 NMAC. Table 2 demonstrates the Closure Criteria applicable to this location. Pertinent well data is attached in Appendix B.

3.0 Release Characterization Activities and Findings

On September 24, 2019, SMA personnel arrived on site in response to the release associated with Serendipity 3R. SMA performed closure sampling activities by collecting soil samples around the release site within the berm containment. Closure sampling activities were witnessed by Cory Smith, NMOCD Environmental Specialist.

A total of five (5) sample locations (SC1-SC5) were collected for laboratory analysis for total chloride using EPA Method 300.0; benzene, toluene, ethylbenzene and total xylenes (BTEX) using EPA Method 8021B; and motor, diesel and gasoline range organics (MRO, DRO, and GRO) by EPA Method 8015D.

Samples were placed into laboratory supplied glassware, labeled, and maintained on ice until delivery to Hall Environmental Analysis Laboratory in Albuquerque, New Mexico (Appendix D).

As summarized in Table 3, results indicate that an area approximately 14 feet by 11 feet by 6 inches deep has been impacted (sample location SC2) by chlorides above the reclamation requirement but remain below the Closure Criteria. Locations for all samples are depicted on Figure 3.

At the request of Cory Smith, NMOCD Environmental Specialist, SMA returned to site on October 2, 2019 conduct chloride delineation via soil boring and sampling activities. A single soil boring, measuring from surface to four (4) bgs, was completed in the low spot within the sample location of SC2. A total of four (4) samples were collected, one from each foot of the boring, for laboratory analysis for total chloride using EPA Method 300.0.

Samples were placed into laboratory supplied glassware, labeled, and maintained on ice until delivery to Hall Environmental Analysis Laboratory in Albuquerque, New Mexico (Appendix D).

Serendipity 3R Remediation Plan (NCS1926052330)
October 25, 2019

Page 3 of 4

As summarized in Table 3, results from soil boring activities indicate that the impacted area of SC2 is limited to the surface. Locations for all samples are depicted on Figure 3.

4.0 Proposed Soil Remediation Work Plan

SMA proposes the application of gypsum to the impacted area of SC2 as in situ remediation, and temporary deferral of closure sampling. SMA proposes to collect closure samples from the area of SC2 within one year of the deferral approval.

In accordance with 19.15.29.12.B(2), a deferral is being requested in the area identified as SC2, As described above, the contamination has been delineated and does not cause an imminent risk to human health, the environment, or groundwater.

5.0 Scope and Limitations

The scope of our services included: assessment sampling; verifying release stabilization, regulatory liaison, and preparing this remediation plan. All work has been performed in accordance with generally accepted professional environmental consulting practices for oil and gas releases in the Permian Basin in New Mexico.

If there are any questions regarding this report, please contact either Austin Weyant at 575-689-8801 or Shawna Chubbuck at 505-325-7535.

Submitted by:
SOUDER, MILLER & ASSOCIATES

Reviewed by:



Ashley Maxwell
Project Scientist



Shawna Chubbuck
Senior Scientist

Serendipity 3R Remediation Plan (NCS1926052330)
October 25, 2019

Page 4 of 4

ATTACHMENTS:

Figures:

Figure 1: Vicinity and Well Head Protection Map
Figure 2: Surface Water Radius Map
Figure 3: Site and Sample Location Map


Tables:

Table 2: NMOCD Closure Criteria Justification
Table 3: Summary of Sample Results

Appendices:

Appendix A: Form C141
Appendix B: NMOSE Wells Report
Appendix C: Field Notes and Photo Log
Appendix D: Laboratory Analytical Reports

FIGURES



SMA
*Engineering
 Environmental
 Surveying*

Souder, Miller & Associates
 401 West Broadway Avenue
 Farmington, NM 87401-5907
 Phone (505) 325-7535 Toll-Free (800) 519-0098 Fax (505) 326-0045
 www.soudermiller.com
 Serving the Southwest & Rocky Mountains

MUSTANG RESOURCES		FARMINGTON, NEW MEXICO	
Designed AM	Drawn DJB	Checked SC	
Date: October 2019			
Scale: Horiz: 1" = 2000'			
Vert: NA			
Project No: 5127515			
Figure 1			

VICINITY MAP
 SERENDIPITY 3R
 M-26-26N-13W

SAN JUAN COUNTY

© Copyright 2019 Souder, Miller & Associates - All Rights Reserved

W:\SMA\Mustang Resources LLC (5127515)862 - Serendipity #0308\CAD-figures\5127515 Serendipity #0308.dwg Date: 10/25/2019 2:19 PM



RELEASE SITE

SCALE

0' 50' 100' 200'



THIS DRAWING IS INCOMPLETE AND NOT TO BE USED FOR CONSTRUCTION UNLESS IT IS STAMPED, SIGNED AND DATED

Date: October 2019

Scale: Horizontal = 1" = 100'

Vertical: N/A

Project No: 5127515

Figure 2

Designed	Drawn	Checked
AM	DJB	SC




SOUDER, MILLER & ASSOCIATES
 401 West Broadway Avenue
 Farmington, NM 87401-5907
 Phone (505) 325-7535 Toll-Free (800) 519-0098 Fax (505) 326-0045
 Serving the Southwest & Rocky Mountains
 www.soudermiller.com

MUSTANG RESOURCES FARMINGTON, NEW MEXICO

SITE MAP
 SERENDIPITY 3R
 M-26-26N-13W

© Copyright 2019 Souder, Miller & Associates - All Rights Reserved

W:\SMA\Mustang Resources LLC (51727515)\862 - Serendipity 4030(CAD)\Figures\172966 Serendipity 4030.dwg, Dwg, 10/25/2019 2:18 PM



LEGEND

- ◆ COMPOSITE SAMPLE
- ▲ SOIL BORING

SCALE

0' 15' 30' 60'

Figure 3

Project No: 5127515

Scale: Horiz 1"=30'

Date: October 2019

THIS DRAWING IS INCOMPLETE AND NOT TO BE USED FOR CONSTRUCTION UNLESS IT IS STAMPED, SIGNED AND DATED.

Designed AM	Drawn DJB	Checked SC
----------------	--------------	---------------

SMA
Engineering
Environmental
Surveying

SOUDER, MILLER & ASSOCIATES
401 West Broadway Avenue
Farmington, NM 87401-5907
Phone (505) 325-7535 Toll-Free (800) 519-0098 Fax (505) 326-0045
Serving the Southwest & Rocky Mountains
www.soudermiller.com

MUSTANG RESOURCES

FARMINGTON, NEW MEXICO

SAMPLE LOCATION MAP
SERENDIPITY 3R
M-26-26N-13W

TABLES

Table 2:
NMOCD Closure Criteria

Mustang Resources LLC
Serendipity 3R (NCS1926052330)

Site Information (19.15.29.11.A(2, 3, and 4) NMAC)		Source/Notes
Depth to Groundwater (feet bgs)	51-100	Cory Smith, NMOCD Environmental Specialist
Horizontal Distance From All Water Sources Within 1/2 Mile (ft)	>1/2 mile	OSE
Horizontal Distance to Nearest Significant Watercourse (ft)	730	Figure 1

Closure Criteria (19.15.29.12.B(4) and Table 1 NMAC)						
Depth to Groundwater		Closure Criteria (units in mg/kg)				
		Chloride *numerical limit or background, whichever is greater	TPH	GRO + DRO	BTEX	Benzene
< 50' BGS		600	100		50	10
51' to 100'	X	10000	2500	1000	50	10
>100'		20000	2500	1000	50	10
Surface Water	yes or no	if yes, then				
<300' from continuously flowing watercourse or other significant watercourse?	No	600	100		50	10
<200' from lakebed, sinkhole or playa lake?	No					
Water Well or Water Source						
<500 feet from spring or a private, domestic fresh water well used by less than 5 households for domestic or stock watering purposes?	No					
<1000' from fresh water well or spring?	No					
Human and Other Areas						
<300' from an occupied permanent residence, school, hospital, institution or church?	No					
within incorporated municipal boundaries or within a defined municipal fresh water well field?	No					
<100' from wetland?	No					
within area overlying a subsurface mine	No					
within an unstable area?	No					
within a 100-year floodplain?	No					



Table 3:
Summary of Sample Results

Mustang Resources LLC
Serendipity 3R (NCS1926052330)

Sample ID	Sample Date	Depth (feet bgs)	BTEX mg/Kg	Benzene mg/Kg	GRO mg/Kg	DRO mg/Kg	MRO mg/Kg	Total TPH mg/Kg	Cl- mg/Kg
NMOCD Closure Criteria			50	10	1000			2500	10,000
SC1	9/16/2019	0.5	<0.212	<0.024	<4.7	<8.7	<43	<56.4	210
SC2	9/16/2019	0.5	<0.217	<0.024	<4.8	<9.7	<49	<63.5	670
SC3	9/16/2019	0.5	<0.207	<0.023	<4.6	<9.4	<47	<61	520
SC4	9/16/2019	0.5	<0.219	<0.024	<4.9	<9.7	<48	<62.6	360
SC5	9/16/2019	0.5	<0.222	<0.025	<4.9	<9.5	<47	<61.4	450
SB1	10/2/2019	1	--	--	--	--	--	--	390
		2	--	--	--	--	--	--	360
		3	--	--	--	--	--	--	310
		4	--	--	--	--	--	--	290

"--" = Not Analyzed



APPENDIX A FORM C141

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	NCS1926052330
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party Mustang Resources, LLC	OGRID 373495
Contact Name Deb Lemon	Contact Telephone 720-550-7507 ext 105
Contact email dlemon@mustangresourcesllc.com	Incident # (assigned by OCD)
Contact mailing address	NCS1926052330

Location of Release Source

Latitude 36.35871 Longitude 108.193165
(NAD 83 in decimal degrees to 5 decimal places)

Site Name Serendipity #3R	Site Type Gas Well
Date Release Discovered September 3, 2019	API# (if applicable) 30-045-30811

Unit Letter	Section	Township	Range	County
M	26	26N	13W	San Juan

Surface Owner: State Federal Tribal Private (Name: _____)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input type="checkbox"/> Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
<input checked="" type="checkbox"/> Produced Water	Volume Released (bbls) 160	Volume Recovered (bbls) 0
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
<input type="checkbox"/> Condensate	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release

Mustang was informed on September 3rd at 10:35am that the produced water tank at this location overflowed. This was the result of an oversight with a water hauling contractor and not the result of a mechanical failure. Mustang estimates that approximately 160 BBLS of produced water was released.

Form C-141

State of New Mexico
Oil Conservation Division

Page 2

Incident ID	
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	If YES, for what reason(s) does the responsible party consider this a major release? An unauthorized release of a volume greater than 25 barrels of produced water
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)? Initial Response was given via email to: Mr. Cory Smith, OCD district office; Mr. Jim Griswold, OCD environmental bureau; Mr. Virgil Lucero, BLM district field office engineer.	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

<input checked="" type="checkbox"/> The source of the release has been stopped. <input checked="" type="checkbox"/> The impacted area has been secured to protect human health and the environment. <input checked="" type="checkbox"/> Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices. <input checked="" type="checkbox"/> All free liquids and recoverable materials have been removed and managed appropriately.
If all the actions described above have <u>not</u> been undertaken, explain why:
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.
Printed Name: <u>Deborah Lemon</u> Title: <u>Regulatory Manager</u> Signature: <u>Deborah Lemon</u> Date: <u>9/5/2019</u> email: <u>dlemon@mustangresourcesllc.com</u> Telephone: <u>720-550-7507 Ext 105</u>
<u>OCD Only</u> Received by: <u></u> Date: <u>9/17/19</u>

APPENDIX B

NMOSE WELLS REPORT



New Mexico Office of the State Engineer

Wells with Well Log Information

No wells found.

PLSS Search:

Section(s): 26

Township: 26N

Range: 13W

APPENDIX C FIELD NOTES PHOTO LOG

Field Screening Form

Location Name: **Serindipity 3R** Date: _____

9/24/19

Location Name	Description	Depth (Feet BGS)	Time Collected	PID Reading (ppm)	Time Screened	PetroFLAG Reading	Time Screened
SC1		6"	9:34				
SC2		6"	9:37				
SC3		6"	9:41				
SC4		6"	9:45				
SC5		6"	9:49				
SBI		1'	9:55				
SBI		2'	10:03				
SBI		3'	10:06				
SBI		4'	10:10				

10/7/19

Notes: onsite 9:45 off site 10:35



Cory Smith onsite to witness 9/24/19

Serendipity 3R



Photo 1: Sample area SC2.



Photo 2: Location of SB1 in sample area SC2.

APPENDIX D

LABORATORY ANALYTICAL REPORTS



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

September 24, 2019

Ashley Maxwell

Souder, Miller and Associates

401 W. Broadway

Farmington, NM 87401

TEL: (505) 325-5667

FAX: (505) 327-1496

RE: Serendipity 3R

OrderNo.: 1909866

Dear Ashley Maxwell:

Hall Environmental Analysis Laboratory received 5 sample(s) on 9/17/2019 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

A handwritten signature in black ink, appearing to read 'Andy Freeman', is written in a cursive style.

Andy Freeman

Laboratory Manager

4901 Hawkins NE

Albuquerque, NM 87109

Analytical Report

Lab Order **1909866**

Date Reported: **9/24/2019**

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller and Associates

Client Sample ID: SC1

Project: Serendipity 3R

Collection Date: 9/16/2019 9:34:00 AM

Lab ID: 1909866-001

Matrix: SOIL

Received Date: 9/17/2019 8:32:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: CAS
Chloride	210	60		mg/Kg	20	9/21/2019 11:25:29 PM	47637
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: BRM
Diesel Range Organics (DRO)	ND	8.7		mg/Kg	1	9/19/2019 9:41:51 AM	47548
Motor Oil Range Organics (MRO)	ND	43		mg/Kg	1	9/19/2019 9:41:51 AM	47548
Surr: DNOP	96.6	70-130		%Rec	1	9/19/2019 9:41:51 AM	47548
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.7		mg/Kg	1	9/18/2019 2:03:58 PM	47534
Surr: BFB	103	77.4-118		%Rec	1	9/18/2019 2:03:58 PM	47534
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.024		mg/Kg	1	9/18/2019 2:03:58 PM	47534
Toluene	ND	0.047		mg/Kg	1	9/18/2019 2:03:58 PM	47534
Ethylbenzene	ND	0.047		mg/Kg	1	9/18/2019 2:03:58 PM	47534
Xylenes, Total	ND	0.094		mg/Kg	1	9/18/2019 2:03:58 PM	47534
Surr: 4-Bromofluorobenzene	87.9	80-120		%Rec	1	9/18/2019 2:03:58 PM	47534

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order **1909866**

Date Reported: **9/24/2019**

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller and Associates

Client Sample ID: SC2

Project: Serendipity 3R

Collection Date: 9/16/2019 9:37:00 AM

Lab ID: 1909866-002

Matrix: SOIL

Received Date: 9/17/2019 8:32:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: CAS
Chloride	670	59		mg/Kg	20	9/21/2019 11:37:54 PM	47637
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: BRM
Diesel Range Organics (DRO)	ND	9.7		mg/Kg	1	9/19/2019 10:03:58 AM	47548
Motor Oil Range Organics (MRO)	ND	49		mg/Kg	1	9/19/2019 10:03:58 AM	47548
Surr: DNOP	95.3	70-130		%Rec	1	9/19/2019 10:03:58 AM	47548
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.8		mg/Kg	1	9/18/2019 3:12:22 PM	47534
Surr: BFB	100	77.4-118		%Rec	1	9/18/2019 3:12:22 PM	47534
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.024		mg/Kg	1	9/18/2019 3:12:22 PM	47534
Toluene	ND	0.048		mg/Kg	1	9/18/2019 3:12:22 PM	47534
Ethylbenzene	ND	0.048		mg/Kg	1	9/18/2019 3:12:22 PM	47534
Xylenes, Total	ND	0.097		mg/Kg	1	9/18/2019 3:12:22 PM	47534
Surr: 4-Bromofluorobenzene	86.9	80-120		%Rec	1	9/18/2019 3:12:22 PM	47534

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order **1909866**

Date Reported: **9/24/2019**

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller and Associates

Client Sample ID: SC3

Project: Serendipity 3R

Collection Date: 9/16/2019 9:41:00 AM

Lab ID: 1909866-003

Matrix: SOIL

Received Date: 9/17/2019 8:32:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: CAS
Chloride	520	60		mg/Kg	20	9/21/2019 11:50:19 PM	47637
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: BRM
Diesel Range Organics (DRO)	ND	9.4		mg/Kg	1	9/19/2019 10:26:12 AM	47548
Motor Oil Range Organics (MRO)	ND	47		mg/Kg	1	9/19/2019 10:26:12 AM	47548
Surr: DNOP	102	70-130		%Rec	1	9/19/2019 10:26:12 AM	47548
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.6		mg/Kg	1	9/18/2019 3:35:08 PM	47534
Surr: BFB	100	77.4-118		%Rec	1	9/18/2019 3:35:08 PM	47534
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.023		mg/Kg	1	9/18/2019 3:35:08 PM	47534
Toluene	ND	0.046		mg/Kg	1	9/18/2019 3:35:08 PM	47534
Ethylbenzene	ND	0.046		mg/Kg	1	9/18/2019 3:35:08 PM	47534
Xylenes, Total	ND	0.092		mg/Kg	1	9/18/2019 3:35:08 PM	47534
Surr: 4-Bromofluorobenzene	86.5	80-120		%Rec	1	9/18/2019 3:35:08 PM	47534

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order **1909866**

Date Reported: **9/24/2019**

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller and Associates

Client Sample ID: SC4

Project: Serendipity 3R

Collection Date: 9/16/2019 9:45:00 AM

Lab ID: 1909866-004

Matrix: SOIL

Received Date: 9/17/2019 8:32:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: CAS
Chloride	360	60		mg/Kg	20	9/22/2019 12:02:43 AM	47637
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: BRM
Diesel Range Organics (DRO)	ND	9.7		mg/Kg	1	9/19/2019 8:08:41 PM	47548
Motor Oil Range Organics (MRO)	ND	48		mg/Kg	1	9/19/2019 8:08:41 PM	47548
Surr: DNOP	98.8	70-130		%Rec	1	9/19/2019 8:08:41 PM	47548
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	9/18/2019 5:29:05 PM	47534
Surr: BFB	98.5	77.4-118		%Rec	1	9/18/2019 5:29:05 PM	47534
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.024		mg/Kg	1	9/18/2019 5:29:05 PM	47534
Toluene	ND	0.049		mg/Kg	1	9/18/2019 5:29:05 PM	47534
Ethylbenzene	ND	0.049		mg/Kg	1	9/18/2019 5:29:05 PM	47534
Xylenes, Total	ND	0.097		mg/Kg	1	9/18/2019 5:29:05 PM	47534
Surr: 4-Bromofluorobenzene	85.5	80-120		%Rec	1	9/18/2019 5:29:05 PM	47534

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order **1909866**

Date Reported: **9/24/2019**

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller and Associates

Client Sample ID: SC5

Project: Serendipity 3R

Collection Date: 9/16/2019 9:49:00 AM

Lab ID: 1909866-005

Matrix: SOIL

Received Date: 9/17/2019 8:32:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: CAS
Chloride	450	59		mg/Kg	20	9/22/2019 12:15:08 AM	47637
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: BRM
Diesel Range Organics (DRO)	ND	9.5		mg/Kg	1	9/19/2019 8:31:02 PM	47548
Motor Oil Range Organics (MRO)	ND	47		mg/Kg	1	9/19/2019 8:31:02 PM	47548
Surr: DNOP	97.7	70-130		%Rec	1	9/19/2019 8:31:02 PM	47548
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	9/18/2019 5:51:50 PM	47534
Surr: BFB	99.1	77.4-118		%Rec	1	9/18/2019 5:51:50 PM	47534
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.025		mg/Kg	1	9/18/2019 5:51:50 PM	47534
Toluene	ND	0.049		mg/Kg	1	9/18/2019 5:51:50 PM	47534
Ethylbenzene	ND	0.049		mg/Kg	1	9/18/2019 5:51:50 PM	47534
Xylenes, Total	ND	0.099		mg/Kg	1	9/18/2019 5:51:50 PM	47534
Surr: 4-Bromofluorobenzene	85.6	80-120		%Rec	1	9/18/2019 5:51:50 PM	47534

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

QC SUMMARY REPORT

WO#: 1909866

Hall Environmental Analysis Laboratory, Inc.

24-Sep-19

Client: Souder, Miller and Associates**Project:** Serendipity 3R

Sample ID: MB-47637	SampType: MBLK	TestCode: EPA Method 300.0: Anions								
Client ID: PBS	Batch ID: 47637	RunNo: 63102								
Prep Date: 9/21/2019	Analysis Date: 9/21/2019	SeqNo: 2152517	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	ND	1.5								

Sample ID: LCS-47637	SampType: LCS	TestCode: EPA Method 300.0: Anions								
Client ID: LCSS	Batch ID: 47637	RunNo: 63102								
Prep Date: 9/21/2019	Analysis Date: 9/21/2019	SeqNo: 2152518	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	14	1.5	15.00	0	96.3	90	110			

Qualifiers:

*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
D	Sample Diluted Due to Matrix	E	Value above quantitation range
H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
PQL	Practical Quantitative Limit	RL	Reporting Limit
S	% Recovery outside of range due to dilution or matrix		

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1909866

24-Sep-19

Client: Souder, Miller and Associates

Project: Serendipity 3R

Sample ID: LCS-47548	SampType: LCS	TestCode: EPA Method 8015M/D: Diesel Range Organics								
Client ID: LCSS	Batch ID: 47548	RunNo: 63032								
Prep Date: 9/18/2019	Analysis Date: 9/19/2019	SeqNo: 2149625	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	53	10	50.00	0	107	63.9	124			
Surr: DNOP	5.4		5.000		109	70	130			

Sample ID: MB-47548	SampType: MBLK	TestCode: EPA Method 8015M/D: Diesel Range Organics								
Client ID: PBS	Batch ID: 47548	RunNo: 63032								
Prep Date: 9/18/2019	Analysis Date: 9/19/2019	SeqNo: 2149626	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	12		10.00		117	70	130			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quantitative Limit
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1909866

24-Sep-19

Client: Souder, Miller and Associates

Project: Serendipity 3R

Sample ID: MB-47534	SampType: MBLK	TestCode: EPA Method 8015D: Gasoline Range								
Client ID: PBS	Batch ID: 47534	RunNo: 63006								
Prep Date: 9/17/2019	Analysis Date: 9/18/2019	SeqNo: 2148848	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	980		1000		98.4	77.4	118			

Sample ID: LCS-47534	SampType: LCS	TestCode: EPA Method 8015D: Gasoline Range								
Client ID: LCSS	Batch ID: 47534	RunNo: 63006								
Prep Date: 9/17/2019	Analysis Date: 9/18/2019	SeqNo: 2148849	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	22	5.0	25.00	0	89.1	80	120			
Surr: BFB	1100		1000		114	77.4	118			

Qualifiers:

- | | |
|---|---|
| * Value exceeds Maximum Contaminant Level. | B Analyte detected in the associated Method Blank |
| D Sample Diluted Due to Matrix | E Value above quantitation range |
| H Holding times for preparation or analysis exceeded | J Analyte detected below quantitation limits |
| ND Not Detected at the Reporting Limit | P Sample pH Not In Range |
| PQL Practical Quantitative Limit | RL Reporting Limit |
| S % Recovery outside of range due to dilution or matrix | |

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 1909866

24-Sep-19

Client: Souder, Miller and Associates**Project:** Serendipity 3R

Sample ID: MB-47534	SampType: MBLK	TestCode: EPA Method 8021B: Volatiles								
Client ID: PBS	Batch ID: 47534	RunNo: 63006								
Prep Date: 9/17/2019	Analysis Date: 9/18/2019	SeqNo: 2148876							Units: mg/Kg	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.84		1.000		84.1	80	120			

Sample ID: LCS-47534	SampType: LCS	TestCode: EPA Method 8021B: Volatiles								
Client ID: LCSS	Batch ID: 47534	RunNo: 63006								
Prep Date: 9/17/2019	Analysis Date: 9/18/2019	SeqNo: 2148877							Units: mg/Kg	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.89	0.025	1.000	0	89.3	80	120			
Toluene	0.93	0.050	1.000	0	93.0	80	120			
Ethylbenzene	0.95	0.050	1.000	0	94.6	80	120			
Xylenes, Total	2.7	0.10	3.000	0	91.0	80	120			
Surr: 4-Bromofluorobenzene	0.92		1.000		92.2	80	120			

Sample ID: 1909866-001AMS	SampType: MS	TestCode: EPA Method 8021B: Volatiles								
Client ID: SC1	Batch ID: 47534	RunNo: 63006								
Prep Date: 9/17/2019	Analysis Date: 9/18/2019	SeqNo: 2148884							Units: mg/Kg	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.92	0.024	0.9643	0	95.2	76	123			
Toluene	0.97	0.048	0.9643	0	100	80.3	127			
Ethylbenzene	1.0	0.048	0.9643	0	103	80.2	131			
Xylenes, Total	2.8	0.096	2.893	0	98.3	78	133			
Surr: 4-Bromofluorobenzene	0.89		0.9643		92.0	80	120			

Sample ID: 1909866-001AMSD	SampType: MSD	TestCode: EPA Method 8021B: Volatiles								
Client ID: SC1	Batch ID: 47534	RunNo: 63006								
Prep Date: 9/17/2019	Analysis Date: 9/18/2019	SeqNo: 2148885							Units: mg/Kg	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.90	0.024	0.9634	0	93.9	76	123	1.45	20	
Toluene	0.95	0.048	0.9634	0	99.1	80.3	127	1.25	20	
Ethylbenzene	0.98	0.048	0.9634	0	102	80.2	131	1.56	20	
Xylenes, Total	2.8	0.096	2.890	0	97.5	78	133	0.882	20	
Surr: 4-Bromofluorobenzene	0.89		0.9634		92.7	80	120	0	0	

Qualifiers:

*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
D	Sample Diluted Due to Matrix	E	Value above quantitation range
H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
PQL	Practical Quantitative Limit	RL	Reporting Limit
S	% Recovery outside of range due to dilution or matrix		



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: SMA-FARM Work Order Number: 1909866 RcptNo: 1

Received By: Leah Baca 9/17/2019 8:32:00 AM

Completed By: Anne Thorne 9/17/2019 10:26:40 AM

Reviewed By: YG 9/17/19

Handwritten signatures of Leah Baca and Anne Thorne

Chain of Custody

- 1. Is Chain of Custody complete? Yes [checked] No [] Not Present []
2. How was the sample delivered? Courier

Log In

- 3. Was an attempt made to cool the samples? Yes [checked] No [] NA []
4. Were all samples received at a temperature of >0° C to 6.0°C Yes [checked] No [] NA []
5. Sample(s) in proper container(s)? Yes [checked] No []
6. Sufficient sample volume for indicated test(s)? Yes [checked] No []
7. Are samples (except VOA and ONG) properly preserved? Yes [checked] No []
8. Was preservative added to bottles? Yes [] No [checked] NA []
9. VOA vials have zero headspace? Yes [] No [] No VOA Vials [checked]
10. Were any sample containers received broken? Yes [] No [checked]
11. Does paperwork match bottle labels? Yes [checked] No []
12. Are matrices correctly identified on Chain of Custody? Yes [checked] No []
13. Is it clear what analyses were requested? Yes [checked] No []
14. Were all holding times able to be met? Yes [checked] No []

of preserved bottles checked for pH: (<2 or >12 unless noted)
Adjusted?
Checked by: DAD 9/17/19

Special Handling (if applicable)

- 15. Was client notified of all discrepancies with this order? Yes [] No [] NA [checked]

Person Notified: _____ Date _____
By Whom: _____ Via: [] eMail [] Phone [] Fax [] In Person
Regarding: _____
Client Instructions: _____

16. Additional remarks:

17. Cooler Information

Table with 7 columns: Cooler No, Temp °C, Condition, Seal Intact, Seal No, Seal Date, Signed By. Row 1: 1, 3.7, Good, Yes, , ,

Chain-of-Custody Record

Client: SMA

Mailing Address: 401 W Broadway
Farmington, NM 87401

Phone #: 505 325 7535

email or Fax#: Ashley Maxwell

QA/QC Package:
 Standard Level 4 (Full Validation)

Accreditation: Az Compliance
 NELAC Other

EDD (Type)

Turn-Around Time:

Standard Rush

Project Name:

Serendipity 3R

Project #:

Project Manager:

Ashley Maxwell

Sampler: AM

On Ice: Yes No

of Coolers: 1

Cooler Temp (including CF): 38 - CF = 3.7C

Container Type and #

Preservative Type

HEAL No.

403 Cool 1909866

SC1 201

SC2 202

SC3 203

SC4 204

SC5 205

Date: 9/16/19 17:08

Relinquished by: [Signature]

Date: 9/16/19 17:08

Relinquished by: [Signature]

Date: 9/16/19 18:10

Relinquished by: [Signature]

Date: 9/17/19 08:32

Relinquished by: [Signature]

Date: 9/17/19 08:32

Analysis Request

TPH:8015D(GRO / DRO / MRO)

8081 Pesticides/8082 PCB's

EDB (Method 504.1)

PAHs by 8310 or 8270SIMS

R CRA 8 Metals

Cl, F, Br, NO₃, NO₂, PO₄, SO₄

8260 (VOA)

8270 (Semi-VOA)

Total Coliform (Present/Absent)

X Chlorides 300.0

(BTEX) MTBE / TMB's (8021)

Remarks:

cc Don Johnson

djohnson@mustangresourcesllc.com



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

October 10, 2019

Ashley Maxwell

Souder, Miller and Associates

401 W. Broadway

Farmington, NM 87401

TEL: (505) 325-5667

FAX (505) 327-1496

RE: Serendipity 3R

OrderNo.: 1910275

Dear Ashley Maxwell:

Hall Environmental Analysis Laboratory received 4 sample(s) on 10/3/2019 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

A handwritten signature in black ink, appearing to read "Andy Freeman", is written over a light blue horizontal line.

Andy Freeman

Laboratory Manager

4901 Hawkins NE

Albuquerque, NM 87109

Analytical Report

Lab Order: 1910275

Date Reported: 10/10/2019

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller and Associates

Lab Order: 1910275

Project: Serendipity 3R

Lab ID: 1910275-001

Collection Date: 10/2/2019 9:55:00 AM

Client Sample ID: SB1-1'

Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch ID
----------	--------	----	------	-------	----	---------------	----------

EPA METHOD 300.0: ANIONS

Analyst: **CJS**

Chloride	390	60		mg/Kg	20	10/8/2019 2:35:46 PM	48002
----------	-----	----	--	-------	----	----------------------	-------

Lab ID: 1910275-002

Collection Date: 10/2/2019 10:03:00 AM

Client Sample ID: SB1-2'

Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch ID
----------	--------	----	------	-------	----	---------------	----------

EPA METHOD 300.0: ANIONS

Analyst: **CJS**

Chloride	360	60		mg/Kg	20	10/8/2019 2:48:10 PM	48002
----------	-----	----	--	-------	----	----------------------	-------

Lab ID: 1910275-003

Collection Date: 10/2/2019 10:06:00 AM

Client Sample ID: SB1-3'

Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch ID
----------	--------	----	------	-------	----	---------------	----------

EPA METHOD 300.0: ANIONS

Analyst: **CJS**

Chloride	310	60		mg/Kg	20	10/8/2019 3:00:35 PM	48002
----------	-----	----	--	-------	----	----------------------	-------

Lab ID: 1910275-004

Collection Date: 10/2/2019 10:10:00 AM

Client Sample ID: SB1-4'

Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch ID
----------	--------	----	------	-------	----	---------------	----------

EPA METHOD 300.0: ANIONS

Analyst: **CJS**

Chloride	290	60		mg/Kg	20	10/8/2019 3:13:00 PM	48002
----------	-----	----	--	-------	----	----------------------	-------

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	* Value exceeds Maximum Contaminant Level.	B Analyte detected in the associated Method Blank
	D Sample Diluted Due to Matrix	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	ND Not Detected at the Reporting Limit	P Sample pH Not In Range
	PQL Practical Quantitative Limit	RL Reporting Limit
	S % Recovery outside of range due to dilution or matrix	

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 1910275

10-Oct-19

Client: Souder, Miller and Associates**Project:** Serendipity 3R

Sample ID: MB-48002	SampType: mbk	TestCode: EPA Method 300.0: Anions								
Client ID: PBS	Batch ID: 48002	RunNo: 63489								
Prep Date: 10/8/2019	Analysis Date: 10/8/2019	SeqNo: 2170451	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	ND	1.5								

Sample ID: LCS-48002	SampType: lcs	TestCode: EPA Method 300.0: Anions								
Client ID: LCSS	Batch ID: 48002	RunNo: 63489								
Prep Date: 10/8/2019	Analysis Date: 10/8/2019	SeqNo: 2170452	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	14	1.5	15.00	0	94.8	90	110			

Qualifiers:

*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
D	Sample Diluted Due to Matrix	E	Value above quantitation range
H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
PQL	Practical Quantitative Limit	RL	Reporting Limit
S	% Recovery outside of range due to dilution or matrix		



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: SMA-FARM Work Order Number: 1910275 RcptNo: 1

Received By: Erin Melendrez 10/3/2019 8:20:00 AM
Completed By: Erin Melendrez 10/3/2019 5:57:24 PM
Reviewed By: [Signature] 10/4/19

Chain of Custody

- 1. Is Chain of Custody complete? Yes [checked] No [] Not Present []
2. How was the sample delivered? Courier

Log In

- 3. Was an attempt made to cool the samples? Yes [checked] No [] NA []
4. Were all samples received at a temperature of >0° C to 6.0°C Yes [checked] No [] NA []
5. Sample(s) in proper container(s)? Yes [checked] No []
6. Sufficient sample volume for indicated test(s)? Yes [checked] No []
7. Are samples (except VOA and ONG) properly preserved? Yes [checked] No []
8. Was preservative added to bottles? Yes [] No [checked] NA []
9. VOA vials have zero headspace? Yes [] No [] No VOA Vials [checked]
10. Were any sample containers received broken? Yes [] No [checked]
11. Does paperwork match bottle labels? (Note discrepancies on chain of custody) Yes [checked] No []
12. Are matrices correctly identified on Chain of Custody? Yes [checked] No []
13. Is it clear what analyses were requested? Yes [checked] No []
14. Were all holding times able to be met? (If no, notify customer for authorization.) Yes [checked] No []

of preserved bottles checked for pH: (<2 or >12 unless noted)
Adjusted?
Checked by: DAD 10/4/19

Special Handling (if applicable)

- 15. Was client notified of all discrepancies with this order? Yes [] No [] NA [checked]

Person Notified: [] Date: []
By Whom: [] Via: [] eMail [] Phone [] Fax [] In Person []
Regarding: []
Client Instructions: []

16. Additional remarks:

17. Cooler Information

Table with 7 columns: Cooler No, Temp °C, Condition, Seal Intact, Seal No, Seal Date, Signed By. Row 1: 1, 3.4, Good, Yes, [], [], []

Chain-of-Custody Record

Client: SMA

Mailing Address: 401 W Broadway
Farmington, NM 87401
Phone #: 505 325 7535
email or Fax#: Ashley,maxwell

QA/QC Package:
 Standard
 Level 4 (Full Validation)
 NELAP
 Other
 EDD (Type)

Accreditation:
 Standard
 Other

Project Manager:
Ashley Maxwell

Sampler: RW

On Ice: Yes No
 Sample Temperature: 3.9-0.5 (CF) = 3.4°C

Turn-Around Time:
 Standard Rush

Project Name:
Serendipity 3R

Project #:

Project Manager:
Ashley Maxwell

Sampler: RW

On Ice: Yes No
 Sample Temperature: 3.9-0.5 (CF) = 3.4°C

Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative Type	HEAL No.
10/21/19	9:55	Soil	SBI - 1'	903		1910275
	10:03		SBI - 2'			-001
	10:00		SBI - 3'			-002
	10:10		SBI - 4'			-003
						-004

BTEX + MTBE + TMB's (8021)	BTEX + MTBE + TPH (Gas only)	TPH 8015B (GRO / DRO / MRO)	TPH (Method 418.1)	EDB (Method 504.1)	PAH's (8310 or 8270 SIMS)	RCRA 8 Metals	Anions (F ⁻ , Cl ⁻ , NO ₃ ⁻ , NO ₂ ⁻ , PO ₄ ⁻ , SO ₄ ⁻)	8081 Pesticides / 8082 PCBs	8260B (VOA)	8270 (Semi-VOA)	Air Bubbles (Y or N)
										Chlorides 300.00	
										X	
										X	
										X	
										X	

Analysis Request

Analysis Request											
Remarks:											

Date: 10/21/19 1602
 Relinquished by: [Signature]

Date: 10/21/19 1811
 Relinquished by: [Signature]

Received by: [Signature] Date: 10/21/19 1602
 Received by: [Signature] Date: 10/21/19 1811

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.