

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	NCS1929541151
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party Hilcorp Energy Company	OGRID 372171
Contact Name Jennifer Deal	Contact Telephone 832-839-4585
Contact email jdeal@hilcorp.com	Incident # (assigned by OCD) NCS1929541151
Contact mailing address 382 Road 3100, Aztec NM 87410	

Location of Release Source

Latitude 36.758495 _____ Longitude -108.2162476 _____
(NAD 83 in decimal degrees to 5 decimal places)

Site Name FRPC 4 1	Site Type Gas Well
Date Release Discovered 9/25/2019 @ 3:15pm	API# (if applicable) 30-045-31995

Unit Letter	Section	Township	Range	County
D	04	29N	13W	San Juan

Surface Owner: ☐ State ☒ Federal ☐ Tribal ☐ Private (Name: James Whitfield _____)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input type="checkbox"/> Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
<input checked="" type="checkbox"/> Produced Water	Volume Released (bbls) 23 bbls	Volume Recovered (bbls) 13
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Condensate	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release

A release of ~23 bbls of produced water was released due to the water pump line leaking from corrosion. The operator shut in the well and a one call was submitted to begin excavation to repair the line. Release remained on location. 13 bbls were recovered. Environmental will provide OCD 48 hour notice of sampling.

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	<u><50</u> (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Did the release impact areas not on an exploration, development, production, or storage site?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.


Characterization Report Checklist: Each of the following items must be included in the report.

- ☒ Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- ☒ Field data
- ☒ Data table of soil contaminant concentration data
- ☒ Depth to water determination
- ☒ Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- ☒ Boring or excavation logs
- ☒ Photographs including date and GIS information
- ☒ Topographic/Aerial maps
- ☒ Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: _____ Jennifer Deal _____ Title: _____ Environmental Specialist _____

Signature: _____  _____ Date: _____ 5/1/2020 _____

email: _____ jdeal@hilcorp.com _____ Telephone: _____ 5058016517 _____

OCD Only

Received by: _____  _____ Date: _____ 8/25/2020 _____

Remediation Plan

Remediation Plan Checklist: *Each of the following items must be included in the plan.*

- ☒ Detailed description of proposed remediation technique
- ☒ Scaled sitemap with GPS coordinates showing delineation points
- ☒ Estimated volume of material to be remediated
- ☒ Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC
- ☒ Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required)

Deferral Requests Only: *Each of the following items must be confirmed as part of any request for deferral of remediation.*

- ☐ Contamination must be in areas immediately under or around production equipment where remediation could cause a major facility deconstruction.
- ☐ Extents of contamination must be fully delineated.
- ☐ Contamination does not cause an imminent risk to human health, the environment, or groundwater.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: _____ Jenifer Deal _____ Title: _____ Environmental Specialist _____

Signature: _____  _____ Date: _____ 5/1/2020 _____

email: _____ jdeal@hilcorp.com _____ Telephone: _____ 5058016517 _____

OCD Only

Received by: _____ OCD _____ Date: _____ 5/1/2020 & 8/14/2020 _____

☐ Approved ☐ Approved with Attached Conditions of Approval ☒ Denied ☐ Deferral Approved

Signature: _____  _____ Date: _____ 8/25/2020 _____

From: [Smith, Cory, EMNRD](#)
To: ["Jennifer Deal"](#)
Cc: ["Devin Hencmann"](#); ["Ashley Ager"](#); ["Josh Adams"](#); [Powell, Brandon, EMNRD](#)
Subject: RE: [EXTERNAL] RE: OCD Receipt of Fee Application Payment
Date: Tuesday, August 25, 2020 8:14:00 AM
Attachments: [image002.png](#)
[image003.png](#)
[image004.png](#)

Jennifer,

The OCD has reviewed the remediation plan submitted on 5/1/2020 and additional information submitted on 8/14/2020 for the FRPC 4 #1 incident# nCS1929541151 and have denied the remediation plan to install a impermeable liner and leave remaining elevated chloride concentrations in place.

The basis for this denial is the following

- The proposed liner may protect against vertical water flow from precipitation however the remaining impacts are located in an area that has interbedding layers of slit/clay additionally the area of concern is also in a FEMA designated flood plain which would likely incur horizontal water flow patterns over the lifetime of the well which would exceed the proposed protective measures.
- The location is next to a named tributary of the San Juan River and if contamination were to be exposed due to erosion, or flushed out due to lateral flow, it could directly flow into and impact the San Juan River and numerous residential areas that are located downstream.
- The release is located in Farmington City Limits and its proximity to residential and agriculture receptors suggest that there is a high probability of alternative land use after the life of the well.

HEC must either submit an alternative remediation plan or remediate the release no later than 12/1/2020 if HEC feels this denial is in error please contact the me prior to submission of a new remediation plan. The Signed C-141 and the associated emails will be uploaded in to the online Incident# as soon as possible.

Thanks,

Cory Smith
Environmental Specialist
Oil Conservation Division
Energy, Minerals, & Natural Resources
1000 Rio Brazos, Aztec, NM 87410
(505)334-6178 ext 115
cory.smith@state.nm.us

From: Smith, Cory, EMNRD

Sent: Friday, August 14, 2020 10:34 AM

To: 'Jennifer Deal' <jdeal@hilcorp.com>

Cc: Devin Hencmann <dhencmann@ltenv.com>; Ashley Ager <aager@ltenv.com>; Josh Adams <jadams@ltenv.com>

Subject: RE: [EXTERNAL] RE: OCD Receipt of Fee Application Payment

Jennifer,

The Siting Criteria was mentioned but LTE did not provide any data to support the section, Maps, Iwater information etc.

I will review the additional information.

Thanks for the swift reply

Cory Smith

Environmental Specialist

Oil Conservation Division

Energy, Minerals, & Natural Resources

1000 Rio Brazos, Aztec, NM 87410

(505)334-6178 ext 115

cory.smith@state.nm.us

From: Jennifer Deal <jdeal@hilcorp.com>

Sent: Friday, August 14, 2020 10:11 AM

To: Smith, Cory, EMNRD <Cory.Smith@state.nm.us>

Cc: Devin Hencmann <dhencmann@ltenv.com>; Ashley Ager <aager@ltenv.com>; Josh Adams <jadams@ltenv.com>

Subject: [EXT] RE: [EXTERNAL] RE: OCD Receipt of Fee Application Payment

Cory,

Attached are the Sample Location Map and sample results table for samples collected by Hilcorp prior to the delineation event completed by LTE.

As requested, Hilcorp submits the following clarifications and/or additional information related to FRPC 4-1 Incident# [nCS1929541151](#):

Siting Criteria and Depth to Water Determination:

- The siting criteria and depth to water information for this site can be found on page 10 of the document, second paragraph. In that paragraph depth to water was determined to be less than 50' bgs. Do you require additional information than what was provided? The site was characterized as follows:
 - "LTE characterized the Site according to Table 1, Closure Criteria for Soils Impacted by a Release, of [19.15.29.12](#) NMAC. The Site is approximately 187 feet northwest from the

Farmington Glade and approximately 400 feet northwest of the Halford Independent Irrigation Ditch (HIID) (Figure 2). The closest water well to the Site is the SJ-03203, with a depth to water reported at 20 feet below ground surface (bgs) and total depth of the well at 59 feet bgs. That water well is located approximately 1,870 feet southwest of the Site. The nearest significant watercourse to the Site is the Farmington Glade. The Site is greater than 200 feet from any lakebed, sinkhole, or playa lake. The Site is greater than 300 feet of any mapped wetland. Land use surrounding the Site consists of natural gas development, agricultural fields, recreational areas, and residential areas. The nearest residence is located approximately 1,050 feet southeast of the Site. The Site is not within the area of a subsurface mine or unstable area. The Site is within the 100-year flood plain. Due to the Site having a depth to groundwater of less than 50 feet, distance to a significant watercourse, and being in a floodplain, the following NMOCD Table 1 closure criteria apply: 10 milligrams per kilogram (mg/kg) benzene; 50 mg/kg total benzene, toluene, ethylbenzene, and total xylenes (BTEX); 100 mg/kg total petroleum hydrocarbons (TPH); and 600 mg/kg chloride.”

Sampling map/results of the soil samples (collected from depth that have not been excavated) HEC collected prior to utilizing LTE to drill BH 1-8.

- A map generated from HEC’s field notes is attached. A table of results is also attached.

Include any additional photos HEC may have of areas near BH-6 that may assist NMOCD in this review.

- No photo was taken near BH06 because no surface impact was observed. Soil analytical results from indicate chloride concentrations of 660 mg/kg within the interval from 12.5-15 feet . LTE believes that, based on lithology and depth, the slightly elevated chlorides are caused by naturally occurring conditions. The site is proximal to a seasonal dry wash and irrigated field, which are known to discharge mineral laden water that create alkali deposits. These alkali soil were identified in field as white crust-like layers seen at the surface of the Site and in the nearby upgradient wash. Those same minerals that deposit at the surface could easily infiltrate the soil and cause elevated chlorides throughout the soil column. Since BH08 is less than 15 feet away from BH06 and the chloride concentration in [BH06@12.5-15’](#) is only 60 mg/kg above the standard, HEC is requesting that 15’ be the vertical delineation point for BH08 and BH06.

Please contact me if you have any questions.

Thank you,

Jennifer Deal
Environmental Specialist
Hilcorp Energy – L48 West
jdeal@hilcorp.com
Office: (505) 324-5128
Cell: 505-801-6517

From: Smith, Cory, EMNRD [<mailto:Cory.Smith@state.nm.us>]

Sent: Tuesday, August 4, 2020 2:31 PM

To: Jennifer Deal <jdeal@hilcorp.com>

Cc: Devin Hencmann <dhencmann@ltenv.com>; Ashley Ager <aager@ltenv.com>; Josh Adams <jadams@ltenv.com>

Subject: [EXTERNAL] RE: OCD Receipt of Fee Application Payment

Jennifer,

OCD is requesting additional information for the remediation and work plan for the FRPC 4-1 incident# [nCS1929541151](#)

Please provide the following information via email in an a pdf that can be attached to the original report.

- Siting criteria
- Depth to water determination
- Sampling map/results of the 42 samples that HEC collected prior to utilizing LTE to drill BH 1-8.
 - Only need the deepest/widest samples so for example if there was a sample at 2 feet and it was removed please don't include it. However if in the same area there was a sample at 8ft and it was not removed please include it.
- Include any additional photos HEC may have of areas near BH-6 that may assist in

Please provide the requesting information as the siting and depth to water information are required, and the additional sampling results and any photos will assist OCD in making an educated determination of delineation.

Please provide the additional information no later than August 28, 2020.

Thank you,

Cory Smith
Environmental Specialist
Oil Conservation Division
Energy, Minerals, & Natural Resources
1000 Rio Brazos, Aztec, NM 87410
(505)334-6178 ext 115
cory.smith@state.nm.us

From: Josh Adams <jadams@ltenv.com>

Sent: Friday, May 1, 2020 10:24 AM

To: Smith, Cory, EMNRD <Cory.Smith@state.nm.us>; jdeal@hilcorp.com

Cc: Devin Hencmann <dhencmann@ltenv.com>; Ashley Ager <aager@ltenv.com>

Subject: [EXT] FW: OCD Receipt of Fee Application Payment

All,

The Remediation Work Plan for the FRPC 4-1 (NCS192954115) has been submitted through the NMOCD portal. Below is the confirmation email and attached is the receipt. Please let me know if you have questions. Thank you.



Joshua G. Adams, G.I.T.
Staff Geologist
970.456.5750 *cell*
970.385.1096 *direct*
848 East Second Avenue Durango, CO 81301
www.ltenv.com



Think before you print. [Click for our email disclosure.](#)

From: OCDOnline@state.nm.us <OCDOnline@state.nm.us>

Sent: Friday, May 1, 2020 10:17 AM

To: Josh Adams <jadams@ltenv.com>

Subject: OCD Receipt of Fee Application Payment

Thank you for your fee application payment! Your receipt is attached.

PO Number: O547T-200501-C-1410

Payment Date: 5/1/2020

Payment Amount: \$150.00

Payment Type: Credit Card

Application Type: Application for administrative approval of a release notification and corrective action.

Fee Amount: \$150.00

Application Status: Under OCD Review

OGRID: 372171

First Name: Josh

Last Name: Adams

Email: jadams@ltenv.com

IMPORTANT: If you are mailing or delivering your application, you must print and include your receipt of payment as the first page on your

application. All mailed and delivered applications must be sent to the following address: 1220 S. St. Francis Dr., Santa Fe, NM 87505. For inquiries, reference the PO Number listed above.

Oil Conservation Division * 1220 South St. Francis Drive * Santa Fe, New Mexico 87505
(505) 476-3441 * ocd.fees@state.nm.us * www.emnrd.state.nm.us/OCD

This is an automated email please do not reply.

The information contained in this email message is confidential and may be legally privileged and is intended only for the use of the individual or entity named above. If you are not an intended recipient or if you have received this message in error, you are hereby notified that any dissemination, distribution, or copy of this email is strictly prohibited. If you have received this email in error, please immediately notify us by return email or telephone if the sender's phone number is listed above, then promptly and permanently delete this message.

While all reasonable care has been taken to avoid the transmission of viruses, it is the responsibility of the recipient to ensure that the onward transmission, opening, or use of this message and any attachments will not adversely affect its systems or data. No responsibility is accepted by the company in this regard and the recipient should carry out such virus and other checks as it considers appropriate.



LT Environmental, Inc.
Advancing Opportunity

REMEDIATION WORK PLAN

**FRPC 4-1
SAN JUAN COUNTY, NEW MEXICO
NCS1929541151**

May 2019

Prepared for:

**MS. JENNIFER DEAL
HILCORP LOWER 48
382 Road 3100
Aztec, New Mexico 87410**

Prepared by:

**LT ENVIRONMENTAL, INC.
848 East Second Avenue
Durango, Colorado 81301
970.385.1096**



REMEDIATION WORK PLAN

FRPC 4-1 SAN JUAN COUNTY, NEW MEXICO

Project Number: 017820013

A handwritten signature in black ink, appearing to read "Josh Adams".

Prepared by:

Josh Adams
LTE Staff Geologist

May 1, 2020

Date

A handwritten signature in black ink, appearing to read "Ashley L. Ager".

Reviewed by:

Ashley Ager, M.S., P.G.
LTE Senior Geologist

May 1, 2020

Date



TABLE OF CONTENTS

REMEDIAL WORK PLAN..... 1

1.0 SITE DESCRIPTION AND BACKGROUND..... 2

1.1 SITE CHARACTERIZATION2

1.2 INITIAL DISCOVERY AND RESPONSE2

2.0 SOIL SITE INVESTIGATION 4

2.1 SOURCE CHARACTERIZATION4

2.2 DELINEATION ACTIVITIES4

3.0 RESULTS 5

3.1 SOIL SAMPLE RESULTS.....5

4.0 CONCLUSIONS 6

5.0 REMEDIATION PLAN 7





TABLE OF CONTENTS (continued)

FIGURES

FIGURE 1	SITE LOCATION MAP
FIGURE 2	RECEPTOR MAP
FIGURE 3	SOIL ANALYTICAL RESULTS
FIGURE 4	PROPOSED EXCAVATION AND LINER LOCATIONS

TABLES

TABLE 1	SOIL ANALYTICAL RESULTS
---------	-------------------------

APPENDICES

APPENDIX A	LABORATORY ANALYTICAL REPORTS
APPENDIX B	LTE BORELOGS
APPENDIX C	PHOTOGRAPHIC LOG



REMEDIATION WORK PLAN

LT Environmental, Inc. (LTE), on behalf of Hilcorp Lower 48 (Hilcorp), presents this remediation work plan associated with subsurface impacts encountered at the FRPC 4-1 (Site). The NMOCD has assigned incident number NCS1929541151 to the Site. This plan details the site description and background, initial response and assessment, and site characterization. The plan presents the findings of soil delineation activities and proposes remediation per Title 19, Chapter 15, Part 29 (19.15.29) of the New Mexico Administrative Code (NMAC).



1.0 SITE DESCRIPTION AND BACKGROUND

The FRPC 4-1 (Site) is located in the Farmington Glade area approximately 1.12 miles east of the La Plata River and approximately 1.44 miles north of the Farmington Airport in Unit D of Section 4 of Township 29 North, Range 13 West, San Juan County, New Mexico. The Site is approximately 0.5 miles northeast of the intersection of Pinon Hills Boulevard and West 30th Street on the west side of Farmington, New Mexico (Figure 1). On September 25, 2019, approximately 23 barrels (bbls) of produced water were released from a water transfer line due to corrosion. Upon discovery, Hilcorp shut in the well and began to excavate to repair the line. The release remained on the location and approximately 13 bbls of produced water were recovered. Hilcorp submitted an initial C-141 to the New Mexico Oil Conservation Division (NMOCD) on October 3, 2019 and was assigned incident number NCS1929541151.

1.1 Site Characterization

LTE characterized the Site according to Table 1, *Closure Criteria for Soils Impacted by a Release*, of 19.15.29.12 NMAC. The Site is approximately 187 feet northwest from the Farmington Glade and approximately 400 feet northwest of the Halford Independent Irrigation Ditch (HIID) (Figure 2). The closest water well to the Site is the SJ-03203, with a depth to water reported at 20 feet below ground surface (bgs) and total depth of the well at 59 feet bgs. That water well is located approximately 1,870 feet southwest of the Site. The nearest significant watercourse to the Site is the Farmington Glade. The Site is greater than 200 feet from any lakebed, sinkhole, or playa lake. The Site is greater than 300 feet of any mapped wetland. Land use surrounding the Site consists of natural gas development, agricultural fields, recreational areas, and residential areas. The nearest residence is located approximately 1,050 feet southeast of the Site. The Site is not within the area of a subsurface mine or unstable area. The Site is within the 100-year flood plain. Due to the Site having a depth to groundwater of less than 50 feet, distance to a significant watercourse, and being in a floodplain, the following NMOCD Table 1 closure criteria apply: 10 milligrams per kilogram (mg/kg) benzene; 50 mg/kg total benzene, toluene, ethylbenzene, and total xylenes (BTEX); 100 mg/kg total petroleum hydrocarbons (TPH); and 600 mg/kg chloride.

1.2 Initial Discovery and Response

Hilcorp excavated approximately 258 cubic yards (yds³) of impacted soil at the Site in order to make repairs to the water transfer line and to remove impacted soil. During the excavation activities Hilcorp personnel collected various soil samples that confirmed the presence of elevated chloride concentrations as a result of produced water impact to soil at the Site. Due to the sampling results and existing size of the excavation, Hilcorp opted to stop the excavation.

On January 27, 2020, Hilcorp requested an extension to the 90-day requirement for Site characterization/closure reporting (as required in 19.15.29.11.A NMAC) and proposed a new deadline of February 28, 2020. The NMOCD approved the extension request on January 29, 2020. Between October 8, 2019 and February 25, 2020, Hilcorp personnel collected a total of 42 soil samples to characterize and delineate impact to soil at the Site.

On February 21, 2020, Hilcorp requested an additional extension and proposed a new deadline of May 1, 2020. On April 16, 2019 and April 28, 2020, Hilcorp retained LTE to participate in soil delineation activities



using a hollow-stem drill rig and hand auger with field assistance from Hilcorp on some sampling events. Findings from these soil sampling events are described in the following sections of this report.



2.0 SOIL SITE INVESTIGATION

After the release, Hilcorp and LTE conducted soil investigations at the Site to delineate the vertical and lateral extent of the impact as well as characterize the source material. Hilcorp and LTE utilized a hollow-stem auger drilling rig and a hand auger to advance soil borings and collect soil samples. Soil samples were collected during these efforts to assess subsurface conditions and potential contaminant concentrations.

2.1 Source Characterization

The initial soil sampling at the Site indicated small impact from hydrocarbons, but no exceedances of the NMOC closure criteria for the Site. During these sampling events, detectable concentrations of BTEX and TPH were discovered but none that exceeded the closure criteria. Elevated chloride concentrations ranged from 48 mg/kg to 25,7000 mg.kg.

On April 16, 2020, LTE advanced a borehole (BH01) near the source area and collected soil samples in order to characterize the source material. Results from these soil samples are summarized in Table 1, displayed on Figure 3, and included in Appendix A.

2.2 Delineation Activities

Between April 16, 2020, and April 28, 2020, LTE conducted soil delineation activities at the Site using a 75 Central Mining Equipment (CME) hollow-stem auger drilling rig and hand auger. A total of eight boreholes (BH01 through BH08) were advanced at the Site ranging from 15 feet to 20 feet bgs. Soil borings were advanced near the release point, then outward from the known impacted area/open excavation. The soil borings were logged by an LTE geologist who observed the soil for visual staining and the presence or absence of odor. The soil was characterized by visually inspecting the soil samples, field screening the soil headspace using a photo-ionization detector (PID) to monitor for the presence of volatile organic vapors and assessing the presence of chloride using Hach® Quantab® titrator strips. LTE's borelogs are included as Appendix B.

A minimum of two soil samples from each soil boring was submitted for laboratory analysis of benzene, toluene, ethylbenzene, and total xylenes (BTEX) by United States Environmental Protection Agency (EPA) Method 8021, TPH-gasoline range organics (GRO), TPH-diesel range organics (DRO), and TPH-motor oil range organics (MRO) by EPA Method 8015, and Chloride by EPA Method 300.0. All collected samples were placed on ice to maintain a temperature of approximately 4 degrees Celsius (°C) and sealed in a cooler for delivery to Hall Environmental Analysis Laboratory (Hall), of Albuquerque, New Mexico, for analysis. Samples were labeled with the date and time of collection, sample name, sampler's name, and parameters to be analyzed. Strict chain-of-custody (COC) procedures were documented including the date and time sampled, sample number, type of sample, sampler's name and signature, preservative used, and analyses required. Soil sample analytical results are summarized in Table 1, displayed on Figure 3, and included as Appendix A.



3.0 RESULTS

3.1 Soil Sample Results

Geology at the Site was determined through observations during delineation drilling events. Near-surface soil consists mainly of silty sand and poorly graded sand from surface to approximately 5 feet bgs. Between 5 feet bgs and 10 feet bgs, lithology consists of intermixed poorly graded sand and silt. Below 10 feet bgs the dominant lithology is poorly graded sand with some gravel to approximately 20 feet bgs.

Laboratory analytical results of soil samples collected by Hilcorp during the initial excavation and delineation events indicate concentrations of benzene, total BTEX, and TPH were compliant with the NMOCD Table 1 closure criteria for all soil samples. Chloride concentrations exceeded the NMOCD Table 1 closure criteria of 600 mg/kg in several locations.

Soil samples collected near the source area by LTE (BH01, BH03, BH04, and BH06) indicate concentrations of benzene, total BTEX, and TPH were compliant with the NMOCD Table 1 closure criteria for all soil samples. Chloride concentrations exceeded the NMOCD Table 1 closure criteria of 600 mg/kg in several locations with concentrations ranging from 660 mg/kg in BH06 to 1,300 mg/kg in BH03 and BH04.

Soil samples collected from the delineation boreholes (BH02, BH05, BH07, and BH08) indicate concentrations of benzene, total BTEX, TPH, and chloride were compliant with the NMOCD Table 1 closure criteria for all soil samples.

The soil analytical results, as compared to the NMOCD Table 1 closure criteria, are presented on Figure 3 and summarized in Table 1. The laboratory analytical reports are included as Appendix A.



4.0 CONCLUSIONS

No hydrocarbon impacts to soil above the NMOCD closure criteria for benzene, total BTEX, or TPH were identified during the soil sampling events. Chloride impacts to soil were delineated by LTE during the April delineation events. The lateral extent of the release was restricted to a small area near the release point and defined by shallow samples from BH01, BH03, and BH04. Elevated chloride is primarily restricted to the top five feet of surface soils in limited concentrations. The highest chloride concentration detected was 1,300 mg/kg in both BH03 and BH04 from samples representing 2.5 feet to 5 feet bgs. Although the shallow sample from BH06 only contained 230 mg/kg chloride, the deeper sample from 12.5 feet to 15 feet bgs contained 660 mg/kg chloride. While this result exceeds the NMOCD closure criteria of 600 mg/kg, it only exceeds by 60 mg/kg and lateral samples to the east (BH04) and west (BH08) from similar depths are below 600 mg/kg. As such, LTE proposes this sample be considered as vertical delineation at BH06.



5.0 REMEDIATION PLAN

Chloride impacted soil associated with FRPC 4-1 is generally restricted to the top 5 feet of the subsurface. Approximately 258 cubic yards of impacted soil were excavated from the Site. Figure 4 shows the existing excavations at the Site that range from 2 feet in depth to 8 feet in depth. Based on delineation soil sampling results from BH03, BH04, and BH06, additional soil needs to be remediated.

Due to the nature of the release (produced water containing chloride), extent of impact in the subsurface (chloride impact to approximately 5 feet bgs and no identified hydrocarbon impacts above the NMOCD closure standards), Hilcorp proposes additional excavation to remove the top 2 feet of soil (well pad material and underlying future root zone), then installation of a liner to mitigate further migration of chloride into the subsurface.

Hilcorp estimates removing an additional 230 cubic yards of soil from the delineated release extent in the area shown on Figure 4. Following removal of impacted soil, Hilcorp will collect 5-point composite soil samples at a frequency of every 200 square feet from the sidewalls and floor of the excavation to confirm the lateral extent, potential vertical extent, and/or characterize chloride concentrations to be left in place.

Following the additional excavation and soil sampling, Hilcorp requests to install a 20-mil impermeable liner at the base of the excavation and backfill with non-waste containing soil. The liner will be installed in the entire excavation extent. Upon completion of fieldwork, Hilcorp will provide a report to NMOCD documenting excavation, excavation confirmation sampling results, and liner installation. The report will request deferral of any remaining chloride concentrations until final plugging and abandonment and reclamation of the Site. Hilcorp will complete the excavation and liner installation within 90 days of the date of approval of this work plan by NMOCD. The report will be provided within 2 weeks of receipt of final analytical results.

LTE appreciates the opportunity to provide this remediation work plan to the NMOCD. If you have any questions or comments regarding this remediation work plan, do not hesitate to contact Ashley Ager at (970) 385-1096 or via email at aager@ltenv.com or Jennifer Deal at (505)-599-3400 or at jdeal@hilcorp.com.

Sincerely,

LT ENVIRONMENTAL, INC.

A handwritten signature in black ink, appearing to read 'Josh Adams'.

Josh Adams, G.I.T.
Staff Geologist


A handwritten signature in black ink, appearing to read 'Ashley L. Ager'.

Ashley L. Ager, P.G.
Senior Geologist



FIGURES



**LEGEND**

 SITE LOCATION

IMAGE COURTESY OF ESRI/USGS










FIGURE 1
SITE LOCATION MAP
FRPC 4-1
UNIT D SEC 4-T29N-R13W
SAN JUAN COUNTY, NEW MEXICO
HILCORP ENERGY COMPANY



**LEGEND**

-  SITE LOCATION
-  WATER WELL
-  SPRING/SEEP
-  NATIONAL HYDROGRAPHY DATASET SURFACE WATER FEATURE
-  1 MILE RADIUS





FIGURE 2
RECEPTOR MAP
 FRPC 4-1
 UNIT D SEC 4-T29N-R13W
 SAN JUAN COUNTY, NEW MEXICO
 HILCORP ENERGY COMPANY



SAMPLE ID
 SAMPLE DATE
 B: BENZENE IN MILLIGRAMS PER KILOGRAM (mg/kg)
 BTEX: TOTAL BTEX = BENZENE, TOLUENE, ETHYLBENZENE,
 AND TOTAL XYLENES (mg/kg)
 TPH: TOTAL PETROLEUM HYDROCARBONS (mg/kg)
 Cl: CHLORIDE (mg/kg)
 <: INDICATES RESULT IS LESS THAN THE
 LABORATORY REPORTING LIMIT
BOLD: INDICATES RESULT EXCEEDS THE
 APPLICABLE STANDARD



LEGEND

- SOIL BORING
- EXISTING EXCAVATION EXTENT

IMAGE COURTESY OF ESRI




FIGURE 3
 SOIL ANALYTICAL RESULTS
 FRPC 4-1
 UNIT D SEC 4-T29N-R13W
 SAN JUAN COUNTY, NEW MEXICO
 HILCORP ENERGY COMPANY






IMAGE COURTESY OF ESRI

LEGEND

- SOIL BORING
- ANTICIPATED LINER LOCATION
- EXISTING EXCAVATION EXTENT
- ANTICIPATED EXCAVATION EXTENT 2' DEEP




FIGURE 4
PROPOSED EXCAVATION AND LINER INSTALLATION
 FRPC 4-1
 UNIT D SEC 4-T29N-R13W
 SAN JUAN COUNTY, NEW MEXICO
 HILCORP ENERGY COMPANY



TABLES



TABLE 1
SOIL ANALYTICAL RESULTS

FRPC 4-1
SAN JUAN COUNTY, NEW MEXICO
HILCORP ENERGY COMPANY

Soil Sample Identification	Sample Date	Benzene (mg/kg)	Toluene (mg/kg)	Ethyl-benzene (mg/kg)	Total Xylenes (mg/kg)	Total BTEX (mg/kg)	Chloride (mg/kg)	GRO (mg/kg)	DRO (mg/kg)	MRO (mg/kg)	TPH (mg/kg)
BH01 @ 2.5'-5'	4/16/2020	<0.025	<0.049	<0.049	<0.099	<0.222	690	<4.9	<10	<50	<64.9
BH01 @ 12.5'-15'	4/16/2020	<0.024	<0.049	<0.049	<0.097	<0.219	<60	<4.9	<9.2	<46	<60.1
BH02 @ 7.5'-10'	4/16/2020	<0.025	<0.050	<0.050	<0.10	<0.225	<60	<5.0	<9.3	<47	<61.3
BH02 @ 12.5'-15'	4/16/2020	<0.025	<0.050	<0.050	<0.10	<0.225	<59	<5.0	<8.7	<43	<56.7
BH03 @ 2.5'-5'	4/16/2020	<0.025	<0.050	<0.050	<0.10	<0.225	1,300	<5.0	<10	<50	<65.0
BH03 @ 12.5'-15'	4/16/2020	<0.025	<0.050	<0.050	<0.10	<0.225	250	<5.0	<9.5	<48	<62.5
BH04 @ 2.5'-5'	4/16/2020	<0.025	<0.049	<0.049	<0.098	<0.221	1,300	<4.9	<10	<50	<64.9
BH04 @ 12.5'-15'	4/16/2020	<0.025	<0.050	<0.050	<0.10	<0.225	340	<5.0	<9.7	<49	<63.7
BH05 @ 7.5'-10'	4/16/2020	<0.025	<0.050	<0.050	<0.10	<0.225	<60	<5.0	<9.8	<49	<63.8
BH05 @ 12.5'-15'	4/16/2020	<0.025	<0.049	<0.049	<0.099	<0.222	<61	<4.9	<10	<50	<64.9
BH06 @ 2.5'-5'	4/16/2020	<0.025	<0.050	<0.050	<0.10	<0.225	230	<5.0	<9.2	<46	<60.2
BH06 @ 12.5'-15'	4/16/2020	<0.025	<0.049	<0.049	<0.098	<0.221	660	<4.9	<8.9	<44	<57.8
BH07 @ 5'	4/28/2020	<0.025	<0.050	<0.050	<0.10	<0.225	230	<5.0	<9.9	<50	<64.9
BH07 @ 15'	4/28/2020	<0.025	<0.050	<0.050	<0.10	<0.225	<60	<5.0	<8.9	<45	<58.9
BH08 @ 5'	4/28/2020	<0.025	<0.050	<0.050	<0.10	<0.225	<60	<5.0	<9.8	<49	<63.8
BH08 @ 15'	4/28/2020	<0.025	<0.050	<0.050	<0.10	<0.225	280	<5.0	<9.7	<48	<62.7
NMOCD Closure Criteria		10	NE	NE	NE	50	600	NE	NE	NE	100

NOTES:

BTEX - benzene, toluene, ethylbenzene, and total xylenes analyzed by US EPA Method 8021B

DRO - diesel range organics analyzed by US EPA Method 8015D

GRO - gasoline range organics analyzed by US EPA Method 8015D

mg/kg - milligrams per kilogram

MRO - motor oil range organics analyzed by US EPA method 8015D

NA - not analyzed

NE - not established

NMOCD - New Mexico Oil Conservation Division

TPH - total petroleum hydrocarbon (sum of GRO, DRO, and MRO)

< - indicates result is less than the stated laboratory reporting limit

Bold - indicates value exceeds stated NMOCD standard

APPENDIX A: LABORATORY ANALYTICAL RESULTS





Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

April 27, 2020

Jennifer Deal
HILCORP ENERGY
PO Box 4700
Farmington, NM 87499
TEL: (505) 564-0733
FAX

RE: FRPC 4 1

OrderNo.: 2004812

Dear Jennifer Deal:

Hall Environmental Analysis Laboratory received 18 sample(s) on 4/17/2020 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

A handwritten signature in black ink, appearing to read "Andy Freeman", is written over a light blue horizontal line.

Andy Freeman
Laboratory Manager
4901 Hawkins NE
Albuquerque, NM 87109

Analytical Report

Lab Order 2004812

Date Reported: 4/27/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: BH01@2.5-5'

Project: FRPC 4 1

Collection Date: 4/16/2020 9:50:00 AM

Lab ID: 2004812-001

Matrix: SOIL

Received Date: 4/17/2020 8:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: CLP
Diesel Range Organics (DRO)	ND	10		mg/Kg	1	4/20/2020 4:44:30 PM
Motor Oil Range Organics (MRO)	ND	50		mg/Kg	1	4/20/2020 4:44:30 PM
Surr: DNOP	94.6	55.1-146		%Rec	1	4/20/2020 4:44:30 PM
EPA METHOD 300.0: ANIONS						Analyst: JMT
Chloride	690	60		mg/Kg	20	4/20/2020 12:03:50 PM
EPA METHOD 8260B: VOLATILES SHORT LIST						Analyst: RAA
Benzene	ND	0.025		mg/Kg	1	4/21/2020 6:24:11 PM
Toluene	ND	0.049		mg/Kg	1	4/21/2020 6:24:11 PM
Ethylbenzene	ND	0.049		mg/Kg	1	4/21/2020 6:24:11 PM
Xylenes, Total	ND	0.099		mg/Kg	1	4/21/2020 6:24:11 PM
Surr: 1,2-Dichloroethane-d4	90.5	70-130		%Rec	1	4/21/2020 6:24:11 PM
Surr: 4-Bromofluorobenzene	94.6	70-130		%Rec	1	4/21/2020 6:24:11 PM
Surr: Dibromofluoromethane	93.5	70-130		%Rec	1	4/21/2020 6:24:11 PM
Surr: Toluene-d8	102	70-130		%Rec	1	4/21/2020 6:24:11 PM
EPA METHOD 8015D MOD: GASOLINE RANGE						Analyst: RAA
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	4/21/2020 6:24:11 PM
Surr: BFB	96.4	70-130		%Rec	1	4/21/2020 6:24:11 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2004812

Date Reported: 4/27/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: BH01@12.5-15'

Project: FRPC 4 1

Collection Date: 4/16/2020 9:54:00 AM

Lab ID: 2004812-002

Matrix: SOIL

Received Date: 4/17/2020 8:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: CLP
Diesel Range Organics (DRO)	ND	9.2		mg/Kg	1	4/20/2020 5:08:56 PM
Motor Oil Range Organics (MRO)	ND	46		mg/Kg	1	4/20/2020 5:08:56 PM
Surr: DNOP	93.8	55.1-146		%Rec	1	4/20/2020 5:08:56 PM
EPA METHOD 300.0: ANIONS						Analyst: JMT
Chloride	ND	60		mg/Kg	20	4/20/2020 12:41:04 PM
EPA METHOD 8260B: VOLATILES SHORT LIST						Analyst: RAA
Benzene	ND	0.024		mg/Kg	1	4/21/2020 6:53:18 PM
Toluene	ND	0.049		mg/Kg	1	4/21/2020 6:53:18 PM
Ethylbenzene	ND	0.049		mg/Kg	1	4/21/2020 6:53:18 PM
Xylenes, Total	ND	0.097		mg/Kg	1	4/21/2020 6:53:18 PM
Surr: 1,2-Dichloroethane-d4	91.6	70-130		%Rec	1	4/21/2020 6:53:18 PM
Surr: 4-Bromofluorobenzene	96.9	70-130		%Rec	1	4/21/2020 6:53:18 PM
Surr: Dibromofluoromethane	92.7	70-130		%Rec	1	4/21/2020 6:53:18 PM
Surr: Toluene-d8	99.5	70-130		%Rec	1	4/21/2020 6:53:18 PM
EPA METHOD 8015D MOD: GASOLINE RANGE						Analyst: RAA
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	4/21/2020 6:53:18 PM
Surr: BFB	96.8	70-130		%Rec	1	4/21/2020 6:53:18 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2004812

Date Reported: 4/27/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: BH02@7.5-10'

Project: FRPC 4 1

Collection Date: 4/16/2020 10:35:00 AM

Lab ID: 2004812-004

Matrix: SOIL

Received Date: 4/17/2020 8:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: CLP
Diesel Range Organics (DRO)	ND	9.3		mg/Kg	1	4/20/2020 5:33:34 PM
Motor Oil Range Organics (MRO)	ND	47		mg/Kg	1	4/20/2020 5:33:34 PM
Surr: DNOP	96.3	55.1-146		%Rec	1	4/20/2020 5:33:34 PM
EPA METHOD 300.0: ANIONS						Analyst: JMT
Chloride	ND	60		mg/Kg	20	4/20/2020 12:53:29 PM
EPA METHOD 8260B: VOLATILES SHORT LIST						Analyst: RAA
Benzene	ND	0.025		mg/Kg	1	4/21/2020 7:23:07 PM
Toluene	ND	0.050		mg/Kg	1	4/21/2020 7:23:07 PM
Ethylbenzene	ND	0.050		mg/Kg	1	4/21/2020 7:23:07 PM
Xylenes, Total	ND	0.10		mg/Kg	1	4/21/2020 7:23:07 PM
Surr: 1,2-Dichloroethane-d4	91.7	70-130		%Rec	1	4/21/2020 7:23:07 PM
Surr: 4-Bromofluorobenzene	98.6	70-130		%Rec	1	4/21/2020 7:23:07 PM
Surr: Dibromofluoromethane	93.5	70-130		%Rec	1	4/21/2020 7:23:07 PM
Surr: Toluene-d8	101	70-130		%Rec	1	4/21/2020 7:23:07 PM
EPA METHOD 8015D MOD: GASOLINE RANGE						Analyst: RAA
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	4/21/2020 7:23:07 PM
Surr: BFB	97.1	70-130		%Rec	1	4/21/2020 7:23:07 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2004812

Date Reported: 4/27/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: BH02@12.5-15'

Project: FRPC 4 1

Collection Date: 4/16/2020 10:40:00 AM

Lab ID: 2004812-005

Matrix: SOIL

Received Date: 4/17/2020 8:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: CLP
Diesel Range Organics (DRO)	ND	8.7		mg/Kg	1	4/20/2020 5:58:17 PM
Motor Oil Range Organics (MRO)	ND	43		mg/Kg	1	4/20/2020 5:58:17 PM
Surr: DNOP	86.6	55.1-146		%Rec	1	4/20/2020 5:58:17 PM
EPA METHOD 300.0: ANIONS						Analyst: JMT
Chloride	ND	59		mg/Kg	20	4/20/2020 1:05:53 PM
EPA METHOD 8260B: VOLATILES SHORT LIST						Analyst: RAA
Benzene	ND	0.025		mg/Kg	1	4/21/2020 7:52:14 PM
Toluene	ND	0.050		mg/Kg	1	4/21/2020 7:52:14 PM
Ethylbenzene	ND	0.050		mg/Kg	1	4/21/2020 7:52:14 PM
Xylenes, Total	ND	0.10		mg/Kg	1	4/21/2020 7:52:14 PM
Surr: 1,2-Dichloroethane-d4	91.5	70-130		%Rec	1	4/21/2020 7:52:14 PM
Surr: 4-Bromofluorobenzene	95.6	70-130		%Rec	1	4/21/2020 7:52:14 PM
Surr: Dibromofluoromethane	92.7	70-130		%Rec	1	4/21/2020 7:52:14 PM
Surr: Toluene-d8	99.6	70-130		%Rec	1	4/21/2020 7:52:14 PM
EPA METHOD 8015D MOD: GASOLINE RANGE						Analyst: RAA
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	4/21/2020 7:52:14 PM
Surr: BFB	95.7	70-130		%Rec	1	4/21/2020 7:52:14 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2004812

Date Reported: 4/27/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: BH03@2.5'

Project: FRPC 4 1

Collection Date: 4/16/2020 11:30:00 AM

Lab ID: 2004812-007

Matrix: SOIL

Received Date: 4/17/2020 8:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: CLP
Diesel Range Organics (DRO)	ND	10		mg/Kg	1	4/20/2020 6:23:06 PM
Motor Oil Range Organics (MRO)	ND	50		mg/Kg	1	4/20/2020 6:23:06 PM
Surr: DNOP	87.5	55.1-146		%Rec	1	4/20/2020 6:23:06 PM
EPA METHOD 300.0: ANIONS						Analyst: JMT
Chloride	1300	60		mg/Kg	20	4/20/2020 1:18:18 PM
EPA METHOD 8260B: VOLATILES SHORT LIST						Analyst: RAA
Benzene	ND	0.025		mg/Kg	1	4/21/2020 8:21:43 PM
Toluene	ND	0.050		mg/Kg	1	4/21/2020 8:21:43 PM
Ethylbenzene	ND	0.050		mg/Kg	1	4/21/2020 8:21:43 PM
Xylenes, Total	ND	0.10		mg/Kg	1	4/21/2020 8:21:43 PM
Surr: 1,2-Dichloroethane-d4	92.7	70-130		%Rec	1	4/21/2020 8:21:43 PM
Surr: 4-Bromofluorobenzene	94.7	70-130		%Rec	1	4/21/2020 8:21:43 PM
Surr: Dibromofluoromethane	95.5	70-130		%Rec	1	4/21/2020 8:21:43 PM
Surr: Toluene-d8	97.1	70-130		%Rec	1	4/21/2020 8:21:43 PM
EPA METHOD 8015D MOD: GASOLINE RANGE						Analyst: RAA
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	4/21/2020 8:21:43 PM
Surr: BFB	93.2	70-130		%Rec	1	4/21/2020 8:21:43 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2004812

Date Reported: 4/27/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: BH03@12.5-15'

Project: FRPC 4 1

Collection Date: 4/16/2020 11:32:00 AM

Lab ID: 2004812-009

Matrix: SOIL

Received Date: 4/17/2020 8:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: CLP
Diesel Range Organics (DRO)	ND	9.5		mg/Kg	1	4/20/2020 6:47:54 PM
Motor Oil Range Organics (MRO)	ND	48		mg/Kg	1	4/20/2020 6:47:54 PM
Surr: DNOP	87.6	55.1-146		%Rec	1	4/20/2020 6:47:54 PM
EPA METHOD 300.0: ANIONS						Analyst: JMT
Chloride	250	60		mg/Kg	20	4/20/2020 1:30:42 PM
EPA METHOD 8260B: VOLATILES SHORT LIST						Analyst: RAA
Benzene	ND	0.025		mg/Kg	1	4/21/2020 8:51:06 PM
Toluene	ND	0.050		mg/Kg	1	4/21/2020 8:51:06 PM
Ethylbenzene	ND	0.050		mg/Kg	1	4/21/2020 8:51:06 PM
Xylenes, Total	ND	0.10		mg/Kg	1	4/21/2020 8:51:06 PM
Surr: 1,2-Dichloroethane-d4	89.4	70-130		%Rec	1	4/21/2020 8:51:06 PM
Surr: 4-Bromofluorobenzene	99.0	70-130		%Rec	1	4/21/2020 8:51:06 PM
Surr: Dibromofluoromethane	91.7	70-130		%Rec	1	4/21/2020 8:51:06 PM
Surr: Toluene-d8	100	70-130		%Rec	1	4/21/2020 8:51:06 PM
EPA METHOD 8015D MOD: GASOLINE RANGE						Analyst: RAA
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	4/21/2020 8:51:06 PM
Surr: BFB	96.1	70-130		%Rec	1	4/21/2020 8:51:06 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:		*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D		Sample Diluted Due to Matrix	E	Value above quantitation range
	H		Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND		Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL		Practical Quantitative Limit	RL	Reporting Limit
	S		% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2004812

Date Reported: 4/27/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: BH04@2.5-5'

Project: FRPC 4 1

Collection Date: 4/16/2020 12:20:00 PM

Lab ID: 2004812-010

Matrix: SOIL

Received Date: 4/17/2020 8:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: BRM
Diesel Range Organics (DRO)	ND	10		mg/Kg	1	4/22/2020 10:51:22 AM
Motor Oil Range Organics (MRO)	ND	50		mg/Kg	1	4/22/2020 10:51:22 AM
Surr: DNOP	99.0	55.1-146		%Rec	1	4/22/2020 10:51:22 AM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	4/25/2020 10:52:34 AM
Surr: BFB	102	66.6-105		%Rec	1	4/25/2020 10:52:34 AM
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	0.025		mg/Kg	1	4/25/2020 10:52:34 AM
Toluene	ND	0.049		mg/Kg	1	4/25/2020 10:52:34 AM
Ethylbenzene	ND	0.049		mg/Kg	1	4/25/2020 10:52:34 AM
Xylenes, Total	ND	0.098		mg/Kg	1	4/25/2020 10:52:34 AM
Surr: 4-Bromofluorobenzene	101	80-120		%Rec	1	4/25/2020 10:52:34 AM
EPA METHOD 300.0: ANIONS						Analyst: CAS
Chloride	1300	60		mg/Kg	20	4/22/2020 5:13:01 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2004812

Date Reported: 4/27/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: BH04@12.5-15'

Project: FRPC 4 1

Collection Date: 4/16/2020 12:23:00 PM

Lab ID: 2004812-011

Matrix: SOIL

Received Date: 4/17/2020 8:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: BRM
Diesel Range Organics (DRO)	ND	9.7		mg/Kg	1	4/22/2020 11:15:32 AM
Motor Oil Range Organics (MRO)	ND	49		mg/Kg	1	4/22/2020 11:15:32 AM
Surr: DNOP	103	55.1-146		%Rec	1	4/22/2020 11:15:32 AM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	4/25/2020 12:03:08 PM
Surr: BFB	102	66.6-105		%Rec	1	4/25/2020 12:03:08 PM
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	0.025		mg/Kg	1	4/25/2020 12:03:08 PM
Toluene	ND	0.050		mg/Kg	1	4/25/2020 12:03:08 PM
Ethylbenzene	ND	0.050		mg/Kg	1	4/25/2020 12:03:08 PM
Xylenes, Total	ND	0.10		mg/Kg	1	4/25/2020 12:03:08 PM
Surr: 4-Bromofluorobenzene	103	80-120		%Rec	1	4/25/2020 12:03:08 PM
EPA METHOD 300.0: ANIONS						Analyst: CAS
Chloride	340	60		mg/Kg	20	4/22/2020 6:14:45 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2004812

Date Reported: 4/27/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: BH05@7.5-10'

Project: FRPC 4 1

Collection Date: 4/16/2020 1:10:00 PM

Lab ID: 2004812-013

Matrix: SOIL

Received Date: 4/17/2020 8:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: CLP
Diesel Range Organics (DRO)	ND	9.8		mg/Kg	1	4/20/2020 7:12:33 PM
Motor Oil Range Organics (MRO)	ND	49		mg/Kg	1	4/20/2020 7:12:33 PM
Surr: DNOP	87.5	55.1-146		%Rec	1	4/20/2020 7:12:33 PM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	4/20/2020 10:52:52 PM
Surr: BFB	102	66.6-105		%Rec	1	4/20/2020 10:52:52 PM
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	0.025		mg/Kg	1	4/20/2020 10:52:52 PM
Toluene	ND	0.050		mg/Kg	1	4/20/2020 10:52:52 PM
Ethylbenzene	ND	0.050		mg/Kg	1	4/20/2020 10:52:52 PM
Xylenes, Total	ND	0.10		mg/Kg	1	4/20/2020 10:52:52 PM
Surr: 4-Bromofluorobenzene	100	80-120		%Rec	1	4/20/2020 10:52:52 PM
EPA METHOD 300.0: ANIONS						Analyst: JMT
Chloride	ND	60		mg/Kg	20	4/20/2020 2:07:57 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2004812

Date Reported: 4/27/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: BH05@12.5-15'

Project: FRPC 4 1

Collection Date: 4/16/2020 1:12:00 PM

Lab ID: 2004812-014

Matrix: SOIL

Received Date: 4/17/2020 8:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: CLP
Diesel Range Organics (DRO)	ND	10		mg/Kg	1	4/20/2020 7:37:06 PM
Motor Oil Range Organics (MRO)	ND	50		mg/Kg	1	4/20/2020 7:37:06 PM
Surr: DNOP	91.6	55.1-146		%Rec	1	4/20/2020 7:37:06 PM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	4/21/2020 12:04:03 AM
Surr: BFB	103	66.6-105		%Rec	1	4/21/2020 12:04:03 AM
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	0.025		mg/Kg	1	4/21/2020 12:04:03 AM
Toluene	ND	0.049		mg/Kg	1	4/21/2020 12:04:03 AM
Ethylbenzene	ND	0.049		mg/Kg	1	4/21/2020 12:04:03 AM
Xylenes, Total	ND	0.099		mg/Kg	1	4/21/2020 12:04:03 AM
Surr: 4-Bromofluorobenzene	101	80-120		%Rec	1	4/21/2020 12:04:03 AM
EPA METHOD 300.0: ANIONS						Analyst: JMT
Chloride	ND	61		mg/Kg	20	4/20/2020 2:20:21 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2004812

Date Reported: 4/27/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: BH06@2.5-5'

Project: FRPC 4 1

Collection Date: 4/16/2020 1:55:00 PM

Lab ID: 2004812-016

Matrix: SOIL

Received Date: 4/17/2020 8:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: CLP
Diesel Range Organics (DRO)	ND	9.2		mg/Kg	1	4/20/2020 8:01:41 PM
Motor Oil Range Organics (MRO)	ND	46		mg/Kg	1	4/20/2020 8:01:41 PM
Surr: DNOP	88.0	55.1-146		%Rec	1	4/20/2020 8:01:41 PM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	4/21/2020 1:15:18 AM
Surr: BFB	103	66.6-105		%Rec	1	4/21/2020 1:15:18 AM
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	0.025		mg/Kg	1	4/21/2020 1:15:18 AM
Toluene	ND	0.050		mg/Kg	1	4/21/2020 1:15:18 AM
Ethylbenzene	ND	0.050		mg/Kg	1	4/21/2020 1:15:18 AM
Xylenes, Total	ND	0.10		mg/Kg	1	4/21/2020 1:15:18 AM
Surr: 4-Bromofluorobenzene	102	80-120		%Rec	1	4/21/2020 1:15:18 AM
EPA METHOD 300.0: ANIONS						Analyst: JMT
Chloride	230	61		mg/Kg	20	4/20/2020 2:32:45 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2004812

Date Reported: 4/27/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: BH06@12.5-15'

Project: FRPC 4 1

Collection Date: 4/16/2020 1:57:00 PM

Lab ID: 2004812-017

Matrix: SOIL

Received Date: 4/17/2020 8:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: CLP
Diesel Range Organics (DRO)	ND	8.9		mg/Kg	1	4/20/2020 8:26:09 PM
Motor Oil Range Organics (MRO)	ND	44		mg/Kg	1	4/20/2020 8:26:09 PM
Surr: DNOP	91.9	55.1-146		%Rec	1	4/20/2020 8:26:09 PM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	4/21/2020 1:39:13 AM
Surr: BFB	104	66.6-105		%Rec	1	4/21/2020 1:39:13 AM
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	0.025		mg/Kg	1	4/21/2020 1:39:13 AM
Toluene	ND	0.049		mg/Kg	1	4/21/2020 1:39:13 AM
Ethylbenzene	ND	0.049		mg/Kg	1	4/21/2020 1:39:13 AM
Xylenes, Total	ND	0.098		mg/Kg	1	4/21/2020 1:39:13 AM
Surr: 4-Bromofluorobenzene	102	80-120		%Rec	1	4/21/2020 1:39:13 AM
EPA METHOD 300.0: ANIONS						Analyst: CAS
Chloride	660	60		mg/Kg	20	4/22/2020 6:27:05 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2004812

27-Apr-20

Client: HILCORP ENERGY**Project:** FRPC 4 1

Sample ID: MB-51956	SampType: mblk	TestCode: EPA Method 300.0: Anions								
Client ID: PBS	Batch ID: 51956	RunNo: 68287								
Prep Date: 4/20/2020	Analysis Date: 4/20/2020	SeqNo: 2362478 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	ND	1.5								

Sample ID: LCS-51956	SampType: lcs	TestCode: EPA Method 300.0: Anions								
Client ID: LCSS	Batch ID: 51956	RunNo: 68287								
Prep Date: 4/20/2020	Analysis Date: 4/20/2020	SeqNo: 2362479 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	14	1.5	15.00	0	94.6	90	110			

Sample ID: MB-52033	SampType: mblk	TestCode: EPA Method 300.0: Anions								
Client ID: PBS	Batch ID: 52033	RunNo: 68324								
Prep Date: 4/22/2020	Analysis Date: 4/22/2020	SeqNo: 2364906 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	ND	1.5								

Sample ID: LCS-52033	SampType: lcs	TestCode: EPA Method 300.0: Anions								
Client ID: LCSS	Batch ID: 52033	RunNo: 68324								
Prep Date: 4/22/2020	Analysis Date: 4/22/2020	SeqNo: 2364907 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	14	1.5	15.00	0	93.2	90	110			

Sample ID: MB-52033	SampType: mblk	TestCode: EPA Method 300.0: Anions								
Client ID: PBS	Batch ID: 52033	RunNo: 68356								
Prep Date: 4/22/2020	Analysis Date: 4/23/2020	SeqNo: 2365666 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	ND	1.5								

Sample ID: LCS-52033	SampType: lcs	TestCode: EPA Method 300.0: Anions								
Client ID: LCSS	Batch ID: 52033	RunNo: 68356								
Prep Date: 4/22/2020	Analysis Date: 4/23/2020	SeqNo: 2365667 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	14	1.5	15.00	0	95.1	90	110			

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2004812

27-Apr-20

Client: HILCORP ENERGY**Project:** FRPC 4 1

Sample ID: MB-51938	SampType: MBLK	TestCode: EPA Method 8015M/D: Diesel Range Organics								
Client ID: PBS	Batch ID: 51938	RunNo: 68249								
Prep Date: 4/19/2020	Analysis Date: 4/20/2020	SeqNo: 2362082 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	8.4		10.00		84.4	55.1	146			

Sample ID: LCS-51938	SampType: LCS	TestCode: EPA Method 8015M/D: Diesel Range Organics								
Client ID: LCSS	Batch ID: 51938	RunNo: 68249								
Prep Date: 4/19/2020	Analysis Date: 4/20/2020	SeqNo: 2362083 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	46	10	50.00	0	91.5	70	130			
Surr: DNOP	4.1		5.000		82.9	55.1	146			

Sample ID: LCS-52010	SampType: LCS	TestCode: EPA Method 8015M/D: Diesel Range Organics								
Client ID: LCSS	Batch ID: 52010	RunNo: 68326								
Prep Date: 4/22/2020	Analysis Date: 4/22/2020	SeqNo: 2364065 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	45	10	50.00	0	90.0	70	130			
Surr: DNOP	3.4		5.000		67.8	55.1	146			

Sample ID: MB-52010	SampType: MBLK	TestCode: EPA Method 8015M/D: Diesel Range Organics								
Client ID: PBS	Batch ID: 52010	RunNo: 68326								
Prep Date: 4/22/2020	Analysis Date: 4/22/2020	SeqNo: 2364069 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	7.8		10.00		77.9	55.1	146			

Sample ID: LCS-52025	SampType: LCS	TestCode: EPA Method 8015M/D: Diesel Range Organics								
Client ID: LCSS	Batch ID: 52025	RunNo: 68357								
Prep Date: 4/22/2020	Analysis Date: 4/23/2020	SeqNo: 2366142 Units: %Rec								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: DNOP	6.3		5.000		125	55.1	146			

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 2004812

27-Apr-20

Client: HILCORP ENERGY

Project: FRPC 4 1

Sample ID: MB-52025		SampType: MBLK		TestCode: EPA Method 8015M/D: Diesel Range Organics							
Client ID: PBS		Batch ID: 52025		RunNo: 68357							
Prep Date: 4/22/2020		Analysis Date: 4/23/2020		SeqNo: 2366143			Units: %Rec				
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: DNOP		13		10.00		129	55.1	146			

Qualifiers:

- *

Value exceeds Maximum Contaminant Level.
- D

Sample Diluted Due to Matrix
- H

Holding times for preparation or analysis exceeded
- ND

Not Detected at the Reporting Limit
- PQL

Practical Quantitative Limit
- S

% Recovery outside of range due to dilution or matrix
- B

Analyte detected in the associated Method Blank
- E

Value above quantitation range
- J

Analyte detected below quantitation limits
- P

Sample pH Not In Range
- RL

Reporting Limit

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2004812

27-Apr-20

Client: HILCORP ENERGY**Project:** FRPC 4 1

Sample ID: mb-51914	SampType: MBLK	TestCode: EPA Method 8015D: Gasoline Range								
Client ID: PBS	Batch ID: 51914	RunNo: 68276								
Prep Date: 4/17/2020	Analysis Date: 4/21/2020	SeqNo: 2361707 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	1000		1000		104	66.6	105			

Sample ID: lcs-51914	SampType: LCS	TestCode: EPA Method 8015D: Gasoline Range								
Client ID: LCSS	Batch ID: 51914	RunNo: 68276								
Prep Date: 4/17/2020	Analysis Date: 4/20/2020	SeqNo: 2361708 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	21	5.0	25.00	0	84.6	80	120			
Surr: BFB	1100		1000		110	66.6	105			S

Sample ID: 2004812-014ams	SampType: MS	TestCode: EPA Method 8015D: Gasoline Range								
Client ID: BH05@12.5-15'	Batch ID: 51914	RunNo: 68276								
Prep Date: 4/17/2020	Analysis Date: 4/21/2020	SeqNo: 2361711 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	21	5.0	25.00	0	83.8	80	120			
Surr: BFB	1100		1000		109	66.6	105			S

Sample ID: 2004812-014amsd	SampType: MSD	TestCode: EPA Method 8015D: Gasoline Range								
Client ID: BH05@12.5-15'	Batch ID: 51914	RunNo: 68276								
Prep Date: 4/17/2020	Analysis Date: 4/21/2020	SeqNo: 2361712 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	21	5.0	24.90	0	83.4	80	120	0.878	20	
Surr: BFB	1100		996.0		112	66.6	105	0	0	S

Sample ID: MB-52005	SampType: MBLK	TestCode: EPA Method 8015D: Gasoline Range								
Client ID: PBS	Batch ID: 52005	RunNo: 68422								
Prep Date: 4/21/2020	Analysis Date: 4/25/2020	SeqNo: 2367346 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	1000		1000		104	66.6	105			

Sample ID: lcs-52005	SampType: LCS	TestCode: EPA Method 8015D: Gasoline Range								
Client ID: LCSS	Batch ID: 52005	RunNo: 68422								
Prep Date: 4/21/2020	Analysis Date: 4/25/2020	SeqNo: 2367347 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2004812

27-Apr-20

Client: HILCORP ENERGY**Project:** FRPC 4 1

Sample ID: Ics-52005	SampType: LCS			TestCode: EPA Method 8015D: Gasoline Range						
Client ID: LCSS	Batch ID: 52005			RunNo: 68422						
Prep Date: 4/21/2020	Analysis Date: 4/25/2020			SeqNo: 2367347		Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	25	5.0	25.00	0	98.3	80	120			
Surr: BFB	1100		1000		113	66.6	105			S

Sample ID: 2004812-011ams	SampType: MS			TestCode: EPA Method 8015D: Gasoline Range						
Client ID: BH04@12.5-15'	Batch ID: 52005			RunNo: 68422						
Prep Date: 4/21/2020	Analysis Date: 4/25/2020			SeqNo: 2367350		Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	23	4.9	24.70	0	92.9	80	120			
Surr: BFB	1100		988.1		115	66.6	105			S

Sample ID: 2004812-011amsd	SampType: MSD			TestCode: EPA Method 8015D: Gasoline Range						
Client ID: BH04@12.5-15'	Batch ID: 52005			RunNo: 68422						
Prep Date: 4/21/2020	Analysis Date: 4/25/2020			SeqNo: 2367351		Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	22	4.8	24.22	0	90.5	80	120	4.62	20	
Surr: BFB	1100		969.0		114	66.6	105	0	0	S

Sample ID: mb-52018	SampType: MBLK			TestCode: EPA Method 8015D: Gasoline Range						
Client ID: PBS	Batch ID: 52018			RunNo: 68422						
Prep Date: 4/22/2020	Analysis Date: 4/26/2020			SeqNo: 2367394		Units: %Rec				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: BFB	1000		1000		102	66.6	105			

Sample ID: Ics-52018	SampType: LCS			TestCode: EPA Method 8015D: Gasoline Range						
Client ID: LCSS	Batch ID: 52018			RunNo: 68422						
Prep Date: 4/22/2020	Analysis Date: 4/26/2020			SeqNo: 2367395		Units: %Rec				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: BFB	1100		1000		114	66.6	105			S

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2004812

27-Apr-20

Client: HILCORP ENERGY**Project:** FRPC 4 1

Sample ID: mb-51914	SampType: MBLK	TestCode: EPA Method 8021B: Volatiles								
Client ID: PBS	Batch ID: 51914	RunNo: 68276								
Prep Date: 4/17/2020	Analysis Date: 4/21/2020	SeqNo: 2361753	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.0		1.000		102	80	120			

Sample ID: LCS-51914	SampType: LCS	TestCode: EPA Method 8021B: Volatiles								
Client ID: LCSS	Batch ID: 51914	RunNo: 68276								
Prep Date: 4/17/2020	Analysis Date: 4/20/2020	SeqNo: 2361754	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.84	0.025	1.000	0	84.4	80	120			
Toluene	0.88	0.050	1.000	0	88.1	80	120			
Ethylbenzene	0.89	0.050	1.000	0	89.1	80	120			
Xylenes, Total	2.7	0.10	3.000	0	89.8	80	120			
Surr: 4-Bromofluorobenzene	1.0		1.000		101	80	120			

Sample ID: 2004812-013ams	SampType: MS	TestCode: EPA Method 8021B: Volatiles								
Client ID: BH05@7.5-10'	Batch ID: 51914	RunNo: 68276								
Prep Date: 4/17/2020	Analysis Date: 4/20/2020	SeqNo: 2361756	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.85	0.024	0.9775	0	87.4	78.5	119			
Toluene	0.88	0.049	0.9775	0	90.0	75.7	123			
Ethylbenzene	0.89	0.049	0.9775	0	91.4	74.3	126			
Xylenes, Total	2.7	0.098	2.933	0	92.7	72.9	130			
Surr: 4-Bromofluorobenzene	1.0		0.9775		102	80	120			

Sample ID: 2004812-013amsd	SampType: MSD	TestCode: EPA Method 8021B: Volatiles								
Client ID: BH05@7.5-10'	Batch ID: 51914	RunNo: 68276								
Prep Date: 4/17/2020	Analysis Date: 4/20/2020	SeqNo: 2361757	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.86	0.025	0.9930	0	87.0	78.5	119	1.11	20	
Toluene	0.90	0.050	0.9930	0	90.9	75.7	123	2.57	20	
Ethylbenzene	0.92	0.050	0.9930	0	92.3	74.3	126	2.64	20	
Xylenes, Total	2.8	0.099	2.979	0	94.1	72.9	130	3.09	20	
Surr: 4-Bromofluorobenzene	1.0		0.9930		102	80	120	0	0	

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2004812

27-Apr-20

Client: HILCORP ENERGY**Project:** FRPC 4 1

Sample ID: MB-52005	SampType: MBLK	TestCode: EPA Method 8021B: Volatiles								
Client ID: PBS	Batch ID: 52005	RunNo: 68422								
Prep Date: 4/21/2020	Analysis Date: 4/25/2020	SeqNo: 2367425	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.0		1.000		103	80	120			

Sample ID: LCS-52005	SampType: LCS	TestCode: EPA Method 8021B: Volatiles								
Client ID: LCSS	Batch ID: 52005	RunNo: 68422								
Prep Date: 4/21/2020	Analysis Date: 4/25/2020	SeqNo: 2367429	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.82	0.025	1.000	0	82.4	80	120			
Toluene	0.84	0.050	1.000	0	84.4	80	120			
Ethylbenzene	0.86	0.050	1.000	0	86.3	80	120			
Xylenes, Total	2.6	0.10	3.000	0	86.9	80	120			
Surr: 4-Bromofluorobenzene	1.0		1.000		104	80	120			

Sample ID: 2004812-010ams	SampType: MS	TestCode: EPA Method 8021B: Volatiles								
Client ID: BH04@2.5-5'	Batch ID: 52005	RunNo: 68422								
Prep Date: 4/21/2020	Analysis Date: 4/25/2020	SeqNo: 2367440	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.78	0.024	0.9775	0	79.7	78.5	119			
Toluene	0.81	0.049	0.9775	0	83.3	75.7	123			
Ethylbenzene	0.84	0.049	0.9775	0	86.1	74.3	126			
Xylenes, Total	2.5	0.098	2.933	0	86.4	72.9	130			
Surr: 4-Bromofluorobenzene	1.0		0.9775		103	80	120			

Sample ID: 2004812-010amsd	SampType: MSD	TestCode: EPA Method 8021B: Volatiles								
Client ID: BH04@2.5-5'	Batch ID: 52005	RunNo: 68422								
Prep Date: 4/21/2020	Analysis Date: 4/25/2020	SeqNo: 2367441	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.77	0.024	0.9533	0	80.8	78.5	119	1.11	20	
Toluene	0.81	0.048	0.9533	0	84.8	75.7	123	0.808	20	
Ethylbenzene	0.84	0.048	0.9533	0	88.0	74.3	126	0.292	20	
Xylenes, Total	2.5	0.095	2.860	0	88.1	72.9	130	0.546	20	
Surr: 4-Bromofluorobenzene	0.99		0.9533		104	80	120	0	0	

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 2004812

27-Apr-20

Client: HILCORP ENERGY
Project: FRPC 4 1

Sample ID: mb-52018		SampType: MBLK			TestCode: EPA Method 8021B: Volatiles					
Client ID: PBS		Batch ID: 52018			RunNo: 68422					
Prep Date: 4/22/2020		Analysis Date: 4/26/2020			SeqNo: 2367486		Units: %Rec			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	1.0		1.000		101	80	120			

Sample ID: LCS-52018		SampType: LCS		TestCode: EPA Method 8021B: Volatiles						
Client ID: LCSS		Batch ID: 52018		RunNo: 68422						
Prep Date: 4/22/2020		Analysis Date: 4/26/2020		SeqNo: 2367487			Units: %Rec			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	1.0		1.000		103	80	120			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quantitative Limit

S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2004812

27-Apr-20

Client: HILCORP ENERGY**Project:** FRPC 4 1

Sample ID: ics-51909	SampType: LCS4	TestCode: EPA Method 8260B: Volatiles Short List								
Client ID: BatchQC	Batch ID: 51909	RunNo: 68321								
Prep Date: 4/17/2020	Analysis Date: 4/21/2020	SeqNo: 2363813	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.89	0.025	1.000	0	88.5	80	120			
Toluene	1.1	0.050	1.000	0	107	80	120			
Ethylbenzene	1.1	0.050	1.000	0	108	80	120			
Xylenes, Total	3.1	0.10	3.000	0	104	80	120			
Surr: 1,2-Dichloroethane-d4	0.45		0.5000		90.4	70	130			
Surr: 4-Bromofluorobenzene	0.47		0.5000		94.7	70	130			
Surr: Dibromofluoromethane	0.45		0.5000		90.3	70	130			
Surr: Toluene-d8	0.49		0.5000		98.6	70	130			

Sample ID: mb-51909	SampType: MBLK	TestCode: EPA Method 8260B: Volatiles Short List								
Client ID: PBS	Batch ID: 51909	RunNo: 68321								
Prep Date: 4/17/2020	Analysis Date: 4/21/2020	SeqNo: 2363815	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 1,2-Dichloroethane-d4	0.45		0.5000		90.2	70	130			
Surr: 4-Bromofluorobenzene	0.49		0.5000		97.3	70	130			
Surr: Dibromofluoromethane	0.46		0.5000		92.1	70	130			
Surr: Toluene-d8	0.49		0.5000		97.2	70	130			

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 2004812

27-Apr-20

Client: HILCORP ENERGY

Project: FRPC 4 1


Sample ID: lcs-51909	SampType: LCS				TestCode: EPA Method 8015D Mod: Gasoline Range					
Client ID: LCSS	Batch ID: 51909				RunNo: 68321					
Prep Date: 4/17/2020	Analysis Date: 4/21/2020				SeqNo: 2363971	Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	20	5.0	25.00	0	81.2	70	130			
Surr: BFB	490		500.0		98.3	70	130			

Sample ID: mb-51909	SampType: MBLK				TestCode: EPA Method 8015D Mod: Gasoline Range					
Client ID: PBS	Batch ID: 51909				RunNo: 68321					
Prep Date: 4/17/2020	Analysis Date: 4/21/2020				SeqNo: 2363973	Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	480		500.0		95.9	70	130			

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: **HILCORP ENERGY FAR**Work Order Number: **2004812**

RcptNo: 1

Received By: **Juan Rojas**

4/17/2020 8:00:00 AM

*Juan Rojas*Completed By: **Desiree Dominguez**

4/17/2020 8:07:19 AM

*Desiree*Reviewed By: *LB*

4/17/20

Chain of Custody

1. Is Chain of Custody sufficiently complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? Courier

Log In

3. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
4. Were all samples received at a temperature of $>0^{\circ}\text{C}$ to 6.0°C ? Yes ☒ No ☐ NA ☐
5. Sample(s) in proper container(s)? Yes ☒ No ☐
6. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
7. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐
8. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
9. Received at least 1 vial with headspace $<1/4$ " for AQ VOA? Yes ☐ No ☐ NA ☒
10. Were any sample containers received broken? Yes ☐ No ☒
11. Does paperwork match bottle labels?
(Note discrepancies on chain of custody) Yes ☒ No ☐
12. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
13. Is it clear what analyses were requested? Yes ☒ No ☐
14. Were all holding times able to be met?
(If no, notify customer for authorization.) Yes ☒ No ☐

of preserved
bottles checked
for pH:

(<2 or >12 unless noted)

Adjusted? _____

Checked by: *SR 4/17/20*

Special Handling (if applicable)

15. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified: _____

Date: _____

By Whom: _____

Via: ☐ eMail ☐ Phone ☐ Fax ☐ In Person

Regarding: _____

Client Instructions: _____

16. Additional remarks:

17. Cooler Information

Cooler No	Temp $^{\circ}\text{C}$	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	3.4	Good	Yes			

Chain-of-Custody Record

Client: Jennifer Deal		Turn-Around Time: <input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Rush	
Mailing Address: 382 CR 4100		Project Name: FRPC 4-1	
Phone #: AZEC, NM 87413		Project #:	
email or Fax#: jdeal@hilcorp.com		Project Manager: Devin Henemann	
QA/QC Package: <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Level 4 (Full Validation)		Sampler: Josh Adams	
Accreditation: <input type="checkbox"/> Az Compliance <input type="checkbox"/> NELAC <input type="checkbox"/> Other		On Ice: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
<input checked="" type="checkbox"/> EDD (Type) PDF		# of Coolers: 1	
		Cooler Temp (including CF): 3.4-0 = 3.4	
Date	Time	Matrix	Sample Name
4-16-20	1310	Soil	BH05C 7.5'-10'
	1312		BH05C 12.5'-15'
	1314		BH05C 17.5'-20' (H2O)
	1355		BH06C 2.5'-5'
	1357		BH06C 12.5'-15'
	1359		BH06C 17.5'-20' (H2O)
Date	Time	Relinquished by:	
4-16-20	1450	Jennifer Deal	
Date	Time	Relinquished by:	
4-16-20	1747	Christine Wadsworth	

Turn-Around Time: ☒ Standard ☒ Rush

Project Name: FRPC 4-1

Project #:

Project Manager: Devin Henemann

Sampler: Josh Adams

On Ice: ☒ Yes ☐ No

of Coolers: 1

Cooler Temp (including CF): 3.4-0 = 3.4

Container Type and #

Preservative Type

HEAL No. 2004812

Container Type and #

Preservative Type

HEAL No. 2004812

Container Type and #

Preservative Type

HEAL No. 2004812

Container Type and #

Preservative Type

Turn-Around Time: ☒ Standard ☒ Rush

Project Name: FRPC 4-1

Project #:

Project Manager: Devin Henemann

Sampler: Josh Adams

On Ice: ☒ Yes ☐ No

of Coolers: 1

Cooler Temp (including CF): 3.4-0 = 3.4

Container Type and #

Preservative Type

HEAL No. 2004812

Container Type and #

Preservative Type

HEAL No. 2004812

Container Type and #

Preservative Type

HEAL No. 2004812

Container Type and #

Preservative Type

Turn-Around Time: ☒ Standard ☒ Rush

Project Name: FRPC 4-1

Project #:

Project Manager: Devin Henemann

Sampler: Josh Adams

On Ice: ☒ Yes ☐ No

of Coolers: 1

Cooler Temp (including CF): 3.4-0 = 3.4

Container Type and #

Preservative Type

HEAL No. 2004812

Container Type and #

Preservative Type

HEAL No. 2004812

Container Type and #

Preservative Type

HEAL No. 2004812

Container Type and #

Preservative Type

Turn-Around Time: ☒ Standard ☒ Rush

Project Name: FRPC 4-1

Project #:

Project Manager: Devin Henemann

Sampler: Josh Adams

On Ice: ☒ Yes ☐ No

of Coolers: 1

Cooler Temp (including CF): 3.4-0 = 3.4

Container Type and #

Preservative Type

HEAL No. 2004812

Container Type and #

Preservative Type

HEAL No. 2004812

Container Type and #

Preservative Type

HEAL No. 2004812

Container Type and #

Preservative Type

Turn-Around Time: ☒ Standard ☒ Rush

Project Name: FRPC 4-1

Project #:

Project Manager: Devin Henemann

Sampler: Josh Adams

On Ice: ☒ Yes ☐ No

of Coolers: 1

Cooler Temp (including CF): 3.4-0 = 3.4

Container Type and #

Preservative Type

HEAL No. 2004812

Container Type and #

Preservative Type

HEAL No. 2004812

Container Type and #

Preservative Type

HEAL No. 2004812

Container Type and #

Preservative Type

Turn-Around Time: ☒ Standard ☒ Rush

Project Name: FRPC 4-1

Project #:

Project Manager: Devin Henemann

Sampler: Josh Adams

On Ice: ☒ Yes ☐ No

of Coolers: 1

Cooler Temp (including CF): 3.4-0 = 3.4

Container Type and #

Preservative Type

HEAL No. 2004812

Container Type and #

Preservative Type

HEAL No. 2004812

Container Type and #

Preservative Type

HEAL No. 2004812

Container Type and #

Preservative Type

Turn-Around Time: ☒ Standard ☒ Rush

Project Name: FRPC 4-1

Project #:

Project Manager: Devin Henemann

Sampler: Josh Adams

On Ice: ☒ Yes ☐ No

of Coolers: 1

Cooler Temp (including CF): 3.4-0 = 3.4

Container Type and #

Preservative Type

HEAL No. 2004812

Container Type and #

Preservative Type

HEAL No. 2004812

Container Type and #

Preservative Type

HEAL No. 2004812

Container Type and #

Preservative Type

Turn-Around Time: ☒ Standard ☒ Rush

Project Name: FRPC 4-1

Project #:

Project Manager: Devin Henemann

Sampler: Josh Adams

On Ice: ☒ Yes ☐ No

of Coolers: 1

Cooler Temp (including CF): 3.4-0 = 3.4

Container Type and #

Preservative Type

HEAL No. 2004812

Container Type and #

Preservative Type

HEAL No. 2004812

Container Type and #

Preservative Type

HEAL No. 2004812

Container Type and #

Preservative Type

Turn-Around Time: ☒ Standard ☒ Rush

Project Name: FRPC 4-1

Project #:

Project Manager: Devin Henemann

Sampler: Josh Adams

On Ice: ☒ Yes ☐ No

of Coolers: 1

Cooler Temp (including CF): 3.4-0 = 3.4

Container Type and #

Preservative Type

HEAL No. 2004812

Container Type and #

Preservative Type

HEAL No. 2004812

Container Type and #

Preservative Type

HEAL No. 2004812

Container Type and #

Preservative Type

Turn-Around Time: ☒ Standard ☒ Rush

Project Name: FRPC 4-1

Project #:

Project Manager: Devin Henemann

Sampler: Josh Adams

On Ice: ☒ Yes ☐ No

of Coolers: 1

Cooler Temp (including CF): 3.4-0 = 3.4

Container Type and #

Preservative Type

HEAL No. 2004812

Container Type and #

Preservative Type

HEAL No. 2004812

Container Type and #

Preservative Type

HEAL No. 2004812

Container Type and #

Preservative Type

Turn-Around Time: ☒ Standard ☒ Rush

Project Name: FRPC 4-1

Project #:

Project Manager: Devin Henemann

Sampler: Josh Adams

On Ice: ☒ Yes ☐ No

of Coolers: 1

Cooler Temp (including CF): 3.4-0 = 3.4

Container Type and #

Preservative Type

HEAL No. 2004812

Container Type and #

Preservative Type

HEAL No. 2004812

Container Type and #

Preservative Type

HEAL No. 2004812

Container Type and #

Preservative Type

Turn-Around Time: ☒ Standard ☒ Rush

Project Name: FRPC 4-1

Project #:

Project Manager: Devin Henemann

Sampler: Josh Adams

On Ice: ☒ Yes ☐ No

of Coolers: 1

Cooler Temp (including CF): 3.4-0 = 3.4

Container Type and #

Preservative Type

HEAL No. 2004812

Container Type and #

Preservative Type

HEAL No. 2004812

Container Type and #

Preservative Type

HEAL No. 2004812

Container Type and #

Preservative Type

Turn-Around Time: ☒ Standard ☒ Rush

Project Name: FRPC 4-1

Project #:

Project Manager: Devin Henemann

Sampler: Josh Adams

On Ice: ☒ Yes ☐ No

of Coolers: 1

Cooler Temp (including CF): 3.4-0 = 3.4

Container Type and #

Preservative Type

HEAL No. 2004812

Container Type and #

Preservative Type

HEAL No. 2004812

Container Type and #

Preservative Type

HEAL No. 2004812

Container Type and #

Preservative Type

Turn-Around Time: ☒ Standard ☒ Rush

Project Name: FRPC 4-1

Project #:

Project Manager: Devin Henemann

Sampler: Josh Adams

Analytical Report

Lab Order 2004B74

Date Reported:

Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: BH08@5'

Project: FRPC 4 1

Collection Date: 4/28/2020 12:35:00 PM

Lab ID: 2004B74-001

Matrix: MEOH (SOIL)

Received Date: 4/29/2020 8:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: BRM
Diesel Range Organics (DRO)	ND	9.8		mg/Kg	1	4/29/2020 10:23:58 AM
Motor Oil Range Organics (MRO)	ND	49		mg/Kg	1	4/29/2020 10:23:58 AM
Surr: DNOP	95.3	55.1-146		%Rec	1	4/29/2020 10:23:58 AM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	4/29/2020 9:09:14 AM
Surr: BFB	99.4	66.6-105		%Rec	1	4/29/2020 9:09:14 AM
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	0.025		mg/Kg	1	4/29/2020 9:09:14 AM
Toluene	ND	0.050		mg/Kg	1	4/29/2020 9:09:14 AM
Ethylbenzene	ND	0.050		mg/Kg	1	4/29/2020 9:09:14 AM
Xylenes, Total	ND	0.10		mg/Kg	1	4/29/2020 9:09:14 AM
Surr: 4-Bromofluorobenzene	102	80-120		%Rec	1	4/29/2020 9:09:14 AM
EPA METHOD 300.0: ANIONS						Analyst: MRA
Chloride	ND	60		mg/Kg	20	4/29/2020 11:00:00 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	L	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2004B74

Date Reported:

Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: BH08@15'

Project: FRPC 4 1

Collection Date: 4/28/2020 1:00:00 PM

Lab ID: 2004B74-002

Matrix: MEOH (SOIL)

Received Date: 4/29/2020 8:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: BRM
Diesel Range Organics (DRO)	ND	9.7		mg/Kg	1	4/29/2020 10:48:01 AM
Motor Oil Range Organics (MRO)	ND	48		mg/Kg	1	4/29/2020 10:48:01 AM
Surr: DNOP	95.8	55.1-146		%Rec	1	4/29/2020 10:48:01 AM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	4/29/2020 9:32:49 AM
Surr: BFB	99.2	66.6-105		%Rec	1	4/29/2020 9:32:49 AM
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	0.025		mg/Kg	1	4/29/2020 9:32:49 AM
Toluene	ND	0.050		mg/Kg	1	4/29/2020 9:32:49 AM
Ethylbenzene	ND	0.050		mg/Kg	1	4/29/2020 9:32:49 AM
Xylenes, Total	ND	0.10		mg/Kg	1	4/29/2020 9:32:49 AM
Surr: 4-Bromofluorobenzene	100	80-120		%Rec	1	4/29/2020 9:32:49 AM
EPA METHOD 300.0: ANIONS						Analyst: MRA
Chloride	280	60		mg/Kg	20	4/29/2020 11:00:00 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	L	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2004B74

Date Reported:

Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: BH07@5'

Project: FRPC 4 1

Collection Date: 4/28/2020 1:30:00 PM

Lab ID: 2004B74-003

Matrix: MEOH (SOIL)

Received Date: 4/29/2020 8:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: BRM
Diesel Range Organics (DRO)	ND	9.9		mg/Kg	1	4/29/2020 11:11:59 AM
Motor Oil Range Organics (MRO)	ND	50		mg/Kg	1	4/29/2020 11:11:59 AM
Surr: DNOP	96.2	55.1-146		%Rec	1	4/29/2020 11:11:59 AM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	4/29/2020 9:56:35 AM
Surr: BFB	100	66.6-105		%Rec	1	4/29/2020 9:56:35 AM
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	0.025		mg/Kg	1	4/29/2020 9:56:35 AM
Toluene	ND	0.050		mg/Kg	1	4/29/2020 9:56:35 AM
Ethylbenzene	ND	0.050		mg/Kg	1	4/29/2020 9:56:35 AM
Xylenes, Total	ND	0.10		mg/Kg	1	4/29/2020 9:56:35 AM
Surr: 4-Bromofluorobenzene	102	80-120		%Rec	1	4/29/2020 9:56:35 AM
EPA METHOD 300.0: ANIONS						Analyst: MRA
Chloride	230	59		mg/Kg	20	4/29/2020 11:00:00 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	L	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2004B74

Date Reported:

Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: BH07@15'

Project: FRPC 4 1

Collection Date: 4/28/2020 1:50:00 PM

Lab ID: 2004B74-004

Matrix: MEOH (SOIL)



Received Date: 4/29/2020 8:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: BRM
Diesel Range Organics (DRO)	ND	8.9		mg/Kg	1	4/29/2020 11:36:06 AM
Motor Oil Range Organics (MRO)	ND	45		mg/Kg	1	4/29/2020 11:36:06 AM
Surr: DNOP	96.4	55.1-146		%Rec	1	4/29/2020 11:36:06 AM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	4/29/2020 10:20:14 AM
Surr: BFB	99.0	66.6-105		%Rec	1	4/29/2020 10:20:14 AM
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	0.025		mg/Kg	1	4/29/2020 10:20:14 AM
Toluene	ND	0.050		mg/Kg	1	4/29/2020 10:20:14 AM
Ethylbenzene	ND	0.050		mg/Kg	1	4/29/2020 10:20:14 AM
Xylenes, Total	ND	0.10		mg/Kg	1	4/29/2020 10:20:14 AM
Surr: 4-Bromofluorobenzene	102	80-120		%Rec	1	4/29/2020 10:20:14 AM
EPA METHOD 300.0: ANIONS						Analyst: MRA
Chloride	ND	60		mg/Kg	20	4/29/2020 11:00:00 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.


Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	L	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		


APPENDIX B: LTE BORELOGS

		 A proud member of WSP	
		BORING LOG/MONITORING WELL COMPLETION DIAGRAM	
Boring/Well Number: BH01		Project: FRPL 4-1	
Date: 4-16-20		Project Number:	
Logged By: JA		Drilled By: Mo-Te	
Elevation:	Detector: PID/Quantab	Drilling Method: hallow-stem	Sampling Method: continuous
Gravel Pack: 10-20 Silica Sand		Seal: Hydrated Bentonite Chips NA	Grout: Bentonite-Cement Slurry NA
Casing Type: Schedule 40 PVC NA	Diameter: 2"	Length:	Hole Diameter: 6"
Screen Type: Schedule 40 PVC	Slot: 0.010"	Diameter: 2"	Length:
		Total Depth: 20'	Depth to Liquid: NA
		Depth to Water: NA	

Qtab (ppm)	Moisture Content	Vapor (ppm)	HC Staining?/ Chloride (ppm)	Sample #	Depth (ft. bgs.)	Sample Run	Recovery	Soil/Rock Type	Lithology/Remarks	Well Completion
					0				NR (0-2.5')	
					1				light brown poorly graded sand w/ silt low cohesion low plasticity	
					2					
568	DRY	0.0	NO	BH01 @ 2.5-5' 0950	3	0.5'	Impervious	SW-sm		
					4					
					5					
					6				NR	
					7					
					8	5-10	Impervious	SW-sm	SAA	
568	DRY	0.3	NO		9					
					10		Impervious	ML	brown silt w/sand	
					11				NR	
					12					
					13	10-15	Impervious	SW-sm	light brown poorly graded sand w/ silt	
1028	DRY	3.5	NO	BH01 @ 12.5-15' 0955	14					
					15					

									Boring/Well #	BHo1	
									Project:	FRPC 4-1	
									Project #		
									Date	4-16-20	
Qtab (ppm)	Moisture Content	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Run	Recovery	Soil/Rock Type	Lithology/Remarks	Well Completion	
					15						
					16				NR		
					17	15-20					
<120 ppm	Dry	0.7	NO	BHo1 e 175-20 0956	18			SP	Poorly graded sand		
					19						
					20						
					21				TD @ 20'		
					22						
					23						
					24						
					25						
					26						
					27						
					28						
					29						
					30						
					31						
					32						
					33						
					34						
					35						
					36						
					37						





A proud member
of WSP


BORING LOG/MONITORING WELL COMPLETION DIAGRAM									
Boring/Well Number: BHO2					Project: FRPC 4-1				
Date: 4-16-20					Project Number:				
Logged By: JA					Drilled By: MO-TE				
Elevation:		Detector: PID/Quantab			Drilling Method: hollow stem			Sampling Method: continuous	
Gravel Pack: 10-20 Silica Sand NA					Seal: Hydrated Bentonite Chips NA			Grout: NA	
Casing Type: Schedule 40 PVC NA					Diameter: 2"			Hole Diameter: 6"	
Screen Type: Schedule 40 PVC NA					Slot: 0.010"			Total Depth: 20'	
					Diameter: 2"			Depth to Water: NA	

Qtab (ppm)	Moisture Content	Vapor (ppm)	HC Staining?/ Chloride ppm	Sample #	Depth (ft. bgs.)	Sample Run	Recovery	Soil/Rock Type	Lithology/Remarks	Well Completion
					0				NR	
					1					
					2					
428	Dry	0.7	NO		3				poorly graded sand w/ silt	
					4			SP-SM		
					5					
					6				NR	
					7					
428	Dry	0.0	NO	BHO2 C 75-10 1035	8				SAF	
					9					
					10			ML	silt w/ sand high cohesion high plas.	
					11				NR	
					12					
428	Dry	0.0	NO	BHO2 C 125-15 1040	13				poorly graded sand w/ silt some gravel	
					14			SP-SM		
					15					

										Boring/Well #	BH02	
										Project:		
										Project #		
										Date	4-16-20	
Qtab (ppm)	Moisture Content	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Run	Recovery	Soil/Rock Type	Lithology/Remarks	Well Completion		
					15							
					16							
					17							
					18							
128	Dry	0.0	NO	BH02 Q 17.5-20' 1045	19			SP	poorly graded sand			
					20							
					21							
					22							
					23							
					24							
					25							
					26							
					27							
					28							
					29							
					30							
					31							
					32							
					33							
					34							
					35							
					36							
					37							

				BORING LOG/MONITORING WELL COMPLETION DIAGRAM										
				Boring/Well Number: BHO3					Project: FRPC 4-1					
Date: 4-16-20					Project Number:									
Logged By: JA					Drilled By: Mo - K									
Elevation:		Detector: PID/Quantab		Drilling Method: hollow stem		Sampling Method: continuous								
Gravel Pack: 10-20 Silica Sand NA		Seal: Hydrated Bentonite Chips NA		Grout: Bentonite Cement Slurry AM										
Casing Type: Schedule 40 PVC NA		Diameter: 2"		Length:		Hole Diameter: 6"		Depth to Liquid: NA						
Screen Type: Schedule 40 PVC NA		Slot: 0.010"		Diameter: 2"		Length:		Total Depth: 20'		Depth to Water: NA				
Qtab (ppm)	Moisture Content	Vapor (ppm)	HC Staining?/ Chloride (ppm)	Sample #	Depth (ft. bgs.)	Sample Run	Recovery	Soil/Rock Type	Lithology/Remarks			Well Completion		
					0				NR					
					1				NR					
					2				NR					
288	Dry	0.1	NO	BHO3 25-5 1530	3	0-5		SM	brown silty sand med cohesion, med plus					
					4									
					5									
					6				NR					
					7				NR					
128	M	16.8	NO		8	5-10		SM	SAA, brown and grey some black organics more fines					
					9									
					10									
					11				NR					
					12				NR					
128	Dry	0.5	NO	BHO3 25-5 1532	13	10-15		SP	poorly graded sand, some gravel					
					14									
					15									

										Boring/Well #	B1403	
										Project:	FRPC 9-1	
										Project #		
										Date	4-16-20	
Qtab (ppm)	Moisture Content	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Run	Recovery	Soil/Rock Type	Lithology/Remarks	Well Completion		
		NR			15							
					16		X		NR			
					17							
152	PM	0.3	NO		18		SP					
					19				SAA			
					20							
					21				TDe20'			
					22							
					23							
					24							
					25							
					26							
					27							
					28							
					29							
					30							
					31							
					32							
					33							
					34							
					35							
					36							
					37							




BORING LOG/MONITORING WELL COMPLETION DIAGRAM

Boring/Well Number:	BH04	Project:	FRPC 4-1
Date:	4-16-20	Project Number:	
Logged By:	JA	Drilled By:	Mo-Je
Elevation:		Drilling Method:	Hollowstem
Detector:	PID/Quantab	Sampling Method:	continuous
Gravel Pack:	10-20 Silica Sand	Seal:	NA
Casing Type:	Schedule 40 PVC	Grout:	NA
Screen Type:	Schedule 40 PVC	Diameter:	2"
Slot:	0.010"	Length:	
		Hole Diameter:	6"
		Depth to Liquid:	NA
		Total Depth:	20
		Depth to Water:	NA

Qtab (ppm)	Moisture Content	Vapor (ppm)	HC Staining?/ Chloride (ppm)	Sample #	Depth (ft. bgs.)	Sample Run	Recovery	Soil/Rock Type	Lithology/Remarks	Well Completion
			NR		0				NR	
			NR		1				NR	
			NR		2				NR	
400	Dry	0.0	NO	BH04 2.5-5'	3	05		SM	brown silty sand	
516	M			1220	4			ml	brown silt with sand high cohesion high plas	
			NR		5				NR	
			NR		6				NR	
			NR		7				NR	
216	Dry	0.3	NO	BH04 7.5-10'	8			SP	brown poorly graded sand	
			NR	1220	9				NR	
			NR		10				NR	
			NR		11				NR	
			NR		12				NR	
516	Dry	0.0	NO	BH04 12.5-15'	13	10-5		SP	SAA, some gravel	
			NR	1223	14				NR	
			NR		15				NR	

									Boring/Well #	BN04		
									Project:	FRPC 4-1		
									Project #			
									Date	4-6-20		
Qtab (ppm)	Moisture Content	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Run	Recovery	Soil/Rock Type	Lithology/Remarks		Well Completion	
					15							
					16				NR			
					17							
					18							
					19				SAA			
					20							
					21				TDC 20'			
					22							
					23							
					24							
					25							
					26							
					27							
					28							
					29							
					30							
					31							
					32							
					33							
					34							
					35							
					36							
					37							



A proud member of WSP

BORING LOG/MONITORING WELL COMPLETION DIAGRAM

Boring/Well Number: BH05	Project: FRPC 4-1
Date: 4-16-20	Project Number:
Logged By: JA	Drilled By: MO-TC
Drilling Method: hollow stem	Sampling Method: continuous
Seal: NA	Grout: NA
Hydrated Bentonite Chips	Bentonite-Cement Slurry
Diameter: 2"	Length:
Hole Diameter: 6"	Depth to Liquid: NA
Diameter: 2"	Length:
Total Depth: 20'	Depth to Water: NA

Elevation: Detector: PID/Quantab

Gravel Pack: 10-20 Silica Sand


Casing Type: Schedule 40 PVC

Screen Type: Schedule 40 PVC

Slot: -0.010"

Qtab (ppm)	Moisture Content	Vapor (ppm)	HC Staining?/ Chloride (ppm)	Sample #	Depth (ft. bgs.)	Sample Run	Recovery	Soil/Rock Type	Lithology/Remarks	Well Completion
		NR			0				NR	
					1					
					2					
4128	Dry	0.0	NO		3	0-5		SM	brown silty sand med cohesion, med plasticity	
					4					
					5					
		NR			6				NR	
					7					
4128	Dry	0.0	NO	BH05 125-10' 1310	8			SP	brown poorly graded sand	
					9					
					10					
		NR			11				NR	
					12					
4124	Dry	0.1	NO	BH05 125-15' 1310	13	10-15		SP	SAA, some gravel	
					14					
					15					

									Boring/Well #	BH05		
									Project:	FRP 4-1		
									Project #			
									Date	4-16-20		
Qtab (ppm)	Moisture Content	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Run	Recovery	Soil/Rock Type	Lithology/Remarks	Well Completion		
		NP			15		X		NR			
					16							
					17							
424	Dry	0.0	NO	BH05 17.5-20 1314	18	15-20	SP			SAA		
					19				TDe 20'			
					20							
					21							
					22							
					23							
					24							
					25							
					26							
					27							
					28							
					29							
					30							
					31							
					32							
					33							
					34							
					35							
					36							
					37							



BORING LOG/MONITORING WELL COMPLETION DIAGRAM

Boring/Well Number:	BH06	Project:	FRPC 4-1
Date:	4-16-20	Project Number:	
Logged By:	JA	Drilled By:	MO-TE
Elevation:		Drilling Method:	hollow stem
Detector:	PID/Quantab	Sampling Method:	continuous
Gravel Pack:	10-20 Silica Sand	Seal:	NA
Casing Type:	Schedule 40 PVC	Grout:	NA
Screen Type:	Schedule 40 PVC	Diameter:	2"
Slot:	0.010"	Length:	
		Hole Diameter:	6"
		Depth to Liquid:	NA
		Total Depth:	20'
		Depth to Water:	NA

Qtab (ppm)	Moisture Content	Vapor (ppm)	HC Straining?/ Chloride (ppm)	Sample #	Depth (ft. bgs.)	Sample Run	Recovery	Soil/Rock Type	Lithology/Remarks	Well Completion
		NR			0		X		NR	
					1					
					2					
152	Dry	0.0	NO	BH06 25-5' 1355	3	0-5	SM		brown silty sand, med cohesion med plas	
					4					
					5					
		NR			6		X		NR	
					7	5-10				
2124	Dry	0.0	NO		8		SP-SM		brown poorly graded sand w/ silt	
					9					
					10	10-15				
					11		X			
		NR			12					
120	Dry	0.0	NO	BH06 25-15' 1357	13		SP		poorly graded sand	
					14					
					15					

									Boring/Well #	BH06	
									Project:	FRPC 4-1	
									Project #		
									Date	4-16-20	
Qtab (ppm)	Moisture Content	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Run	Recovery	Soil/Rock Type	Lithology/Remarks	Well Completion	
			NR		15						
					16		X		NR		
					17						
					18	15-16					
✓ 124	Dry	0-0	NO	BH06 17.5-20' 1359	19		SP		SAA, some gravel		
					20						
					21				IDE 20'		
					22						
					23						
					24						
					25						
					26						
					27						
					28						
					29						
					30						
					31						
					32						
					33						
					34						
					35						
					36						
					37						

Advancing Opportunity


848 E. 2nd Ave
Durango, Colorado 81301

BORING LOG/MONITORING WELL COMPLETION DIAGRAM							
Boring/Well Number: BH07				Project: FRP 4-1			
Date: 4-28-20				Project Number:			
Logged By: JA				Drilled By: JA			
Elevation:		Detector: PID/Tab		Drilling Method: hand auger		Sampling Method: hand auger	
Gravel Pack: 10-20 Silica Sand				Seal: NA		Grout: NA	
Casing Type: Schedule 40 PVC		Diameter: 2"		Length:		Hole Diameter: 2"	Depth to Liquid:
Screen Type: Schedule 40-PVC		Slot: original NA		Diameter: 2"		Total Depth: 15'	Depth to Water:

Penetration Resistance	Moisture Content	Vapor (ppm)	HC Staining?	Sample #	Depth (ft. bgs.)	Sample Run	Recovery	Soil/Rock Type	Lithology/Remarks	Well Completion
					0				brown silty sand, med cohesion, med plasticity	
	dry	0.0	NO		1			SM		
					2					
	dry	0.1	NO	BH07 @ 5' 1330	3			SM	SAA Cl = 184 ppm	
					4					
					5					
	dry	0.0	NO		6			SM	SAA	
					7					
					8					
	dry	0.0	NO		9			SM	SP-SM poorly graded sand w/ silt Cl (@ 10') = 124 ppm	
					10					
					11					
	dry	0.0	NO		12			SP-SM	SAA	
					13					
					14					
	dry	0.0	NO	BH07 @ 15' 1350	15			SP	poorly graded sand, some gravel Cl (@ 5') = 124 ppm	

TD @ 15'

BA08



LTE
A proud member
of WSP

BORING LOG/MONITORING WELL COMPLETION DIAGRAM

Boring/Well Number: BA08		Project: FRPC 4-1	
Date: 4-28-20		Project Number:	
Logged By: JA		Drilled By: JA	
Elevation:	Detector: PID/Quantab	Drilling Method: hand auger	Sampling Method: hand auger
Gravel Pack: 10-20 Silica Sand		Seal: Hydrated Bentonite Chips NA	Grout: Bentonite Cement Slurry NA
Casing Type: Schedule 40 PVC	Diameter: 1 1/2" Length:	Hole Diameter: 8 1/4"	Depth to Liquid: NA
Screen Type: Schedule 40 PVC	Diameter: 1 1/2" Length:	Total Depth: 15'	Depth to Water: NA

Qtab (ppm)	Moisture Content	Vapor (ppm)	HC Staining?/ Chloride ppm	Sample #	Depth (ft. bgs.)	Sample Run	Recovery	Soil/Rock Type	Lithology/Remarks	Well Completion	
NS	dry	0.0	NO		0			SM	Brown silty sand, low cohesion low plasticity		
					1						
					2						
424 ppm	dry	0.0	NO	BA08 5' @ 1285	3			SP-SM	light brown poorly graded sand w/ silt		
					4						
					5						
NS	dry	0.1	NO		6			SP-SM	SAA		
					7						
					8						
424	dry	0.0	NO		9			SP-SM	SAA		
					10						
					11						
NS	dry	0.0	NO		12			SP	brown silty sand		
					13						
186	dry	0.0	NO		14			SP-SM	poorly graded sand w/ silt some gravel		
					15						

TDE @ 15'

APPENDIX C: PHOTOGRAPHIC LOG

ATTACHMENT 3: PHOTOGRAPHIC LOG



Photograph 1: Release location near well head, excavation 8 feet deep.



Photograph 2: Release location.