

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 South First, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy Minerals and Natural Resources

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

OK  
Submit 1 copy to  
appropriate  
District Office  
and 1 copy to  
the Santa Fe Office

(Revised 3/9/94)

30-039-20761  
**PIT REMEDIATION AND CLOSURE REPORT**

Operator: <u>Burlington Resources</u>		Telephone: <u>505-326-9844</u>
Address: <u>3401 East 30th St., Farmington, NM 87402</u>		
Facility Or: <u>CANYON LARGO UNIT</u>	Well No: <u>211</u>	Pit No: <u>30-039-20761</u>
Well Name		
Location: Unit or Qtr/Qtr Sec <u>K</u> Sec <u>30</u> T <u>025N</u> R <u>006W</u> County <u>Rio Arriba</u>		
Pit Type: <u>separator</u> (Separator, Dehydrator, Tank, Vent, Other)		
Land Type: <u>BLM</u> (BLM, State, Fee, Other)		
Pit Location: Pit Dimension length <u>10</u> width <u>10</u> depth <u>3</u>		
Reference: <u>wellhead</u> Other _____		
Footage from reference: <u>10</u>		
Direction from reference (azimuth): <u>135</u> degrees		
Depth To Ground Water: (Vertical distance from contaminants to seasonal high water elevation of ground water.)		
Less than 50 feet		(20 points)
50 feet to 99 feet		(10 points)
Greater than 100 feet		( 0 points) <u>0</u>
Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources.)		
Yes		(20 points)
No		( 0 points) <u>0</u>
Distance to Surface Water: (Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches.)		
Less than 200 feet		(20 points)
200 feet to 1000 feet		(10 points)
Greater than 1000 feet		( 0 points) <u>0</u>
RANKING SCORE (TOTAL POINTS): <u>0</u>		

Date Remediation Started: 3/28/2002

Date completed: 7/12/02

Remediation Method:  
(Check all appropriate  
sections.)

Excavation \_\_\_\_\_ Approx. cubic yards: \_\_\_\_\_

Landfarmed \_\_\_\_\_ Insitu Bioremediation \_\_\_\_\_

Other \_\_\_\_\_

Remediation Location:  
(i.e. landfarmed onsite,  
name and location of  
offsite facility)

Onsite \_\_\_\_\_ Offsite \_\_\_\_\_

General Description of Remedial Action: The initial assessment of the pit showed that the soils met the closure standards. The pit was backfilled with clean soils.

Ground Water Encountered: No (yes or no)

Depth: \_\_\_\_\_

Final Pit:

Sample location center of pit

Closure Sampling:

(if multiple samples,  
attach sample results  
and diagram of sample  
locations and depths)

Sample depth 2

Sample Date 3/28/2002

Sample time 9:45:00 AM

Sample Results:

Benzene(ppm) ≤5

Total BTEX(ppm) ≤30

Field Headspace(ppm) 686

TPH 542

Ground Water Sample: No

(If yes, attach sample results)

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

Date: 12/17/02

Signature Ed Hasely

Title: Environmental Specialist

Printed Name: Ed Hasely

**Client:** Burlington Resources  
**Project:** Pit Closure  
**Sample ID:** CLU #211 4425401  
**Lab ID:** 0302W01258  
**Matrix:** Soil  
**Condition:** Cool/Intact

**Date Reported:** 04/18/02  
**Date Sampled:** 03/28/02  
**Date Received:** 04/01/02  
**Date Extracted:** N/A  
**Date Analyzed:** 04/11/02

Parameter	Analytical Result	PQL	Units
<b>BTEX - METHOD 8021B</b>			
Benzene	<5	5	mg/Kg
Toluene	<5	5	mg/Kg
Ethylbenzene	<5	5	mg/Kg
Xylenes (total)	<15	15	mg/Kg
Total BTEX	<30	30	mg/Kg
<b>GRO/DRO - METHOD 8015M</b>			
Gasoline Range Organics(C6-C10)	542	50	mg/Kg
Diesel Range Organics (C10 - C22)	<50	50	mg/Kg
Total Petroleum Hydrocarbons (C6-C22)	542	100	mg/Kg

Reference: Method 8021b, Volatile Organic Compounds, Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, United States Environmental Protection Agency, SW-846, Volume IB.

Reviewed By: 

Analyst: \_\_\_\_\_