

District I
P.O. Box 1988, Hobbs, NM
District II
P.O. Box 1988, Artesia, NM
District III
1000 Rio Bravo Rd., Amec, NM

State of New Mexico
Energy, Minerals and Natural Resources Department

Outside VAB 1138
No TPH

SUBMIT 1 COPY TO
APPROPRIATE
DISTRICT OFFICE
AND 1 COPY TO
SANTA FE OFFICE

OIL CONSERVATION DIVISION

P.O. BOX 2088

SANTA FE, NEW MEXICO 87504-2088

PIT REMEDIATION AND CLOSURE REPORT

307045-11683

Operator: BP AMERICA PRODUCTION CO. Telephone: (505) 326-9200
Address: 200 ENERGY COURT, FARMINGTON, NM 87401
Facility or Well Name: GCU # 250
Location: Unit or Qtr/Qtr Sec N Sec 14 T 28N R 12W County San Juan
Pit Type: Separator Dehydrator Other Blow
Land Type: BLM X, State , Fee , Other

Pit Location: Pit dimensions: length NA, width NA, depth NA
(Attach diagram) Reference: wellhead X, other
Footage from reference: 30'
Direction from reference: 7 Degrees ☒ East North
 West of South ☒

Depth To Groundwater:	Less than 50 feet	(20 points)	
(Vertical distance from	50 feet to 99 feet	(10 points)	
contaminants to seasonal	Greater than 100 feet	(0 points)	<u>0</u>
high water elevation of			
groundwater)			

Wellhead Protection Area:	Yes	(20 points)	
(Less than 200 feet from a private	No	(0 points)	<u>0</u>
domestic water source, or; less than			
1000 feet from all other water sources)			

Distance To Surface Water:	Less than 100 feet	(20 points)	
(Horizontal distance to perennial	100 feet to 1000 feet	(10 points)	
lakes, ponds, rivers, streams, creeks,	Greater than 1000 feet	(0 points)	<u>0</u>
irrigation canals and ditches)			

RANKING SCORE (TOTAL POINTS): 0

Blow Pit B1138

Date Remediation Started: _____

Date Completed: 1-30-03

Remediation Method:

Excavation XApprox. cubic yards NA

(Check all appropriate sections)

Landfarmed _____

Insitu Bioremediation _____

Other CLOSE AS IS.

Remediation Location:

Onsite X Offsite _____

(i.e. landfarmed onsite, name and location of offsite facility)

General Description of Remedial Action: Excavation. Test hole advanced. No remediation necessary.No TPA analysis was conducted.Groundwater Encountered: No X Yes _____ Depth _____

Final Pit Closure Sampling:

(If multiple samples, attach sample results and diagram of sample locations and depths)

Sample location see Attached DocumentsSample depth 9.5' (Test hole bottom)Sample date 1-30-03 Sample time 1512

Sample Results

Soil: Benzene	(ppm) _____	Water: Benzene	(ppb) _____
Total BTEX	(ppm) _____	Toluene	(ppb) _____
Field Headspace	(ppm) <u>0.0</u>	Ethylbenzene	(ppb) _____
TPH	(ppm) _____	Total Xylenes	(ppb) _____

Groundwater Sample: Yes _____ No X (If yes, attach sample results)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF

DATE 1-30-03 PRINTED NAME Jeffrey C. BlaggSIGNATURE Jeffrey C. Blagg AND TITLE President P.E. # 11607

CLIENT: <u>BP</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>B1138</u> COCR NO: <u>—</u>
-------------------	---	--

FIELD REPORT: PIT CLOSURE VERIFICATION

PAGE No: 1 of 1

LOCATION: NAME: <u>GCU</u> WELL#: <u>250</u> TYPE: <u>BLOW</u> QUAD/UNIT: <u>N</u> SEC: <u>14</u> TWP: <u>28N</u> RNG: <u>12W</u> PM: <u>NM</u> CNTY: <u>SJ</u> ST: <u>NM</u> QTR/FOOTAGE: <u>990'S/1800'W</u> SE _{SW} CONTRACTOR: <u>FLINT (REN)</u>	DATE STARTED: <u>1/30/03</u> DATE FINISHED: <u>—</u> ENVIRONMENTAL SPECIALIST: <u>NV</u>
--	--

EXCAVATION APPROX. <u>NA</u> FT. x <u>NA</u> FT. x <u>NA</u> FT. DEEP. CUBIC YARDAGE: <u>NA</u> DISPOSAL FACILITY: <u>ON-SITE</u> REMEDIATION METHOD: <u>CLOSE AS IS</u> LAND USE: <u>RANGE</u> <u>SWAG. USE. -</u> <u>NAVATO</u> LEASE: <u>NM078391F</u> FORMATION: <u>GP</u>
--

FIELD NOTES & REMARKS:	PIT LOCATED APPROXIMATELY <u>30</u> FT. <u>STE</u> FROM WELLHEAD. DEPTH TO GROUNDWATER: <u>>100'</u> NEAREST WATER SOURCE: <u>>1000'</u> NEAREST SURFACE WATER: <u>—</u> NMOCD RANKING SCORE: <u>0</u> NMOCD TPH CLOSURE STD: <u>5000</u> PPM
------------------------	---

SOIL AND EXCAVATION DESCRIPTION:

OVM CALIB. READ. = 50.2 ppm
 OVM CALIB. GAS = 100 ppm RF = 0.52
 TIME: 8:05 am DATE: 1/29/03

SOIL TYPE: SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER —
 SOIL COLOR: SAND - DR. YELL. ORANGE (FILL DIRT?) SILTY CLAY - MOD. GREENISH YELL.
 COHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE
 CONSISTENCY (NON COHESIVE SOILS): LOOSE FIRM / DENSE / VERY DENSE
 PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC
 DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD
 MOISTURE: DRY / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATED
 DISCOLORATION/STAINING OBSERVED: YES / NO EXPLANATION - —
 HC ODOR DETECTED: YES / NO EXPLANATION - —
 SAMPLE TYPE: GRAB / COMPOSITE - # OF PTS. —
 ADDITIONAL COMMENTS: PIT BACKFILLED PRIOR TO CONSTRUCTION CREWS ARRIVAL. SLIGHT DEPRESSION OBSERVED @ PIT AREA PRIOR TO TEST HOLE ADVANCEMENT. FENCING + PLASTIC LINER ENCOUNTERED DURING ADVANCEMENT. NO TPH ANALYSIS WAS CONDUCTED.

SCALE



0 FT

FIELD 418.1 CALCULATIONS

SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)

PIT PERIMETER

PIT PROFILE

Pump JACK



9 ①
TEST HOLE

OVM READING

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @ 9.5'	0.0
2 @	
3 @	
4 @	
5 @	

NOT APPLICABLE

LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME

P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW
 T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM

TRAVEL NOTES: CALLOUT: 1/30/03 - AFTER. ONSITE: 1/30/03 - AFTER.