District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 South First, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM

State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Submit 1 copy to appropriate District Office and I copy to the Santa Fe Office

(Revised 3/9/94)

PIT REMEDIATION AND CLOSURE REPORT

Operator: Burlington Resources

Telephone:

505-326-9841

Address: 3401 East 30th St., Farmington, NM 87402

Facility Or: MOORE

Well No: 1E

Pit No: 2

Well Name

Location: Unit or Qtr/Qtr Sec J

Sec 35 T 032N R 012W County San Juan

Pit Type: tank

(Separator, Dehydrator, Tank, Vent, Other)

Land Type: ? Fee

(BLM, State, Fee, Other)

Pit Location:

Pit Dimension length 16

width 16

depth

Reference: wellhead

Other

Footage from reference: 120

Direction from reference (azimuth): 90

degrees

Depth To Ground Water:

(Vertical distance from

contaminants to seasonal

high water elevation of ground water.)

Less than 50 feet

50 feet to 99 feet Greater than 100 feet (20 points)

(10 points)

(0 points) 0

Wellhead Protection Area:

(Less than 200 feet from a private domestic water source, or; less than

1000 feet from all other water

sources.)

Yes (20 points)

No (0 points) 0

Distance to Surface Water:

(Horizontal distance to perennial

lakes, ponds, rivers, streams, creeks, irrigation canals and ditches.)

(20 points)

(10 points)

200 feet to 1000 feet Greater than 1000 feet

Less than 200 feet

(0 points) 0

RANKING SCORE (TOTAL POINTS): 0

2506 West Main Street Farmington, NM 87401

Client:

Burlington Resources

Project:

Pit Closure

Sample ID:

MOORE \$\frac{1}{2} 4849001-2

Lab ID:

0302W01021

Matrix:

Soil

Condition:

Cool/Intact

Date Reported: 03/28/02

Date Sampled: 03/14/02

Date Received: 03/15/02

Date Extracted: N/A

	Analytical		
Parameter	Result	PQL	Ųnits
BTEX - METHOD 8021B			
Benzene	<5	5	mg/Kg
Toluene	<5	5	mg/Kg
Ethylbenzene	<5	5	mg/Kg
Xylenes (total)	22	15	mg/Kg
Total BTEX	<30	30	mg/Kg
GRO/DRO - METHOD 8015M			
Gasoline Range Organics(C6-C10)	375	50	mg/Kg
Diesel Range Organics (C10 - C22)	155	50	mg/Kg
Total Petroleum Hydrocarbons (C6-C22)	530	100	mg/Kg

Reference: Method 8021b, Volatile Organic Compounds, Test Methods for Evaluating

Solid Waste, Physical/Chemical Methods, United States Environmental

Protection Agency, SW-846, Volume IB.

Reviewed By:

William Lipos

Analyst: