
Submit 3 Cepies To Appropriate District Office	State of New Mexico		Form C-103		
District 1			Revised March 25, 1999 WELL API NO.		
1625 N. French Dr., Hobbs, NM 87240 District II	STREET OIL CONSERVATION DIVISION			30-045-32134	
811 South First, Artesia, NM 87210 District III	1 South First, Artesia, NM 8/210		5. Indicate Type of Lease		
1000 Rio Brazos Rd., Aztec, NM 87410	000 Rio Brazos Rd., Aztec, NM 87410 Santa Fe, NM 87505		STATE X F	EE 🗆	
District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505			6. State Oil & Gas Lease N E-3704-2	О.	
SUNDRY NOTIC (DO NOT USE THIS FORM FOR PROPO DIFFERENT RESERVOIR. USE "APPLIC PROPOSALS.)	ES AND REPORTS ON DSALS TO DRILL OR TO DEI CATION FOR PERMIT" (FOR	EPEN OR PLUG BACK TO A	7. Lease Name or Unit Agr	eement Name:	
1. Type of Well: Oil Well Gas Well	Other Cathodic	APR 2004	SJ 32-8 Unit	31330	
2. Name of Operator	Carlo delibere		8. Well No.		
ConocoPhillips Company			SJ 32-8 Unit #228A		
3. Address of Operator	· · · · · · · · · · · · · · · · · · ·	V	9. Pool name or Wildcat		
5525 Highway 64, NBU 3004, F	<u>armington, NM 87401</u>	- CO 1707 CON 187	Basin Fruitland Coal		
A the delication of the state o					
Unit Letter I:	1325 feet from the	South line and	1140 feet from the	East line	
Section 16	Township 31	IN Range 8W	NMPM Count	y San Juan	
	10. Elevation (Show wh	nether DR, RKB, RT, GR, e	tc.)		
11. Check Appropriate Box to Indicate, Nature of Notice, Report, or Other Data					
NOTICE OF INTE	• • •		SEQUENT REPORT	OE:	
PERFORM REMEDIAL WORK	PLUG AND ABANDON	REMEDIAL WORK		OF. RING CASING	
TEMPORARILY ABANDON	CHANGE PLANS	COMMENCE DRILL		S AND	
PULL OR ALTER CASING	MULTIPLE COMPLETION	CASING TEST AND CEMENT JOB		IDONWENT	
OTHER: Cathodic Protection Gr	oundbed	X OTHER:		1	
12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.					
ConocoPhillips proposes to drill a cathodic protection deep well groundbed for the subject wll. Will drill a 6-7/8" hole to an anticipated minimum depth of 300' (maximum depth of 500'). Cement plugs will not be used unless more than one water zone is encountered. Prior drilling history for the area indicates only one zone to that depth. If more than one water zone is encountered, notification will be made and details of the cement and casing will be provided.					
All drilling activity will remain on existing well pad and a Farmington based company will be doing the drilling for ConocoPhillips Company.					
See attached drawing on proposed placement of groundbed & underground AC & DC cables and rectifier.					
I hereby certify that the information above is true and complete to the best of my knowledge and belief.					
SIGNATURE Patser (TITLE Regulatory Ar		4/6/04	
	tsy Clugston		Telephone No.	505-599-3454	
(This space for State (1850)	3. Poust		APR	-0.2004	
APPROVED BY Conditions of approval, if any!	SINSPECTOR	_ TITLE	DATE DATE	7 2004	



All cable work for cathodic protection station will be done on existing roadwaydown new roadway and on new well-pad