## State of New Mexico Submit to Appropriate District Office **Energy, Minerals and Natural Resources Department** State Lease - 6 copies Form C-105 Fee Lease - 5 copies Revised 1-1-89 **DISTRICT I** P.O. Box 1980, Hobbs, NM 88240 **OIL CONSERVATION DIVISION** WELL API NO. DISTRICT II P. O. Box 2089 30-039-27497 P.O. Drawer DD, Artesia, NM 88210 Santa Fe, New Mexico 87504-2088 Indicate Type of Lease STATE FEE X DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410 WELL COMPLETION OR RECOMPLETION REPORT AN 1a. TYPE OF WELL: 7. Lease Name or Unit Agreement Name GAS WELL X OIL WELL DRY [ **OTHER** b. TYPE OF COMPLETION: WORK DIFF OVER DEEPEN RESVR OTHER San Juan 30-6 Unit WELL 8. Well No. 2 Name of Operator **BURLINGTON RESOURCES OIL & GAS COMPANY** 477S 3. Address of Operator 9. Pool name or Wildcat PO BOX 4289, Farmington, NM 87499 **Basin Fruitland Coal** 4. Well Location 1710' Feet From The North Line and Feet From The Line 28 30N 6W Range Rio Arriba Section Township NMPM County 10. Date Spudded 11. Date T.D. Reached 12. Date Compl. (Ready to Prod.) 13. Elevations (DF&RKB, RT, GR, etc.) 14. Elev. Casinghead 12/26/03 3/11/04 3/26/04 6280' GR, 6292' KB Rotary Tools 15. Total Depth 16. Plug Back T.D. 17. If Multiple Compl. How Cable Tools 18. Intervals Many Zones? Drilled By 3270' 0-3271' 19. Producing Interval(s), of this completion - Top, Bottom, Name 20. Was Directional Survey Made 3031-3217' Fruitland Coal 21. Type Electric and Other Logs Run 22. Was Well Cored None CASING RECORD (Report all strings set in well) 23. CASING SIZE WEIGHT LB/FT. **DEPTH SET** HOLE SIZE CEMENTING RECORD AMOUNT PULLED 9 5/8" H-40 32.3# 143' 12 1/4" 130 cu.ft. J-55 20# 2977 8 3/4" 889 cu.ft. LINER RECORD **TUBING RECORD** 24. TOP **BOTTOM** SACKS CEMENT SIZE SCREEN SIZE DEPTH SET PACKER SET 5 1/2" J-55 2953 3271 none 26. Perforation record (interval, size, and number) 27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. 3031-3072', 3093-3217' preperforated liner DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 3031-3217 none PRODUCTION 28. Production Method (Flowing, gas lift, pumping - Size and type pump) Date First Production Well Status (Prod. or Shut-in) Flowing Si Date of Test Hours Tested Choke Size Prod'n for Oil - ВЫ. Gas - MCF Gas - Oil Ratio Test Period 1841 MCF/D Pitot Gauge 3/26/04 Flow Tubing Press. Casing Pressure Calculated 24-Oil - Bbl Gas - MCF Water - Bbl Oil Gravity - API - (Corr.) Hour Rate SI 120 1841 MCF/D 29. Disposition of Gas (Sold, used for fuel, vented, etc.) Test Witnessed By To be sold 30. List Attachments None 31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Manus Name Nancy Oltmanns

Signature

Title

Senior Staff Specialist

Date 5/4/04

## **INSTRUCTIONS**

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

## INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE.

Southeastern New Mexico			Northwestern New Mexico			
T. Anhy T. Salt B. Salt T. Yates T. 7 Rivers T. Queen T. Grayburg T. San Andres T. Glorieta T. Paddock T. Blinebry T. Tubb T. Drinkard T. Abo T. Wolfcamp T. Wolfcamp T. Penn T. Cisco (Bough C)		T. Canyon T. Strawn T. Atoka T. Miss T. Devonian T. Silurian T. Montoya T. Simpson T. McKee T. Ellenburger T. Gr. Wash T. Delaware Sand T. Bone Springs T. T. T.	T. Ojo Alamo T. Kirtland-Fruitland T. Pictured Cliffs T. Cliff House T. Menefee T. Point Lookout T. Mancos T. Gallup Base Greenhorn T. Dakota T. Morrison T. Todilto T. Entrada T. Wingate T. Chinle T. Permian T. Penn "A"		2437-2762 <sup>1</sup> 3202 <sup>1</sup>	T. Penn. "B" T. Penn. "C" T. Penn. "D" T. Leadville T. Madison T. Elbert T. McCracken T. Ignacio Otzte T. Granite T. T. T. T. T. T. T.
		OIL OR GAS S	ANDS O	R ZONES		
from		to IMPORTANT	No. 4, f WATER	rom SANDS		10
No. 1, from to to No. 2, from to to to to to to			feetfeetfeetfeetfeetfeetfeetfeetfeetfeet			
То	Thickness in Feet	Lithology	From	То	Thickness in Feet	Lithology
2437' 2762' 3202' 3271'		White, cr-gr ss. Gry sh interbedded w/tight, gry, fine-gr ss Dk gry-gry carb sh, coal, grn silts, light-med gry, tight, fine gr ss Bn-gry, fine grn, tight ss				
	from Grom Grom Grom Grom Grom Grom Grom G	ers n purg andres ta cock ory  ard amp (Bough C)  from from from  to data on rate of wa from from  To Thickness in Feet  2437' 2762'  3202'	T. Canyon T. Strawn T. Atoka T. Miss T. Devonian T. Silurian T. Silurian T. Montoya T. Simpson T. Ellenburger T. McKee T. Ellenburger T. Delaware Sand T. Bone Springs T.	T. Canyon	T. Canyon	T. Canyon