<u>District ₹</u> , 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210
District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-14

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes No

Type of action: Registration of a pit or	below-grade tank [Closure of a pit or below-grad	e tank 🔯 🦯
	7.01	41.19
Operator: <u>Burlington Resources Oil & Gas Company LP</u> Telephor	ne: <u>505-326-9700</u> _e-mail address: <u>jclark@br-inc</u>	.com
Address: 3401 E. 30 th Street, Farmington, NM 87402		
Facility or well name: Scott Com #103 API #: 30-045-31582 U/	L or Qtr/Qtr_B_Sec_3_T31N_R_10 W	
County: <u>San Juan</u> Latitude 36.56 Longitude -107.521 NAD:	1927 ☑ 1983 ☐ Surface Owner Federal ☑ State ☐	Private Indian
<u>Pit</u>	Below-grade tank	
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	
Workover ☑ Emergency ☐	Construction material:	
Lined Unlined	Double-walled, with leak detection? Yes If not,	, explain why not.
Liner type: Synthetic ☑ Thickness 12 mil Clay ☐ Volumebbl	01	
	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal high	50 feet or more, but less than 100 feet	(10 points) 10 points
water elevation of ground water.)	100 feet or more	(0 points)
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	<u>No</u>	(0 points) 0 points
	Less than 200 feet	(20 points)
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points) 10 points
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)
		(o points)
	Ranking Score (Total Points) 20 points	
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indicat	te disposal location:
onsite offsite I If offsite, name of facility		·
end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth		
a diagram of sample locations and excavations.	nt. and attach sa	inple results. (3) Attach son sample results an
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines , a	my knowledge and belief. I further certify that the a	above-described pit or below-grade tank ha
Date: 6/2/04	. 00	
Printed Name/Title Joni Clark, Regulatory Specialist	Signature Pour Va	ric_
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve the regulations.		
Approval: JUN - 3 2004	.0	
Date:	1 = 11/4	fort
Printed Name/Title	Signature	Luy
		,



TRACE METAL ANALYSIS

Client:	Burlington Resources	Project #:	92115-001
Sample ID:	Scott Com 103	Date Reported:	05-20-04
Laboratory Number:	28755	Date Sampled:	05-17-04
Chain of Custody:	12190	Date Received:	05-19-04
Sample Matrix:	Soil	Date Analyzed:	05-20-04
Preservative:	Cool	Date Digested:	05-20-04
Condition:	Cool & Intact	Analysis Needed:	RCRA Metals

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	TCLP Regulatory Level (mg/Kg)
Arsenic	0.004	0.001	5.0
Barium	1.08	0.001	100
Cadmium	ND	0.001	1.0
Chromium	0.001	0.001	5.0
Lead	0.001	0.001	5.0
Mercury	ND	0.001	0.2
Selenium	0.001	0.001	1.0
Silver	ND	0.001	5.0

ND - Parameter not detected at the stated detection limit.

References:

Method 3050B, Acid Digestion of Sediments, Sludges and Soils.

SW-846, USEPA, December 1996.

Method 6010B, Analysis of Metals by Inductively Coupled Plasma Atomic Emmision

Spectroscopy, SW-846, USEPA, December 1996.

Note:

Regulatory Limits based on 40 CFR part 261 subpart C

section 261.24, August 24, 1998.

Comments:

Drill Pit.

Δnalvst



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Burlington Resources	Project #:	92115-001
Sample ID:	Scott Com 103	Date Reported:	05-21-04
Laboratory Number:	28755	Date Sampled:	05-17-04
Chain of Custody:	12190	Date Received:	05-19-04
Sample Matrix:	Soil	Date Analyzed:	05-21-04
Preservative:	Cool	Date Extracted:	05-19-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	8.1	1.8
Toluene	4.3	1.7
Ethylbenzene	10.7	1.5
p,m-Xylene	31.5	2.2
o-Xylene	9.7	1.0
Total BTEX	64.3	

ND - Parameter not detected at the stated detection limit.

Parameter	Percent Recovery
Fluorobenzene	99 %
1,4-difluorobenzene	99 %
Bromochlorobenzene	99 %
	Fluorobenzene 1,4-difluorobenzene

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Drill Pit.

Analyst C. Oglewan

Nisten of Liceles



Total Chloride

Client: **Burlington Resources** Project #: 92115-001 Sample ID: Scott Com 103 Date Reported: 05-20-04 Lab ID#: 28755 Date Sampled: 05-17-04 Sample Matrix: Soil Date Received: 05-19-04 Preservative: Cool Date Analyzed: 05-19-04 Condition: Cool and Intact Chain of Custody: 12190

Parameter

Concentration (mg/Kg)

Total Chloride

1,730

Reference:

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Drill Pit.

Analyst Walter

Review C. Cylina