District 1 •
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr Santa Fe, NM 87505 Form C-14-March 12, 200

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office.

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan" Yes No

Type of action: Registration of a pit or below-grade tank 🔲 Closure of a pit or below-grade tank 🗵			
Operator: Burlington Resources Oil & Gas Company LP Telephon	ne: <u>505-326-9700</u> _e-mail address: <u>jclark@br-inc</u>	.com	
Address: 3401 E. 30th Street, Farmington, NM 87402			
Facility or well name: Burnt Mesa #100S API #: 30-045-31873			
County: <u>San Juan</u> Latitude 36.9471917 Longitude -107.53222	_ NAD: 1927 ⊠ 1983 ∐ Surface Owner Federal L	」State ☑ Private ☐ Indian ☐	
<u>Pit</u>	Below-grade tank		
Type: Drilling Production Disposal	Volume:bbl Type of fluid:		
Workover ☑ Emergency □	Construction material:		
Lined 🛛 Unlined 🔲	Double-walled, with leak detection? Yes If not,	explain why not.	
Liner type: Synthetic Thickness 12 mil Clay Volume bbl		•	
Enter type: Synthetic Thickness 12 thin Clay Volune			
Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 feet	(20 points)	
	50 feet or more, but less than 100 feet	(10 points) 10 points	
water elevation of ground water.)	100 feet or more	(0 points)	
	Yes	(20 points) 20 points	
Wellhead protection area: (Less than 200 feet from a private domestic	No No	(0 points)	
water source, or less than 1000 feet from all other water sources.)	NO .	(v points)	
	Less than 200 feet	(20 points)	
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points) 10 points	
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)	
	Ranking Score (Total Points) 50 points		
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indicat	te disposal location:	
onsite O offsite I If offsite, name of facility	(3) Attach a general description of remedial action	on taken including remediation start date and	
end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth	below ground surfaceft. and attach sar	mple results. (5) Attach soil sample results an	
a diagram of sample locations and excavations.			
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines , a	general permit . or an (attached) alternative OC	CD-approved plan [].	
Date: 6/2/04 Desired Name/File Levi Clerk Possileton Specialist	_Signature Down (lar	\mathscr{H}	
Printed Name/Title Joni Clark, Regulatory Specialist Signature Signature UW VW Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or			
otherwise endanger public health or the environment. Nor does it relieve the regulations.			
ApprovadUN - 3 2004			
Printed Name/Title GEPUTY Of L& GAS INSPECTOR, DIST. Signature Signature			
1			



TRACE METAL ANALYSIS

Mistine of Waller Review

Client:	Burlington Resources	Project #:	92115-001
Sample ID:	Burnt Mesa 100S	Date Reported:	05-20-04
Laboratory Number:	28750	Date Sampled:	05-18-04
Chain of Custody:	12190	Date Received:	05-19-04
Sample Matrix:	Soil	Date Analyzed:	05-20-04
Preservative:	Cool	Date Digested:	05-20-04
Condition:	Cool & Intact	Analysis Needed:	RCRA Metals

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	TCLP Regulatory Level (mg/Kg)
Arsenic	0.013	0.001	5.0
Barium	1.03	0.001	100
Cadmium	ND	0.001	1.0
Chromium	0.002	0.001	5.0
Lead	0.004	0.001	5.0
Mercury	ND	0.001	0.2
Selenium	0.006	0.001	1.0
Silver	ND	0.001	5.0

ND - Parameter not detected at the stated detection limit.

References:

Method 3050B, Acid Digestion of Sediments, Sludges and Soils.

SW-846, USEPA, December 1996.

Method 6010B, Analysis of Metals by Inductively Coupled Plasma Atomic Emmision

Spectroscopy, SW-846, USEPA, December 1996.

Note:

Regulatory Limits based on 40 CFR part 261 subpart C

section 261.24, August 24, 1998.

Comments:

Drill Pit.

Analyst



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Burlington Resources	Project #:	92115-001
Sample ID:	Burnt Mesa 100S	Date Reported:	05-21-04
Laboratory Number:	28750	Date Sampled:	05-18-04
Chain of Custody:	12190	Date Received:	05-19-04
Sample Matrix:	Soil	Date Analyzed:	05-21-04
Preservative:	Cool	Date Extracted:	05-19-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	14.4	1.8	
Toluene	ND	1.7	
Ethylbenzene	19.4	1.5	
p,m-Xylene	46.3	2.2	
o-Xylene	22.8	1.0	
Total BTEX	103		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98 %
	1,4-difluorobenzene	98 %
	Bromochlorobenzene	98 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Drill Pit.

Analyst C. Cylin L.

Mustine m Walters
Review



Total Chloride

Client: **Burlington Resources** Project #: 92115-001 Sample ID: **Burnt Mesa 100S** Date Reported: 05-20-04 Lab ID#: 28750 Date Sampled: 05-18-04 Sample Matrix: Soil Date Received: 05-19-04 Preservative: Cool Date Analyzed: 05-19-04 Condition: Cool and Intact Chain of Custody: 12190

Parameter Concentration (mg/Kg)

Total Chloride 740

Reference:

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Drill Pit.

Miotine muherens