District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

Printed Name/Title DEPUTY OIL & GAS INSPECTOR, DIST.

State of New Mexico Energy Minerals and Natural Resources

> Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-14 March 12, 200

March 12, 200

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Is pit or below-grade tank of	de Tank Registration or Closus covered by a "general plan" Yes below-grade tank Closure of a pit or below-gra	No 🗌
Operator: Burlington Resources Oil & Gas Company LP Telephor  Address: 3401 E. 30 <sup>th</sup> Street, Farmington, NM 87402  Facility or well name: Allison Unit Com #105S API #: 30-045-31:  County: San Juan Latitude 36.9560283 Longitude -107.53885	871_U/L or Qtr/Qtr_C_Sec_26_T32NR_07_W	
2011 2011 2011 2011 2012 2012 2012 2012		
Pit  Type: Drilling   Production   Disposal    Workover   Emergency    Lined   Unlined    Liner type: Synthetic   Thickness   Amil   Clay   Volume   bbl	Below-grade tank  Volume:bbl Type of fluid:  Construction material:  Double-walled, with leak detection? Yes If no	_
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet  50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) 10 points ( 0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes <u>No</u>	(20 points) ( 0 points) 0 points
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) ( 0 points) 0 points
	Ranking Score (Total Points) 10 points	
If this is a pit closure: (1) attach a diagram of the facility showing the pit's onsite ⊠ offsite ☐ If offsite, name of facility end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth a diagram of sample locations and excavations.  I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelings ☐ o		tion taken including remediation start date and ample results. (5) Attach soil sample results and above-described pit or below-grade tank has
been/will be constructed or closed according to NMOCD guidelines, a Date:6/2/04  Printed Name/TitleJoni Clark, Regulatory Specialist  Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve the regulations.	Signature Signat	f the pit or tank contaminate ground water or
Approval: Date: JUN -3 2004	19-	



## TRACE METAL ANALYSIS

Client:	Burlington Resources	Project #:	92115-001
Sample ID:	Allison <del>Can</del> 105S	Date Reported:	05-20-04
Laboratory Number:	28749 Unit Com	Date Sampled:	05-18-04
Chain of Custody:	12190	Date Received:	05-19-04
Sample Matrix:	Soil	Date Analyzed:	05-20-04
Preservative:	Cool	Date Digested:	05-20-04
Condition:	Cool & Intact	Analysis Needed:	RCRA Metals

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	TCLP Regulatory Level (mg/Kg)
1			
Arsenic	0.008	0.001	5.0
Barium	1.64	0.001	100
Cadmium	ND	0.001	1.0
Chromium	0.004	0.001	5.0
Lead	0.005	0.001	5.0
Mercury	ND	0.001	0.2
Selenium	0.004	0.001	1.0
Silver	ND	0.001	5.0

ND - Parameter not detected at the stated detection limit.

References:

Method 3050B, Acid Digestion of Sediments, Sludges and Soils.

SW-846, USEPA, December 1996.

Method 6010B, Analysis of Metals by Inductively Coupled Plasma Atomic Emmision

Spectroscopy, SW-846, USEPA, December 1996.

Note:

Regulatory Limits based on 40 CFR part 261 subpart C

section 261.24, August 24, 1998.

Comments:

Drill Pit.

Analyst



## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Burlington Resources	Project #:	92115-001
Sample ID:	Allison Can 105S	Date Reported:	05-21-04
Laboratory Number:	28749	Date Sampled:	05-18-04
Chain of Custody:	12190	Date Received:	05-19-04
Sample Matrix:	Soil	Date Analyzed:	05-21-04
Preservative:	Cool	Date Extracted:	05-19-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	3.7	1.8	
Toluene	ND	1.7	
Ethylbenzene	ND	1.5	
p,m-Xylene	ND	2.2	
o-Xylene	1.5	1.0	
Total BTEX	5.2		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98 %
	1,4-difluorobenzene	98 %
	Bromochlorobenzene	98 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Drill Pit.

Analyst C. Carrier



## **Total Chloride**

Client: **Burlington Resources** Project #: 92115-001 Sample ID: Allison Can 105S Date Reported: 05-20-04 Lab ID#: 28749 Date Sampled: 05-18-04 Sample Matrix: Soil Date Received: 05-19-04 Preservative: Cool Date Analyzed: 05-19-04 Condition: Cool and Intact Chain of Custody: 12190

Parameter

Concentration (mg/Kg)

**Total Chloride** 

260

Reference:

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Review

Comments:

Drill Pit.

Mister Malles
Analyst

5796 U.S. Highway 64 • Farmington, NM 87401 • Tel 505 • 632 • 0615 • Fax 505 • 632 • 1865