District I

1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-1 March 12, 2

For drilling and production facilities, submit appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

(0)

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes \(\subseteq 1 \)

	505 224 0700 mileday into the in-	
Operator: <u>Burlington Resources Oil & Gas Company LP</u> Telephon Address: 3401 E. 30 th Street, Farmington, NM 87402	ne: <u>505-326-9700_e-mail address:lclark@br-inc</u>	.com
Facility or well name: Allison Unit #119S API #: 30-045-31878	R II/I or Otr/Otr D. Sec. 20 T 32 N. R. 06 W.	
County: San Juan Latitude 36.9558083 Longitude -107.48747		1 State □ Private □ Indian □
County. San Juan Landide 30.7550052 Longitude -107.40141	_ IVID. 1727 🖸 1703 🗀 Surface Owner Federal 🔁	State III III III III III
<u>Pit</u>	Below-grade tank	
Type: Drilling Production Disposal Volume:bbl Type of fluid:		
Workover ⊠ Emergency □		
Lined 🛛 Unlined 🗖	Double-walled, with leak detection? Yes If not, explain why not.	
Liner type: Synthetic \(\sum \) Thickness 12 mil Clay \(\sum \) Volume \(\sum \) bbl	_	•
Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 feet	(20 points)
water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points) 10 points
	100 feet or more	(0 points)
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points) 20 points
water source, or less than 1000 feet from all other water sources.)	No	(0 points)
water source, or less than 1000 feet from an other water sources.)		
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points) 10 points
inigation canals, dicines, and percinnal and epitemetal watercoarses.	1000 feet or more	(0 points)
	Ranking Score (Total Points) 40 points	
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indicat	te disposal location:
onsite Soffsite If offsite, name of facility	(3) Attach a general description of remedial action	on taken including remediation start date and
end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth	below ground surfaceft. and attach sa	mple results. (5) Attach soil sample results
and a diagram of sample locations and excavations.		
I hereby certify that the information above is true and complete to the best of		
been/will be constructed or closed according to NMOCD guidelines , a Date:		•• • —
Printed Name/Title Joni Clark, Regulatory Specialist Signature		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or		
otherwise endanger public health or the environment. Nor does it relieve the regulations.	operator of its responsibility for compliance with any	other federal, state, or local laws and/or
Approvaling Date: UN - 3 2004 Printed Name/Title GEPUTY CIL & GAS INSPECTOR, DIST. Signature Signature		



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Burlington Resources	Project #:	92115-001
Sample ID:	Allison #119S	Date Reported:	05-20-04
Laboratory Number:	28745	Date Sampled:	05-12 - 04
Chain of Custody:	12191	Date Received:	05-19-04
Sample Matrix:	Soil	Date Analyzed:	05-20-04
Preservative:	Cool	Date Extracted:	05-19-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
raidiffeter	(ug/Ng/	(ug/Ng)	
Benzene	ND	1.8	
Toluene	43.4	1.7	
Ethylbenzene	18.7	1.5	
p,m-Xylene	26.2	2.2	
o-Xylene	ND	1.0	
Total BTEX	88.3		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	96 %
	1,4-difluorobenzene	96 %
	Bromochlorobenzene	96 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Drill Pit.

- Mistine m Wedles
Review



TRACE METAL ANALYSIS

Client:	Burlington Resources	Project #:	92115-001
Sample ID:	Allison #119S	Date Reported:	05-20-04
Laboratory Number:	28745	Date Sampled:	05-12-04
Chain of Custody:	12191	Date Received:	05-19-04
Sample Matrix:	Soil	Date Analyzed:	05-20-04
Preservative:	Cool	Date Digested:	05-20-04
Condition:	Cool & Intact	Analysis Needed:	RCRA Metals

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	TCLP Regulatory Level (mg/Kg)
Arsenic	0.004	0.001	5.0
Barium	1.03	0.001	100
Cadmium	ND	0.001	1.0
Chromium	0.001	0.001	5.0
Lead	0.002	0.001	5.0
Mercury	ND	0.001	0.2
Selenium	0.001	0.001	1.0
Silver	ND	0.001	5.0

ND - Parameter not detected at the stated detection limit.

References:

Method 3050B, Acid Digestion of Sediments, Sludges and Soils.

SW-846, USEPA, December 1996.

Method 6010B, Analysis of Metals by Inductively Coupled Plasma Atomic Emmision

Spectroscopy, SW-846, USEPA, December 1996.

Note:

Regulatory Limits based on 40 CFR part 261 subpart C

section 261.24, August 24, 1998.

Comments:

Drill Pit.

Ånalvst

Mistine M Wallers



Total Chloride

Client: **Burlington Resources** Project #: 92115-001 Sample ID: Allison #119S Date Reported: 05-20-04 Lab ID#: 28745 Date Sampled: 05-12-04 Sample Matrix: Soil Date Received: 05-19-04 Preservative: Cool Date Analyzed: 05-19-04 Condition: Cool and Intact Chain of Custody: 12191

Parameter Concentration (mg/Kg)

Total Chloride 660

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Drill Pit.

Mistine M Walters Analyst