

New Mexico  
Energy Minerals and Natural Resources Department


Form C-140  
Revised 06/99

**District I** - (505) 393-6161  
1625 N. French Dr, Hobbs, NM 88240  
**District II** - (505) 748-1283  
1301 W. Grand Avenue, Artesia, NM 88210  
**District III** - (505) 334-6178  
1000 Rio Brazos Road, Aztec, NM 87410  
**District IV** - (505) 476-3440  
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, New Mexico 87505  
(505) 476-3440

**APPLICATION FOR  
WELL WORKOVER PROJECT**

**SUBMIT ORIGINAL  
PLUS 2 COPIES  
TO APPROPRIATE  
DISTRICT OFFICE**



**I. Operator and Well**

|                                                                                                            |                      |                         |                     |                                 |                                 |                                 |  |
|------------------------------------------------------------------------------------------------------------|----------------------|-------------------------|---------------------|---------------------------------|---------------------------------|---------------------------------|--|
| Operator name address<br><b>Burlington Resources Oil and Gas Co. LP<br/>Box 4289, Farmington, NM 87499</b> |                      |                         |                     |                                 | OGRID Number<br><b>014538</b>   |                                 |  |
| Contact Party<br><b>Leslie D. White</b>                                                                    |                      |                         |                     |                                 | Phone<br><b>505/326-9700</b>    |                                 |  |
| Property Name<br><b>SAN JUAN 29-7 UNIT</b>                                                                 |                      |                         |                     | Well Number<br><b>56</b>        |                                 | API Number<br><b>3003960102</b> |  |
| UL<br><b>A</b>                                                                                             | Section<br><b>15</b> | Township<br><b>29 N</b> | Range<br><b>7 W</b> | Feet From The<br><b>990 FNL</b> | Feet From The<br><b>990 FEL</b> | County<br><b>RIO ARRIBA</b>     |  |

**II. Workover**

|                                              |                                                                            |
|----------------------------------------------|----------------------------------------------------------------------------|
| Date Workover Commence<br><b>6/12/2003</b>   | Previous Producing Pool(s) (Prior to Workover):<br><b>BLANCO MESAVERDE</b> |
| Date Workover Completed:<br><b>6/19/2003</b> |                                                                            |

- III. Attach a description of the Workover Procedures performed to increase production.  
IV. Attach a production decline curve or table showing at least twelve months of production prior to the workover and at least three months of production following the workover reflecting a positive production increase.  
V. **AFFIDAVIT:**

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| State of <u>New Mexico</u> )<br>County of <u>San Juan</u> ) ss.<br><u>Leslie D. White</u> , being first duly sworn, upon oath states:<br>1. I am the Operator, or authorized representative of the Operator, of the above-referenced Well.<br>2. I have made, or caused to be made, a diligent search of the production records reasonably available for this Well.<br>3. To the best of my knowledge, this application and the data used to prepare the production curve and/or table for this Well are complete and accurate.<br>Signature <u>Leslie D. White</u> Title <u>Sr. Accountant</u> Date <u>4/1/04</u><br>SUBSCRIBED AND SWORN TO before me this <u>1st</u> day of <u>April</u> , <u>2004</u> .<br>Notary Public<br>My Commission expires: <u>September 1, 2004</u> <u>Nancy Oltmanns</u> |  |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|

**FOR OIL CONSERVATION DIVISION USE ONLY:**

**IV. CERTIFICATION OF APPROVAL:**

This Application is hereby approved and the above-referenced well is designated a Well Workover Project and the Division hereby verifies the data shows a positive production increase. By copy hereof, the Division notifies the Secretary of the Taxation and Revenue Department of this Approval and certifies that this Well Workover Project was completed 6/19/03.

|                                                     |                          |                       |
|-----------------------------------------------------|--------------------------|-----------------------|
| Signature District Supervisor<br><u>[Signature]</u> | OCD District<br><u>3</u> | Date<br><u>4/2/04</u> |
|-----------------------------------------------------|--------------------------|-----------------------|

**VII. DATE OF NOTIFICATION TO THE SECRETARY OF THE TAXATION AND REVENUE DEPARTMENT:**

## BLANCO MESAVERDE

## REG\_DTL\_D

|           |      |
|-----------|------|
| 6/1/2002  | 2985 |
| 7/1/2002  | 3469 |
| 8/1/2002  | 4498 |
| 9/1/2002  | 4367 |
| 10/1/2002 | 4464 |
| 11/1/2002 | 4145 |
| 12/1/2002 | 4530 |
| 1/1/2003  | 4403 |
| 2/1/2003  | 3657 |
| 3/1/2003  | 3580 |
| 4/1/2003  | 3923 |
| 5/1/2003  | 4216 |
| 6/1/2003  | 2134 |
| 7/1/2003  | 4237 |
| 8/1/2003  | 4013 |
| 9/1/2003  | 3818 |

4020

4023

# BURLINGTON RESOURCES O & G CO

## Operations Summary Report

Page 1 of 3

Legal Well Name: SAN JUAN 29-7 UNIT #56  
 Common Well Name: SAN JUAN 29-7 UNIT #56  
 Event Name: CAP WORKOVER  
 Contractor Name: DRAKE WELL SERVICE  
 Rig Name: DRAKE

Start: 06/12/2003      Spud Date: 01/07/1957  
 End: 06/19/2003  
 Rig Release: 06/19/2003      Group:  
 Rig Number: 26

| Date       | From - To     | Hours | Code | Sub Code | Phase  | Description of Operations                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|------------|---------------|-------|------|----------|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 06/13/2003 | 13:00 - 16:00 | 3.00  | MIMO | a        | OBJECT | MIRU                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|            | 16:00 - 18:00 | 2.00  | NUND | a        | OBJECT | KILL WELL W/ 20 BBL, N/DWELL HEAD N/U BOP<br>PULL TUB. HANGER                                                                                                                                                                                                                                                                                                                                                                                                        |
| 06/14/2003 | 06:00 - 07:00 | 1.00  | MIMO | a        | OBJECT | CREW TRAVEL HSM                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|            | 07:00 - 08:30 | 1.50  | TRIP | a        | OBJECT | TOOH W/ 86 STD. 2 3/8 TUB. - TUB IN GOOD SHAPE                                                                                                                                                                                                                                                                                                                                                                                                                       |
|            | 08:30 - 09:00 | 0.50  | WIRE | a        | OBJECT | R/U BWWC & SET CIBP @ 4760'                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|            | 09:00 - 10:00 | 1.00  | PRES | a        | OBJECT | LOAD HOLE W/ 2% KCL                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|            | 10:00 - 11:30 | 1.50  | CASE | a        | OBJECT | R/U BWWC RUN GR.CCL, & CBL LOGS CMT.BOU D GOOD F/4750' T/3838'                                                                                                                                                                                                                                                                                                                                                                                                       |
|            | 11:30 - 12:15 | 0.75  | PRES | a        | OBJECT | P/U 5 1/2 PACKER & TEST CSG. & CIBP T/3000 PSI OK                                                                                                                                                                                                                                                                                                                                                                                                                    |
|            | 12:15 - 14:00 | 1.75  | TRIP | a        | OBJECT | TIH W/ TUB. TO SPOT ACID, 06/16/2003 @ 0700 HRS.                                                                                                                                                                                                                                                                                                                                                                                                                     |
|            | 14:00 - 15:00 | 1.00  | SRIG | a        | OBJECT | CHANGE OIL IN MOTORS<br>SECURE LOC. SDFW<br>BJ TO FRAC. MONDAY                                                                                                                                                                                                                                                                                                                                                                                                       |
| 06/17/2003 | 06:00 - 06:45 | 0.75  | SRIG | a        | OBJECT | ROAD CREW TO LOCATION. START RIG                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|            | 06:45 - 07:00 | 0.25  | SAFE | a        | OBJECT | SAFETY MEETING                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|            | 07:00 - 07:15 | 0.25  | PULD | a        | OBJECT | P/U 10' X 2-3/8" PUP JT                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|            | 07:15 - 07:30 | 0.25  | RURD | a        | OBJECT | R/U THREE RIVERS                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|            | 07:30 - 08:00 | 0.50  | SPOT | a        | OBJECT | SPOT 1000 GALS 15 % HCL @ 4735'                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|            | 08:00 - 08:15 | 0.25  | RURD | a        | OBJECT | R/D THREE RIVERS                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|            | 08:15 - 09:00 | 0.75  | TRIP | a        | OBJECT | TOOH W/ 76 STDS                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|            | 09:00 - 09:15 | 0.25  | RURD | a        | OBJECT | RU BWWC                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|            | 09:15 - 09:45 | 0.50  | PERF | a        | OBJECT | PERF LEWIS INTERVAL @<br>4056', 4060', 4066', 4070', 4075', 4104', 4112', 4181', 4187', 4194', 4253', 4257', 4293', 4300', 4362', 4366', 4477', 4587', 4592', 4643', 4706', 4711', 4722', 4731', 4735', W/ 3-1/8" HSC, LOADED W/ GOEX XII-GM CHARGES, 1 SPF, 0.33 DIA, 25 HOLES TOTAL                                                                                                                                                                                |
|            | 09:45 - 10:30 | 0.75  | RURD | a        | OBJECT | R/D BWWC. P/U 5-1/2" PKR & 2 X 2-7/8" N-80 PUP JTS. SET PKR @ 12'. N/U FRAC MANDREL & VALVE                                                                                                                                                                                                                                                                                                                                                                          |
|            | 10:30 - 11:15 | 0.75  | RURD | a        | OBJECT | FIN. R/U BJ FRAC CREW                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|            | 11:15 - 11:30 | 0.25  | SAFE | a        | OBJECT | SAFETY MEETING, { FRAC PROCEDURE, MAX PSI, & EMERGENCY PROCEDURES }, 22 PEOPLE PRESENT                                                                                                                                                                                                                                                                                                                                                                               |
|            | 11:30 - 11:45 | 0.25  | PRES | a        | OBJECT | PRIME PUMPS. PSI TEST LINES W/ 5000 PSI                                                                                                                                                                                                                                                                                                                                                                                                                              |
|            | 11:45 - 13:00 | 1.25  | FRAC | a        | OBJECT | BREAK DOWN LEWIS PERFS @ 925 PSI @ 3 BPM. FRAC W/ 627 BBLS 30# LINEAR GEL, 75 QUALITY FOAM, { 48 > 50 BPM }, & 200,000 LBS 20/40 ARIZONA SAND, 1 > 3 PPG. FLUSH W/ 26 FLUID BBLS & 37,000 SCF N2. ISIP - 1360. AIR - 50 BPM, MAX RATE - 52 BPM, AIP - 2610, MAX PSI - 2780                                                                                                                                                                                           |
|            | 13:00 - 13:45 | 0.75  | RURD | a        | OBJECT | R/D FRAC CREW. R/U FLOW BACK LINES.                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|            | 13:45 - 06:00 | 16.25 | FLOW | a        | OBJECT | SICP- 1400 PSI. START FLOW BACK THU 16/64 CHOKE<br>TIME—PSI—CHOKE—RETURNS<br>1400 1400 16/64 DENSE MIST,LITE SAND<br>1500 1300 16/64 DENSE MIST,LITE SAND<br>1600 1200 16/64 DENSE MIST,HVY SAND,XO TO 8/64<br>1700 1190 8/64 DENSE MIST,HVY SAND<br>1800 1180 8/64 DENSE MIST,V. HVY SAND<br>1900 1160 8/64 DENSE MIST,V.HVY SAND<br>2000 1160 8/64 DENSE MIST,V.HVY SAND<br>2100 1160 SAME<br>2200 1190 SAME<br>2300 1200 SAME<br>2400 1210 SAME<br>0100 1210 SAME |

# BURLINGTON RESOURCES O & G CO

## Operations Summary Report

Page 2 of 3

Legal Well Name: SAN JUAN 29-7 UNIT #56  
 Common Well Name: SAN JUAN 29-7 UNIT #56  
 Event Name: CAP WORKOVER  
 Contractor Name: DRAKE WELL SERVICE  
 Rig Name: DRAKE

Spud Date: 01/07/1957  
 Start: 06/12/2003 End: 06/19/2003  
 Rig Release: 06/19/2003 Group:  
 Rig Number: 26

| Date       | From - To     | Hours | Code | Sub Code | Phase  | Description of Operations                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|------------|---------------|-------|------|----------|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 06/17/2003 | 13:45 - 06:00 | 16.25 | FLOW | a        | OBJECT | 0200 1220 SAME<br>0300 1220 8/64 MED MIST,HVY SAND<br>0400 1210 8/64 MED MIST,MED SAND<br>0500 1200 8/64 MED MIST,LITE SAND                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 06/18/2003 | 06:00 - 06:00 | 24.00 | FLOW | a        | OBJECT | CONT TO FLOW BACK WELL TO CONTROL SAND<br>TIME---PSI---CHOKE---RETURNS<br>0600 1150 8/64 DENSE MIST,LITE SAND,XO TO 16/64<br>0700 1050 16/64 DENSE MIST,LITE SAND<br>0800 925 16/64 DENSE MIST,LITE SAND,XO TO 20/64<br>0900 850 20/64 DENSE MIST,LITE SAND<br>1000 750 20/64 DENSE MIST,LITE SAND,XO TO 24/64<br>1100 700 24/64 DENSE MIST,LITE SAND<br>1200 650 24/64 DENSE MIST,LITE SAND,XO TO 32/64<br>1300 550 32/64 DENSE MIST,LITE SAND<br>1500 410 32/64 DENSE MIST,LITE SAND<br>1700 300 32/64 DENSE MIST,LITE SAND<br>1900 240 32/64 MED MIST,LITE SAND<br>2000 205 32/64 MED MIST,LITE SAND,XO TO 48/64<br>2100 125 48/64 SAME<br>2300 80 48/64 SAME<br>0100 50 48/64 LITE MIST,LITE SAND<br>0300 25 48/64 SURGING W/ LITE SAND<br>0400 20 48/64 SURGING FOAM W/ LITE MIST,OPEN THRU 2'<br>0500 5 2" SURGING LITE FOAM |
| 06/19/2003 | 06:00 - 06:45 | 0.75  | FLOW | a        | OBJECT | NOTE: RIG RELEASED FOR THE DAY<br>FLOW WELL BACK THRU 2". FCP - 5 PSI. RETURNS= SURGING<br>FOAMY FLUID W/ TRACE SAND.<br>ROAD CREW TO LOCATION. START RIG                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|            | 06:45 - 07:00 | 0.25  | SAFE | a        | OBJECT | SAFETY MEETING                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|            | 07:00 - 07:15 | 0.25  | KILL | a        | OBJECT | R/D FLOW BACK LINE. KILL WELL W/ 40 BBLs 2% KCL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|            | 07:15 - 08:00 | 0.75  | PCKR | a        | OBJECT | N/D FRAC VALVE. RELEASE & L/D MANDREL & PKR.<br>XO TO 2-3/8" PIPE RAMS. FUNCTION TEST BOP                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|            | 08:00 - 08:15 | 0.25  | PULD | a        | OBJECT | P/U 4-3/4" MILL & BIT SUB                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|            | 08:15 - 09:00 | 0.75  | TRIP | a        | OBJECT | TIH W/ MILL & 75.5 STDS. TAG 82' OF FILL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|            | 09:00 - 09:15 | 0.25  | RURD | a        | OBJECT | R/U SWIVEL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|            | 09:15 - 10:00 | 0.75  | COUT | a        | OBJECT | C/O TO CIBP @ 4760' W/ 1500 SCF AIR & 12 BPH MIST                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|            | 10:00 - 10:30 | 0.50  | DRLG | a        | OBJECT | D/O CIBP                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|            | 10:30 - 11:00 | 0.50  | RURD | a        | OBJECT | PUMP 5 BBL SWEEP. R/D SWIVEL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|            | 11:00 - 11:15 | 0.25  | TRIP | a        | OBJECT | CONT TO TIH. TAG 15' OF FILL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|            | 11:15 - 11:30 | 0.25  | RURD | a        | OBJECT | R/U SWIVEL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|            | 11:30 - 12:00 | 0.50  | COUT | a        | OBJECT | C/O TO PBTD @ 5411' W/ 1200 SCF AIR & 5 BPM MIST                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|            | 12:00 - 12:30 | 0.50  | BLOW | a        | OBJECT | BLOW WELL @ 5411' W/ 700 SCF AIR & 5 BPH MIST. RETURNS-<br>11.5 BPH WTR W/ 1/2 CUP SAND                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|            | 12:30 - 12:45 | 0.25  | RURD | a        | OBJECT | R/D SWIVEL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|            | 12:45 - 13:45 | 1.00  | TRIP | a        | OBJECT | TOOH W/ 87 STDS & MILL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|            | 13:45 - 14:00 | 0.25  | PULD | a        | OBJECT | L/D MILL, P/U 2-3/8" EXPEND CK & SN                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|            | 14:00 - 15:45 | 1.75  | TRIP | a        | OBJECT | TIH W/ 86 STDS 2-3/8" TBG. RUN BROACH EVERY 36 STDS. WELL<br>FLOWING 4.9 BPH WTR W/ TRACE SAND                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|            | 15:45 - 20:00 | 4.25  | BLOW | a        | OBJECT | BLOW WELL @ 5349' W/ 700 SCF AIR & 5 BPH MIST. BUCKET<br>GAUGE @<br>TIME---WATER---SAND                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

**BURLINGTON RESOURCES O & G CO**  
**Operations Summary Report**

Page 3 of 3

Legal Well Name: SAN JUAN 29-7 UNIT #56  
Common Well Name: SAN JUAN 29-7 UNIT #56  
Event Name: CAP WORKOVER  
Contractor Name: DRAKE WELL SERVICE  
Rig Name: DRAKE

Start: 06/12/2003  
Rig Release: 06/19/2003  
Rig Number: 26

Spud Date: 01/07/1957  
End: 06/19/2003  
Group:

| Date                                                                                                                                                                                                                                                                                                          | From - To     | Hours | Code | Sub Code | Phase  | Description of Operations                                                                                                                   |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-------|------|----------|--------|---------------------------------------------------------------------------------------------------------------------------------------------|
| 06/19/2003                                                                                                                                                                                                                                                                                                    | 15:45 - 20:00 | 4.25  | BLOW | a        | OBJECT | 1630 7.8 BPH 1/8 CUP<br>1730 7.2 BPH TRACE<br>1830 5.7 BPH TRACE<br>1930 5.0 BPH TRACE                                                      |
|                                                                                                                                                                                                                                                                                                               | 20:00 - 21:00 | 1.00  | BLOW | a        | OBJECT | CONT TO BLOW WELL @ 5349' W/ 700 SCF AIR & NO MIST. RETURNS- 5.0 BPH WTR CLEANING UP TO NO FLUID                                            |
|                                                                                                                                                                                                                                                                                                               | 21:00 - 06:00 | 9.00  | FLOW | a        | OBJECT | ALTERNATE FLOW WELL NATURAL 2 HRS, { RETURNS - DRY GAS ONLY }, THEN BLOW FOR 1 HR W/ 1500 SCF AIR. UNLOAD EST 8-10 BBLS FLUID THEN DRIES UP |
| 06/20/2003                                                                                                                                                                                                                                                                                                    | 06:00 - 08:00 | 2.00  | FLOW | a        | OBJECT | FLOW WELL NATURAL. { RETURNS- DRY GAS ONLY }. ROAD CREW TO LOCATION. START RIG. ON-SITE SAFETY MEETING                                      |
|                                                                                                                                                                                                                                                                                                               | 08:00 - 08:30 | 0.50  | BLOW | a        | OBJECT | UNLOAD WELL @ 5349' W/ 1500 SCF AIR. RECOVER EST 4 > 5 BBLS WTR, THEN CLEANS UP TO LITE MIST                                                |
|                                                                                                                                                                                                                                                                                                               | 08:30 - 11:00 | 2.50  | FLOW | a        | OBJECT | FLOW WELL NATURAL. DRY GAS ONLY                                                                                                             |
|                                                                                                                                                                                                                                                                                                               | 11:00 - 11:15 | 0.25  | COUT | a        | OBJECT | P/U 2 EXTRA JTS. TAG @ 5411', { NO FILL }                                                                                                   |
|                                                                                                                                                                                                                                                                                                               | 11:15 - 12:00 | 0.75  | RURD | a        | OBJECT | L/D EXTRA TBG. LAND PROD TBG ON HANGER. R/D FLOOR                                                                                           |
|                                                                                                                                                                                                                                                                                                               | 12:00 - 12:30 | 0.50  | NUND | a        | OBJECT | N/D BOP, N/U WH                                                                                                                             |
|                                                                                                                                                                                                                                                                                                               | 12:30 - 13:15 | 0.75  | BLOW | a        | OBJECT | PUMP OFF CK, BLOW WELL W/ 1500 SCF AIR. RECOVER APPROX 5 BBLS WTR                                                                           |
|                                                                                                                                                                                                                                                                                                               | 13:15 - 14:30 | 1.25  | FLOW | a        | OBJECT | REVERSE TO FLOW THRU TBG TO PURGE AIR. WELL SI @ 1430 HRS. R/D EQUIP                                                                        |
|                                                                                                                                                                                                                                                                                                               | 14:30 - 15:00 | 0.50  | RURD | a        | RDMO   | FIN R/D EQUIP. POLICE LOCATION. RIG RELEASED @ 1500 HRS                                                                                     |
| <p>SUMMARY: FRAC LEWIS INTERVAL W/ 627 BBLS 20&gt;30 # LINEAR GEL, 75 QUALITY FOAM, &amp; 200,000 LBS 20/40 SAND, 1&gt; 3 PPG. D/O CIBP, C/O TO 5411' { PBTD }</p> <p>TBG DETAIL: RAN 2-3/8" EXPEND CK, SN, 1 JT TBG, 2' PUP JT, 171 JTS. EOT @ 5353.06'. LANDED @ 5364' KB<br/> { SEE WELL BORE REPORT }</p> |               |       |      |          |        |                                                                                                                                             |