Submit 3 Copies To Appropriate District	State of New M			Form C-10	
Office District I	Energy, Minerals and Natu	ral Resources		Revised May 08, 20	03
1625 N. French Dr., Hobbs, NM 87240		<u>C</u>	WELL API NO.		
District II	OIL CONSERVATION	N DIVISION	30-045-32		\dashv
1301 W. Grand Ave., Artesia, NM 88210 District III	1220 South St. Fra	ancis Dr.	5. Indicate Type of L	ease	
1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NM		STATE 😠	FEE 🔲	
District IV	1	THE SEVEN TO COME	6. State Oil & Gas Lo	ease No.	ヿ
1220 S. St. Francis Dr., Santa Fe, NM 87505					╝
(DO NOT USE THIS FORM FOR PROPOSE DIFFERENT RESERVOIR. USE "APPLICATION"	ES AND REPORTS (WE SALS TO DRILL OR TO PERPON ATION FOR PERMIT" (FIRM C-1	ORREDGE BACK TOWN	7. Lease Name or Un	nit Agreement Name:	
PROPOSALS.)		ON THE	8. Well Number		\dashv
1. Type of Well: Oil Well ☐ Gas Well 🕱	Other		#1		
	Other	A	9. OGRID Number		\dashv
2. Name of Operator		Call II O Co	1		
XTO Energy Inc.			167067		
3. Address of Operator			10. Pool name or Wildcat		
2700 Farmington Ave., Bldg. K. Ste 1 Farmington, NM 87401 4. Well Location			FULCHER KUTZ PICTURED CLIFFS		
4. Well Location					
Unit Letter :	feet from the NO	RTH line and	1,160' feet from t	the WEST lin	ne
Section 32	Township 30N	Range 13W		County SAN JUAN	1
	11. Elevation (Show whether 5	DR, RKB, RT, GR, et	c.)		
12. Check A	ppropriate Box to Indicate	e ₁ Nature of Notice.	Report, or Other I	Data	
NOTICE OF INTE	- -		SEQUENT REPO		
PERFORM REMEDIAL WORK	PLUG AND ABANDON	REMEDIAL WORK		ALTERING CASING	
PERFORM REMEDIAL WORK	PLUG AND ABANDON []	REWEDIAL WORK		ALTERING CASING	ш
TEMPORARILY ABANDON	CHANGE PLANS	COMMENCE DRILLI	NG OPNS. —	PLUG AND ABANDONMENT	
PULL OR ALTER CASING	MULTIPLE COMPLETION	CASING TEST AND CEMENT JOB			
OTHER:		OTHER: SPUD & TI)		X
	d	<u>.</u>		1 1' 4' 4 1 1 4	
 Describe proposed or complete of starting any proposed work). or recompletion. 					
XTO Energy Inc. spudded 8- ST&C csg to 232.05' KB. Cm 1.18 cuft/sx). Circ 9 bbls driller's TD of 1,555' KB KB. Cmt'd csg w/110 sx Typ followed by 80 sx Type III 24 bbls cmt to surf. Rlsd	td csg w/100 sx Cl "B" cm cmt to surf. Tstd BOPE & @ 4:00 p.m., 06/24/04. The E III cmt w/8% gel, 1/4 P w/1% CC, 1/4 PPS cellof	nt w/3% CaCl2 & 1/4 § surf csg to 800 r IH w/44 jts 4-1/2", PPS celloflake & 2% lake & 2% Phenoseal	PPS celloflake (mosig for 30 mins. Hosig for 30 mins. Hoself 10.5#, J-55, ST&C phenoseal (11.9 pd. (14.5 ppg, 1.41 c	nixed @ 15.6 ppg, Weld OK. Reached casg to 1,546.78' pg, 2.60 cuft/sx)	
PRODUCTION CSG WILL BE PRESSURE TSTD @ COMPLETION					
I hereby certify that the information above	is/true and complete to the best o	f my knowledge and belie	·f.		
SIGNATURE ()	1)-11-			ATE06/25/04	
Type or print name JEFF PATTON					20
(This space for State use)		·		ne No. 505-324-109	
APPROVED BY	<u> </u>	DEPUTY OIL & GAS	INSPECTOR, DIST. AND	JUN 28 200	4
Conditions of approval, if any:	TI	TLE	DA	TE	