District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

Date: 6/28/2004

Printed Name/Title Joni Clark, Regulatory Specialist

State of New Mexico Energy Minerals and Natural Resources

For drilling and production facilities, submit to

Form C-14

March 12, 200

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 O.

appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe JUN office

Pit or Below-Grade Tank Registration of Closure Is pit or below-grade tank covered by a "general plan Type of action: Registration of a pit or below-grade tank \(\subseteq\) Clo Operator: Burlington Resources Oil & Gas Company LP Telephone: 505-326-9700 e-mail address: jclark@br-inc.com 3401 E. 30th Street, Farmington, NM 87402 Facility or well name: San Juan 27-5 Unit #105N API #: 30-039-27276 U/L or Qtr/Qtr I_Sec_11 T_27N_R_05 W County: Rio Arriba Latitude 36.5878917 Longitude -107.32035 NAD: 1927 🛛 1983 🗌 Surface Owner Federal 🗋 State 🔲 Private 🖾 Indian 🔲 Pit Below-grade tank Type: Drilling Production Disposal Volume: ____bbl Type of fluid: ____ Workover ⊠ Emergency □ Construction material: Double-walled, with leak detection? Yes If not, explain why not. Lined Unlined 🛛 Liner type: Synthetic Thickness __mil Clay Volume __ Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal high 50 feet or more, but less than 100 feet (10 points) water elevation of ground water.) 100 feet or more (0 points) 0 points Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic No (0 points) 0 points water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more (0 points) 0 points Ranking Score (Total Points) If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: onsite offsite If offsite, name of facility ___. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🖾 Yes 🔲 If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. (6) Closure completion date $\sqrt{-2800}$ I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has

Your certification and NMOCD approval of this application/closure does not relieve the operator of lighbility should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. Approval: Printed Name/Title DEPUTY OIL & GAS INSPECTOR, DIST.

been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan ...



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Burlington Resources	Project #:	92115-001
Sample ID:	SJ 27-5 105N	Date Reported:	06-17-04
Laboratory Number:	29078	Date Sampled:	06-10-04
Chain of Custody No:	12274	Date Received:	06-11-04
Sample Matrix:	Soil	Date Extracted:	06-15-04
Preservative:	Cool	Date Analyzed:	06-16-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	1.6	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	1.6	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Reserve Pits.

Analyst C. Q

Mistine M Walter Review



TRACE METAL ANALYSIS

Client:	Burlington Resources	Project #:	92115-001
Sample ID:	SJ 27-5 105N	Date Reported:	06-17-04
Laboratory Number:	29078	Date Sampled:	06-10-04
Chain of Custody:	12274	Date Received:	06-11-04
Sample Matrix:	Soil	Date Analyzed:	06-17-04
Preservative:	Cool	Date Digested:	06-16-04
Condition:	Cool & Intact	Analysis Needed:	RCRA Metals

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	TCLP Regulatory Level (mg/Kg)
Arsenic	0.013	0.001	5.0
Barium	0.322	0.001	100
Cadmium	ND	0.001	1.0
Chromium	0.002	0.001	5.0
Lead	0.002	0.001	5.0
Mercury	ND	0.001	0.2
Selenium	0.007	0.001	1.0
Silver	ND	0.001	5.0

ND - Parameter not detected at the stated detection limit.

References:

Method 3050B, Acid Digestion of Sediments, Sludges and Soils.

SW-846, USEPA, December 1996.

Method 6010B, Analysis of Metals by Inductively Coupled Plasma Atomic Emmision

Spectroscopy, SW-846, USEPA, December 1996.

Note:

Regulatory Limits based on 40 CFR part 261 subpart C

section 261.24, August 24, 1998.

Comments:

Reserve Pits.

Analyst

Review Mullime of Walter



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Burlington Resources	Project #:	92115-001
Sample ID:	SJ 27-5 105N	Date Reported:	06-17-04
Laboratory Number:	29078	Date Sampled:	06-10-04
Chain of Custody:	12274	Date Received:	06-11-04
Sample Matrix:	Soil	Date Analyzed:	06-16-04
Preservative:	Cool	Date Extracted:	06-15-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	20.3	1.8
Toluene	95.9	1.7
Ethylbenzene	66.1	1.5
p,m-Xylene	244	2.2
o-Xylene	99.0	1.0
Total BTEX	525	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98 %
	1,4-difluorobenzene	98 %
	Bromochlorobenzene	98 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Reserve Pits.

Analyst C. Oder

Misture of Walters Review



EC, SAR, ESP, CI Analysis

Client:	Burlington Resources	Project #:	92115-001
Sample ID:	SJ 27-5 105N	Date Reported:	06-17-04
Laboratory Number:	29078	Date Sampled:	06-10-04
Chain of Custody:	12274	Date Received:	06-11-04
Sample Matrix:	Soil	Date Extracted:	06-15-04
Preservative:	Cool	Date Analyzed:	06-16-04
Condition:	Cool & Intact		

	Analytical	
Parameter	Result	Units

Conductivity @ 25° C	1.530	mmhos/cm
Calcium	230	mg/Kg
Magnesium	6.84	mg/Kg
Sodium	110	mg/Kg
Sodium Absorption Ratio (SAR)	2.7	ratio
Exchangeable Sodium Percent (ESP)	2.7	percent
Chloride	590	mg/Kg

Reference:

U.S.E.P.A., 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

Comments:

Reserve Pits.

/ Mistinem Walters
Analyst

Review C. Oplin