<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Form C-14 March 12, 200

March 12, 200

On Conservation Division

For drilling and production facilities, submit to 1220 South St. Francis Dr.

For drilling and production facilities, submit to Santa Fe Santa Fe, NM 87505

South St. Francis Dr.

For drilling and production facilities, submit to Santa Fe Santa Fe, NM 87505

	2004			
Pit or Below-Grade Tank Registration or Closure				
Is pit or below-grade tank of	covered by a "general plan;"? Yes 🖂	Ī r å 🗆		
Type of action: Registration of a pit or	below-grade tank Cosure of a pit or below-grade	tank 🗵		
Operator: Burlington Resources Oil & Gas Company LP Telepho		7		
•	one: <u>505-326-9700</u> e-mail address: <u>Unclark@or-mo</u>	c.com		
Address: 3401 E. 30th Street, Farmington, NM 87402	O. (O. I. C. 20 T. 2011 D. 1011	·		
Facility or well name: Scott Com 291S API #: 30-045-32133 U/L or				
County: San Juan Latitude 36.9542633 Longitude -10	7.89932 NAD: 1927 🔯 1983 🔲 Surface Owner F	ederai 📋 State 📋 Private 📋 Indian 📋		
Die	Below-grade tank			
Pit Tuna Duilling M Purduation D Dismosal D				
Type: Drilling ⊠ Production ☐ Disposal ☐	Volume:bbl Type of fluid: Construction material:			
Workover	Double-walled, with leak detection? Yes If not,	avalain vihermat		
Lined Unlined	Double-wailed, with leak detection? Yes [] If not,	explain why hot.		
Liner type: Synthetic ☑ Thickness 12 mil Clay ☐ Volumebbl				
	Less than 50 feet	(20 points)		
Depth to ground water (vertical distance from bottom of pit to seasonal high	50 feet or more, but less than 100 feet	(10 points) 0 points		
water elevation of ground water.)	100 feet or more	(0 points)		
	Voc	(20 maints) 0 maints		
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points) 0 points		
water source, or less than 1000 feet from all other water sources.)	No	(0 points)		
	Less than 200 feet	(20 points) 0 points		
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)		
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)		
		(
	Ranking Score (Total Points) 10 points			
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indicat	e disposal location:		
onsite Offsite I If offsite, name of facility	. (3) Attach a general description of remedial action	on taken including remediation start date and		
end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth				
a diagram of sample locations and excavations. (6) Pit closure date		(e) mach son sumple results and		
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines , a Date: 6/17/04				
Printed Name/Title Joni Clark, Regulatory Specialist Signature Town Clark				
Your certification and NMOCD approval of this application/closure does not		the pit or tank contaminate ground water or		
otherwise endanger public health or the environment. Nor does it relieve the				
regulations.				
Approval: USIN 2 9 2004				
Date:				
Printed Name/Title DEPUTY OIL & GAS INSPECTOR, DIST.	Signature CV	eny		
	' //			



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Burlington Resources	Project #:	92115-001-001
Sample ID:	Scott Com 291S	Date Reported:	06-18-04
Laboratory Number:	29143	Date Sampled:	06-15-04
Chain of Custody No:	12290	Date Received:	06-16-04
Sample Matrix:	Soil	Date Extracted:	06-17-04
Preservative:	Cool	Date Analyzed:	06-18-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Pit Samples.

Analyst C. Quantity

Mistrem Walters
Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Burlington Resources	Project #:	92115-001-001
Sample ID:	Scott Com 291S	Date Reported:	06-18-04
Laboratory Number:	29143	Date Sampled:	06-15-04
Chain of Custody:	12290	Date Received:	06-16-04
Sample Matrix:	Soil	Date Analyzed:	06-18-04
Preservative:	Cool	Date Extracted:	06-17-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	ND	1.8	
Toluene	ND	1.7	
Ethylbenzene	ND	1.5	
p,m-Xylene	ND	2.2	
o-Xylene	ND	1.0	
Total BTEX	ND		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	96 %
	1,4-difluorobenzene	96 %
	Bromochlorobenzene	96 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Pit Samples.

Analyst C. Cym

Mustine Mulders
Review



TRACE METAL ANALYSIS

Client:	Burlington Resources	Project #:	92115-001-001
Sample ID:	Scott Com 291S	Date Reported:	06-18-04
Laboratory Number:	29143	Date Sampled:	06-15-04
Chain of Custody:	12290	Date Received:	06-16-04
Sample Matrix:	Soil	Date Analyzed:	06-18-04
Preservative:	Cool	Date Digested:	06-18-04
Condition:	Cool & Intact	Analysis Needed:	RCRA Metals

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	TCLP Regulatory Level (mg/Kg)
Arsenic	0.003	0.001	5.0
Barium	0.299	0.001	100
Cadmium	ND	0.001	1.0
Chromium	ND	0.001	5.0
Lead	ND	0.001	5.0
Mercury	ND	0.001	0.2
Selenium	0.001	0.001	1.0
Silver	ND	0.001	5.0

ND - Parameter not detected at the stated detection limit.

References:

Method 3050B, Acid Digestion of Sediments, Sludges and Soils.

SW-846, USEPA, December 1996.

Method 6010B, Analysis of Metals by Inductively Coupled Plasma Atomic Emmision

Spectroscopy, SW-846, USEPA, December 1996.

Note:

Regulatory Limits based on 40 CFR part 261 subpart C

section 261.24, August 24, 1998.

Comments:

Pit Samples.

Analyat

Review (V) (Walters



EC, SAR, ESP, CI Analysis

Client:	Burlington Resources	Project #:	92115-001-001
Sample ID:	Scott Com 291S	Date Reported:	06-18-04
Laboratory Number:	29143	Date Sampled:	06-15-04
Chain of Custody:	12290	Date Received:	06-16-04
Sample Matrix:	Soil	Date Extracted:	06-17-04
Preservative:	Cool	Date Analyzed:	06-18-04
Condition:	Cool & Intact		

	Analytical	
Parameter	Result	Units

Conductivity @ 25° C	1.450	mmhos/cm
Calcium	12.1	mg/Kg
Magnesium	1.08	mg/Kg
Sodium	418	mg/Kg
Sodium Absorption Ratio (SAR)	43.7	ratio
Exchangeable Sodium Percent (ESP)	38.5	percent
Chloride	436	mg/Kg

Reference:

U.S.E.P.A., 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

Comments:

Pit Samples.

Analyst . Oplum

Mistern Walters
Review