District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-14-March 12, 200

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan". Yes No 

Type of action: Registration of a pit or below-grade tank 

Closure of a pit or below-grade tank

Type of action: Registration of a pit or	below-grade tank Closure of a pit or below-grad	e tank 🗵		
Operator: Burlington Resources Oil & Gas Company LP Telephor	ne: 505-326-9700 e-mail address: iclark@br-inc	.com		
Address: 3401 E. 30 <sup>th</sup> Street, Farmington, NM 87402				
Facility or well name: <u>San Juan 30-6 Unit #432S</u> API #: <u>30-039-2</u>	7566_U/L or Qtr/Qtr_I_Sec_10_T_30N_R_06 W			
County: Rio Arriba Latitude 36.8244033 Longitude -107.44333	NAD: 1927 🛛 1983 🗌 Surface Owner Federal	☐ State ☐ Private ☒ Indian ☐		
<u>Pit</u>	Below-grade tank			
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	19 (1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1		
Workover ⊠ Emergency □	Construction material:			
Lined Unlined M	Double-walled, with leak detection? Yes  If not.	, explain why not.		
Liner type: Synthetic Thicknessmil Clay Volumebbl				
Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 feet	(20 points)		
water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)		
water crevation of ground water.)	100 feet or more	( 0 points) 0 points		
Wellhood austration area. (Loss than 200 feet from a mirete demostic	Yes	(20 points)		
Wellhead protection area: (Less than 200 feet from a private domestic	No	( 0 points) 0 points		
water source, or less than 1000 feet from all other water sources.)				
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)		
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)		
,	1000 feet or more	( 0 points) 0 points		
Ranking Score (Total Points) 0 points				
	Ranking Score (Total Points) U points			
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indicat	te disposal location:		
onsite O offsite I If offsite, name of facility	(3) Attach a general description of remedial action	on taken including remediation start date and		
end date. (4) Groundwater encountered: No 🛛 Yes 🗍 If yes, show depth				
a diagram of sample locations and excavations. (6) Closure completion date				
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has				
been/will be constructed or closed according to NMOCD guidelines , a Date: 6/24/04	general permit , or an (attached) alternative OC	CD-approved plan □.		
Printed Name/Title Joni Clark, Regulatory Specialist Signature				
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or				
otherwise endanger public health or the environment. Nor does it relieve the regulations.	operator of its responsibility for compliance with any o	other federal, state, or local laws and/or		
Approval: JUN 2 8 2004				
Doto: IDP 1994 AND TO THE STORY OF THE STORY				
Printed Name/Title Signature				
	(/	/		
	V			



## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Burlington Resources	Project #:	92115-001-001
Sample ID:	San Juan 30-6 #432S	Date Reported:	06-18-04
Laboratory Number:	29113	Date Sampled:	06-11-04
Chain of Custody No:	12281	Date Received:	06-14-04
Sample Matrix:	Soil	Date Extracted:	06-16-04
Preservative:	Cool	Date Analyzed:	06-17-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

**Drilling Pits.** 

Analyst P. Cy

Review Malter



## **TRACE METAL ANALYSIS**

Client:	<b>Burlington Resources</b>	Project #:	92115-001-001
Sample ID:	San Juan 30-6 432S	Date Reported:	06-18-04
Laboratory Number:	29113	Date Sampled:	06-11-04
Chain of Custody:	12281	Date Received:	06-14-04
Sample Matrix:	Soil	Date Analyzed:	06-18-04
Preservative:	Cool	Date Digested:	06-17-04
Condition:	Cool & Intact	Analysis Needed:	RCRA Metals

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	TCLP Regulatory Level (mg/Kg)
Arsenic	0.011	0.001	5.0
Barium	0.261	0.001	100
Cadmium	ND	0.001	1.0
Chromium	ND	0.001	5.0
Lead	0.001	0.001	5.0
Mercury	ND	0.001	0.2
Selenium	0.005	0.001	1.0
Silver	ND	0.001	5.0

ND - Parameter not detected at the stated detection limit.

References:

Method 3050B, Acid Digestion of Sediments, Sludges and Soils.

SW-846, USEPA, December 1996.

Method 6010B, Analysis of Metals by Inductively Coupled Plasma Atomic Emmision

Spectroscopy, SW-846, USEPA, December 1996.

Note:

Regulatory Limits based on 40 CFR part 261 subpart C

section 261.24, August 24, 1998.

Comments:

**Drilling Pits.** 

Analyst

Review ( ) Waltus



## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Burlington Resources	Project #:	92115-001-001
Sample ID:	San Juan 30-6 #432S	Date Reported:	06-18-04
Laboratory Number:	29113	Date Sampled:	06-11-04
Chain of Custody:	12281	Date Received:	06-14-04
Sample Matrix:	Soil	Date Analyzed:	06-17-04
Preservative:	Cool	Date Extracted:	06-16-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	5.4	1.8
Toluene	52.2	1.7
Ethylbenzene	31.6	1.5
p,m-Xylene	25.1	2.2
o-Xylene	29.3	1.0
Total BTEX	144	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99 %
	1,4-difluorobenzene	99 %
	Bromochlorobenzene	99 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

**Drilling Pits.** 

Analyst C.Q

Mustine of Walter
Review



## EC, SAR, ESP, CI Analysis

Client:	Burlington Resources	Project #:	92115-001-001
Sample ID:	San Juan 30-6 #432S	Date Reported:	06-18-04
Laboratory Number:	29113	Date Sampled:	06-11-04
Chain of Custody:	12281	Date Received:	06-14-04
Sample Matrix:	Soil	Date Extracted:	06-16-04
Preservative:	Cool	Date Analyzed:	06-18-04
Condition:	Cool & Intact		

	Analytical	
Parameter	Result	Units

Conductivity @ 25° C	0.837	mmhos/cm
Calcium	12.9	mg/Kg
Magnesium	1.22	mg/Kg
Sodium	276	mg/Kg
Sodium Absorption Ratio (SAR)	27.8	ratio
Exchangeable Sodium Percent (ESP)	28.3	percent
Chloride	295	mg/Kg

Reference:

U.S.E.P.A., 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

Comments:

**Drilling Pits.** 

Analyst C. Ch

Review Walters