District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-14-March 12, 200

For drilling and production facilities, submit to appropriate MOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan" Yes No

Type of action: Registration of a pit or below-grade tank \(\sum \) Closure of a pit or below-grade tank \(\overline{\text{\tiket{\text{\ti}}\tittt{\texi}\text{\text{\text{\text{\text{\texi{\texi{\texi{\text{\texi{\te\titt{\texict{\texi{\texi{\texi{\texi}\texi{\texi{\texi{\ti				
Operator: <u>Burlington Resources Oil & Gas Company LP</u> Telephon Address: 3401 E. 30 th Street, Farmington, NM 87402	ne: <u>505-326-9700</u> _e-mail address: <u>jclark@br-inc</u>	.com		
Facility or well name: Quinn #342 API #: 30-045-31871 U/L or	Otr/Otr A Sec 19 T31N R 08 W			
County: San Juan Latitude 36.8883 Longitude -107.7120 NA		te □ Private □ Indian □		
<u>Pit</u>	Below-grade tank			
Type: Drilling Production Disposal	Volume:bbl Type of fluid:			
Workover ⊠ Emergency □	Construction material:			
Lined 🛛 Unlined 🗆	Double-walled, with leak detection? Yes If not,	explain why not.		
Liner type: Synthetic Thicknessmil Clay Volumebbl				
Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 feet	(20 points)		
water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points) 10 points		
water distance of ground water.	100 feet or more	(0 points)		
	Yes	(20 points)		
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points) 0 points		
water source, or less than 1000 feet from all other water sources.)	110	(o points)		
	Less than 200 feet	(20 points)		
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)		
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points) 0 points		
	Ranking Score (Total Points) 10 points			
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indicat	e disposal location:		
onsite O offsite I If offsite, name of facility	(3) Attach a general description of remedial action	on taken including remediation start date and		
end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth	below ground surfaceft. and attach sar	mple results. (5) Attach soil sample results and		
a diagram of sample locations and excavations.(6) Closure completed date	10.96.04			
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines , a	my knowledge and belief. I further certify that the a general permit , or an (attached) alternative OC	ibove-described pit or below-grade tank has D-approved plan □.		
Date: <u>6/3/04</u>	() es. : (1 0 o	u 1e		
Printed Name/Title Joni Clark, Regulatory Specialist Signature Signature				
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve the regulations.	relieve the operator of liabilly should the contents of to operator of its responsibility for compliance with any of the content of the conte	the pit or tank contaminate ground water or other federal, state, or local laws and/or		
Approval: JUN 28 2004				
l n .				
Printed Name/Title SEPUTY OIL & GAS INSPECTOR, DIST.	Signature Demy	vy		
	' // '	•		
	/			



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Burlington Resources	Project #:	92115-001
Sample ID:	Quinn #342	Date Reported:	06-16-04
Laboratory Number:	29072	Date Sampled:	06-04-04
Chain of Custody No:	12271	Date Received:	06-10-04
Sample Matrix:	Soil	Date Extracted:	06-15-04
Preservative:	Cool	Date Analyzed:	06-16-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	6.1	0.2
Diesel Range (C10 - C28)	53.2	0.1
Total Petroleum Hydrocarbons	59.3	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Reserve Pits.

Analyst C. Office

Mistern Wallen Review



TRACE METAL ANALYSIS

Client:	Burlington Resources	Project #:	92115-001
Sample ID:	Quinn #342	Date Reported:	06-16-04
Laboratory Number:	29072	Date Sampled:	06-04-04
Chain of Custody:	12271	Date Received:	06-10-04
Sample Matrix:	Soil	Date Analyzed:	06-16-04
Preservative:	Cool	Date Digested:	06-15-04
Condition:	Cool & Intact	Analysis Needed:	RCRA Metals

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	TCLP Regulatory Level (mg/Kg)
Avenue	0.007	0.004	5.0
Arsenic	0.007	0.001	5.0
Barium	0.368	0.001	100
Cadmium	ND	0.001	1.0
Chromium	0.001	0.001	5.0
Lead	0.001	0.001	5.0
Mercury	ND	0.001	0.2
Selenium	0.002	0.001	1.0
Silver	ND	0.001	5.0

ND - Parameter not detected at the stated detection limit.

References:

Method 3050B, Acid Digestion of Sediments, Sludges and Soils.

SW-846, USEPA, December 1996.

Method 6010B, Analysis of Metals by Inductively Coupled Plasma Atomic Emmision

Spectroscopy, SW-846, USEPA, December 1996.

Note:

Regulatory Limits based on 40 CFR part 261 subpart C

section 261.24, August 24, 1998.

Comments:

Reserve Pits.

Analyst

Nevicw

"Wristen on Waller



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Burlington Resources	Project #:	92115-001
Sample ID:	Quinn #342	Date Reported:	06-16-04
Laboratory Number:	29072	Date Sampled:	06-04-04
Chain of Custody:	12271	Date Received:	06-10-04
Sample Matrix:	Soil	Date Analyzed:	06-16-04
Preservative:	Cool	Date Extracted:	06-15-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	13.6	1.8	
Toluene	49.0	1.7	
Ethylbenzene	12.6	1.5	
p,m-Xylene	94.1	2.2	
o-Xylene	22.6	1.0	
Total BTEX	192		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99 %
	1,4-difluorobenzene	99 %
	Bromochlorobenzene	99 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Reserve Pits.

Analyst C. Qui

Mistine of Walters Review



EC, SAR, ESP, CI Analysis

Client:	Burlington Resources	Project #:	92115-001
Sample ID:	Quinn #342	Date Reported:	06-16-04
Laboratory Number:	29072	Date Sampled:	06-04-04
Chain of Custody:	12271	Date Received:	06-10-04
Sample Matrix:	Soil	Date Extracted:	06-15-04
Preservative:	Cool	Date Analyzed:	06-16-04
Condition:	Cool & Intact		

	Analytical	
Parameter	Result	Units

Conductivity @ 25° C	2.70	mmhos/cm
Calcium	66.2	mg/Kg
Magnesium	14.7	mg/Kg
Sodium	74.9	mg/Kg
Sodium Absorption Ratio (SAR)	3.1	ratio
Exchangeable Sodium Percent (ESP)	3.1	percent
Chloride	346	mg/Kg

Reference: U.S.E.P.A., 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

Comments: Reserve Pits.

Alexander C. Cylin L. Analyst

Review Dolle