District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

JUN 28 2004

Printed Name/Title Pruty Oil & GAS INSTECTOR, DIST.

Approval:

State of New Mexico

Oil Conservation Division July 200 appropriate NMOCD District Office.

1220 South St. Francis Dr. For downstream facilities, submit to Santa Fe Santa Fe. NM 87505 Santa Fe, NM 87505

Form C-1 March 12, 2

Pit or Below-Grade Tank Registration or Closure				
Is pit or below-grade tank covered by a "general plan"? Wes No				
Type of action: Registration of a pit or	below-grade tank Closure of a pit or below-grade	tank 🗵		
Operator: Burlington Resources Oil & Gas Company LP Telephone: 505-326-9700 e-mail address: jclark@br-inc.com				
Address: 3401 E. 30 th Street, Farmington, NM 87402 Facility or well name: San Juan 30-6 Unit #408S API #: 30-039-20	6042 11/1 on Ota/Ota E Soc 16 T 20N P 06 W			
<u> </u>				
County: Rio Arriba Latitude 36.8166667 Longitude -107.47333	NAD. 1927 🖾 1983 🔲 Sui lace Owner Federal [] State [] Frivate [2] Indian []		
Pit	Below-grade tank			
Type: Drilling Production Disposal	Volume:bbl Type of fluid:			
Workover ⊠ Emergency □	Construction material:			
Lined Unlined 🛛	Double-walled, with leak detection? Yes If not,	avalain why not		
	Bouble-walled, with leak detection? Tes I if hot,	explain why not.		
Liner type: Synthetic Thickness mil Clay Volume bbl				
	Less than 50 feet	(20 points)		
Depth to ground water (vertical distance from bottom of pit to seasonal high	50 feet or more, but less than 100 feet	(10 points)		
water elevation of ground water.)	100 feet or more	(0 points) 0 points		
W.W. 1	Yes	(20 points)		
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points) 0 points		
water source, or less than 1000 feet from all other water sources.)	110	(o points) o points		
	Less than 200 feet	(20 points)		
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)		
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points) 0 points		
	Ranking Score (Total Points) 0 points			
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indicat	e disposal location:		
onsite offsite If offsite, name of facility	(3) Attach a general description of remedial action	on taken including remediation start date and		
end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth				
and a diagram of sample locations and excavations. (6) Pit Closure Date	6/36/04			
I hereby certify that the information above is true and complete to the best of	my knowledge and belief. I further contifu that the	hove described air or below grade to all h		
been/will be constructed or closed according to NMOCD guidelines , a Date: June 7, 2004	general permit , or an (attached) alternative OC	D-approved plan 🗌.		
Printed Name/Title Joni Clark, Regulatory Specialist Signature				
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.				



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Burlington Resources	Project #:	92115-001
Sample ID:	SJ 30-6 #408S	Date Reported:	06-16-04
Laboratory Number:	29068	Date Sampled:	06-09-04
Chain of Custody No:	12271	Date Received:	06-10-04
Sample Matrix:	Soil	Date Extracted:	06-15-04
Preservative:	Cool	Date Analyzed:	06-16-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	434	0.1
Total Petroleum Hydrocarbons	434	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Reserve Pits.

Analyst C. C.

Review Muselen



TRACE METAL ANALYSIS

Client:	Burlington Resources	Project #:	92115-001
Sample ID:	SJ 30-6 #408S	Date Reported:	06-16-04
Laboratory Number:	29068	Date Sampled:	06-09-04
Chain of Custody:	12271	Date Received:	06-10-04
Sample Matrix:	Soil	Date Analyzed:	06-16-04
Preservative:	Cool	Date Digested:	06-15-04
Condition:	Cool & Intact	Analysis Needed:	RCRA Metals

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	TCLP Regulatory Level (mg/Kg)
Arsenic	0.011	0.001	5.0
Barium	0.719	0.001	100
Cadmium	ND	0.001	1.0
Chromium	0.001	0.001	5.0
Lead	0.001	0.001	5.0
Mercury	ND	0.001	0.2
Selenium	0.007	0.001	1.0
Silver	ND	0.001	5.0

ND - Parameter not detected at the stated detection limit.

References:

Method 3050B, Acid Digestion of Sediments, Sludges and Soils.

SW-846, USEPA, December 1996.

Method 6010B, Analysis of Metals by Inductively Coupled Plasma Atomic Emmision

Spectroscopy, SW-846, USEPA, December 1996.

Note:

Regulatory Limits based on 40 CFR part 261 subpart C

section 261.24, August 24, 1998.

Comments:

Reserve Pits.

Analyst

Review Walter



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Burlington Resources	Project #:	92115-001
Sample ID:	SJ 30-6 #408S	Date Reported:	06-16-04
Laboratory Number:	29068	Date Sampled:	06-09-04
Chain of Custody:	12271	Date Received:	06-10-04
Sample Matrix:	Soil	Date Analyzed:	06-16-04
Preservative:	Cool	Date Extracted:	06-15-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	3.0	1.8
Toluene	31.3	1.7
Ethylbenzene	1.6	1.5
p,m-Xylene	ND	2.2
o-Xylene	ND	1.0
Total BTEX	35.9	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99 %
	1,4-difluorobenzene	99 %
	Bromochlorobenzene	99 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Reserve Pits.

Analyst C. Cylen

Review Walter



EC, SAR, ESP, Cl Analysis

Client:	Burlington Resources	Project #:	92115-001
Sample ID:	SJ 30-6 #408S	Date Reported:	06-16-04
Laboratory Number:	29068	Date Sampled:	06-09-04
Chain of Custody:	12271	Date Received:	06-10-04
Sample Matrix:	Soil	Date Extracted:	06-15-04
Preservative:	Cool	Date Analyzed:	06-16-04
Condition:	Cool & Intact		

	Analytical	
Parameter	Result	Units

Conductivity @ 25° C	3.89	mmhos/cm
Calcium Magnesium	32.2 <0.01	mg/Kg mg/Kg
Sodium	127	mg/Kg
Sodium Absorption Ratio (SAR)	8.7	ratio
Exchangeable Sodium Percent (ESP)	10.3	percent
Chloride	790	mg/Kg

Reference:

U.S.E.P.A., 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

Comments:

Reserve Pits.

Analyst

(Review Nalles