District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Division Santa Fe, NM 87505 Form C-14 March 12, 200

For drilling and production facilities, submit to appropriate NMOCD District Office.
For doynstream facilities, submit to Santa Fe Office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan" Yes No

Type of action: Registration of a pit or	below-grade tank [] Closure of a pit or below grad	e tank 🛛
Operator: Burlington Resources Oil & Gas Company LP Telephor Address: 3401 E. 30 th Street, Farmington, NM 87402	ne: <u>505-326-9700</u> _e-mail address: <u>jclark@br-inc</u>	c.com
Facility or well name: San Juan 27-5 Unit #119N API #: 30-039-2	7620 LI/L or Otr/Otr 1 Sec 24 T 27N R 05 W	
County: Rio Arriba Latitude 36.555350 Longitude -107.30813		
County. <u>Rio Arrioa</u> Latitude <u>30.333330</u> Longitude <u>-107.30613</u>	NAD. 1927 🖂 1963 🗀 Surface Owner Pederar	Z State Filvate Indian
Pit	Below-grade tank	
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	
Workover ☐ Emergency ☐	Construction material:	
Lined Unlined 🛛	Double-walled, with leak detection? Yes If not	, explain why not.
Liner type: Synthetic ☐ Thickness _ mil Clay ☐ Volumebbl	_	
Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 feet	(20 points)
water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)
water orotation of ground water.)	100 feet or more	(0 points) 0 points
W.W. 1	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points) 0 points
water source, or less than 1000 feet from all other water sources.)	_	
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
•	200 feet or more, but less than 1000 feet	(10 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points) 0 points
		·
	Ranking Score (Total Points) 0 points	
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indicat	te disposal location:
onsite O offsite I If offsite, name of facility	(3) Attach a general description of remedial action	on taken including remediation start date and
end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth		
a diagram of sample locations and excavations. (6) Closure completion date	6/20/04	
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines , a	my knowledge and belief. I further certify that the general permit , or an (attached) alternative OC	above-described pit or below-grade tank has CD-approved plan [].
Date: 6/14/04 Date: Glade Date Granishing	0001	Q-2
Printed Name/Title Joni Clark, Regulatory Specialist		
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve the regulations.	relieve the operator of lightity should the contents of operator of its responsibility for compliance with any	the pit or tank contaminate ground water or other federal, state, or local laws and/or
Approval: JUN 2 3 2004		
	1 Ceny	Sort
Printed Name/Title VEPUTY OIL & GAS INSFECTOR, DIST.	_SignatureSeruf	Jany
		/
l .		



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Burlington Res.	Project #:	92115-001
Sample ID:	SJ 27-5 119N	Date Reported:	06-12-04
Laboratory Number:	29058	Date Sampled:	06-09-04
Chain of Custody No:	12269	Date Received:	06-10-04
Sample Matrix:	Soil	Date Extracted:	06-11-04
Preservative:	Cool	Date Analyzed:	06-12-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	12.9	0.2
Diesel Range (C10 - C28)	9.6	0.1
Total Petroleum Hydrocarbons	22.5	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Reserve Pits.

Analyst C. Quantity

Mustine m Walter



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Burlington Res.	Project #:	92115-001
Sample ID:	SJ 27-5 119N	Date Reported:	06-12-04
Laboratory Number:	29058	Date Sampled:	06-09-04
Chain of Custody:	12269	Date Received:	06-10-04
Sample Matrix:	Soil	Date Analyzed:	06-12-04
Preservative:	Cool	Date Extracted:	06-11-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	28.5	1.8
Toluene	146	1.7
Ethylbenzene	28.1	1.5
p,m-Xylene	193	2.2
o-Xylene	44.7	1.0
Total BTEX	440	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	94 %
	1,4-difluorobenzene	94 %
	Bromochlorobenzene	94 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Reserve Pits.

Analyst C. Ol

Mister Malters Review



EC, SAR, ESP, CI Analysis

Client:	Burlington Res.	Project #:	92115-001
Sample ID:	SJ 27-5 119N	Date Reported:	06-12-04
Laboratory Number:	29058	Date Sampled:	06-09-04
Chain of Custody:	12269	Date Received:	06-10-04
Sample Matrix:	Soil	Date Extracted:	06-11-04
Preservative:	Cool	Date Analyzed:	06-12-04
Condition:	Cool & Intact		

	Analytical	
Parameter	Result	Units

Conductivity @ 25° C	4.11	mmhos/cm
Calcium	376	mg/Kg
Magnesium	2.16	mg/Kg
Sodium	605	mg/Kg
Sodium Absorption Ratio (SAR)	12.1	ratio
Exchangeable Sodium Percent (ESP)	14.1	percent
Chloride	1,560	mg/Kg

Reference:

U.S.E.P.A., 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

Comments:

Reserve Pits.

Analyst C. Cyleran

Review Walles



TRACE METAL ANALYSIS

Client:	Burlington Res.	Project #:	92115-001
Sample ID:	SJ 27-5 119N	Date Reported:	06-12-04
Laboratory Number:	29058	Date Sampled:	06-09-04
Chain of Custody:	12269	Date Received:	06-10-04
Sample Matrix:	Soil	Date Analyzed:	06-12-04
Preservative:	Cool	Date Digested:	06-11-04
Condition:	Cool & Intact	Analysis Needed:	RCRA Metals

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	TCLP Regulatory Level (mg/Kg)
Arsenic	0.005	0.001	5.0
Barium	0.661	0.001	100
Cadmium	ND	0.001	1.0
Chromium	0.001	0.001	5.0
Lead	0.001	0.001	5.0
Mercury	ND	0.001	0.2
Selenium	0.004	0.001	1.0
Silver	ND	0.001	5.0

ND - Parameter not detected at the stated detection limit.

References:

Method 3050B, Acid Digestion of Sediments, Sludges and Soils.

SW-846, USEPA, December 1996.

Method 6010B, Analysis of Metals by Inductively Coupled Plasma Atomic Emmision

Spectroscopy, SW-846, USEPA, December 1996.

Note:

Regulatory Limits based on 40 CFR part 261 subpart C

section 261.24, August 24, 1998.

Comments:

Reserve Pits.

Analyst

Review Muller