<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III
1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

> Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

March 12, 200

Form C-14

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office.

Pit or Below-Grade Tank Registra: Is pit or below-grade tank covered by a "general stank covered by a "general sta	tion	or (losi	ire	, ,
Is pit or below-grade tank covered by a "generation of the series of the	al M	aga"?	Yes	N	ľ

Type of action: Registration of a pit or	below-grade tank [Closure of a picor below-grade	e tank 🔯
	4.2.9.S	La L
Operator: <u>Burlington Resources Oil & Gas Company LP</u> Telephor	ne: <u>505-326-9700</u> e-mail address: <u>jclark@br-inc</u>	.com
Address: 3401 E. 30th Street, Farmington, NM 87402		
Facility or well name: San Juan 27-5 Unit #120N API #: 30-039-2	.7629_U/L or Qtr/Qtr_P_Sec_23_T_27N_R_05 W	
County: Rio Arriba Latitude 36.5542183 Longitude -107.31898	3 NAD: 1927 ☑ 1983 ☐ Surface Owner Federal	☑ State ☐ Private ☐ Indian ☐
<u>Pit</u>	Below-grade tank	
Type: Drilling \(\subseteq \text{Production} \subseteq \subseteq \text{Disposal} \subseteq \)	Volume:bbl Type of fluid:	
Workover Emergency	Construction material:	
Lined ☐ Unlined ⊠	Double-walled, with leak detection? Yes If not,	explain why not.
Liner type: Synthetic Thicknessmil Clay Volumebbl		•
Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 feet	(20 points)
water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)
water of various of ground water.)	100 feet or more	(0 points) 0 points
W. III. 1	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points) 0 points
water source, or less than 1000 feet from all other water sources.)		(o points)
Distance to surface water. (horizontal distance to all water de all water de	Less than 200 feet	(20 points)
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points) 0 points
	Ranking Score (Total Points) 0 points	
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indicat	e disposal location:
onsite offsite file if offsite, name of facility	(3) Attach a general description of remedial action	on taken including remediation start date and
end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth		
a diagram of sample locations and excavations. (6) Closure completion date		
I hereby certify that the information above is true and complete to the best of	my knowledge and belief. I further certify that the a	above-described pit or below-grade tank has
been/will be constructed or closed according to NMOCD guidelines , a Date: 6/14/04	general permit , or an (attached) alternative OC	CD-approved plan □.
Printed Name/Title Joni Clark, Regulatory Specialist	Signature	arp.
Your certification and NMOCD approval of this application/closure does not		the mit on tout a contemplate and a decided a
otherwise endanger public health or the environment. Nor does it relieve the regulations.	operator of its responsibility for compliance with any o	other federal, state, or local laws and/or
Approval: IIIAI o 2 2004		
Date: JUN 2 3 2004	190	3211
Printed Name/Title FEPITY OIL & GAS INSPECTOR, DIST. ES	Signature Signature	ear)
	,) (/	-



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Burlington Res.	Project #:	92115-001
Sample ID:	SJ 27-5 120N	Date Reported:	06-12-04
Laboratory Number:	29057	Date Sampled:	06-09-04
Chain of Custody:	12269	Date Received:	06-10-04
Sample Matrix:	Soil	Date Analyzed:	06-12-04
Preservative:	Cool	Date Extracted:	06-11-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	58.2	1.8
Toluene	248	1.7
Ethylbenzene	137	1.5
p,m-Xylene	746	2.2
o-Xylene	307	1.0
Total BTEX	1,500	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	100 %
	1,4-difluorobenzene	100 %
	Bromochlorobenzene	100 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Reserve Pits.

Analyst

Motinem Walten
Review



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Burlington Res.	Project #:	92115-001
Sample ID:	SJ 27-5 120N	Date Reported:	06-12-04
Laboratory Number:	29057	Date Sampled:	06-09-04
Chain of Custody No:	12269	Date Received:	06-10-04
Sample Matrix:	Soil	Date Extracted:	06-11-04
Preservative:	Cool	Date Analyzed:	06-12-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	4.2	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	4.2	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Reserve Pits.

Analyst

Moline Milaller Review



EC, SAR, ESP, CI Analysis

Client:	Burlington Res.	Project #:	92115-001
Sample ID:	SJ 27-5 120N	Date Reported:	06-12-04
Laboratory Number:	29057	Date Sampled:	06-09-04
Chain of Custody:	12269	Date Received:	06-10-04
Sample Matrix:	Soil	Date Extracted:	06-11-04
Preservative:	Cool	Date Analyzed:	06-12-04
Condition:	Cool & Intact		

	Analytical	
Parameter	Result	Units

Conductivity @ 25° C	3.32	mmhos/cm
Calcium	476	mg/Kg
Magnesium	36.5	mg/Kg
Sodium	915	mg/Kg
Sodium Absorption Ratio (SAR)	15.4	ratio
Exchangeable Sodium Percent (ESP)	17.6	percent
Chloride	2,150	mg/Kg

Reference: U.S.E.P.A., 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

Comments: Reserve Pits.

Analyst C. Que

Review Wall-lis



TRACE METAL ANALYSIS

Client:	Burlington Res.	Project #:	92115-001	
Sample ID:	SJ 27-5 120N	Date Reported:	06-12-04	
Laboratory Number:	29057	Date Sampled:	06-09-04	
Chain of Custody:	12269	Date Received:	06-10-04	
Sample Matrix:	Soil	Date Analyzed:	06-12-04	
Preservative:	Cool	Date Digested:	06-11-04	
Condition:	Cool & Intact	Analysis Needed:	RCRA Metals	

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	TCLP Regulatory Level (mg/Kg)
Arsenic	0.013	0.001	5.0
Barium	0.587	0.001	100
Cadmium	ND	0.001	1.0
Chromium	0.002	0.001	5.0
Lead	0.002	0.001	5.0
Mercury	ND	0.001	0.2
Selenium	0.010	0.001	1.0
Silver	ND	0.001	5.0

ND - Parameter not detected at the stated detection limit.

References:

Method 3050B, Acid Digestion of Sediments, Sludges and Soils.

SW-846, USEPA, December 1996.

Method 6010B, Analysis of Metals by Inductively Coupled Plasma Atomic Emmision

Spectroscopy, SW-846, USEPA, December 1996.

Note:

Regulatory Limits based on 40 CFR part 261 subpart C

section 261.24, August 24, 1998.

Comments:

Reserve Pits.

Analyst